



00263476

FIELD

WELD CO., COLORADO

LYONS SECTION

23-8N-66W

DEPTH	PERMEABILITY	%POROSITY	%OIL	%WATER	SPECIFIC GRAVITY
9144.5	0	8.5	0	60	2.80
9145.5	0	4.6	0	55	2.72
9146.5	0	7.9	0	50	2.76
9147.5	0	6.6	0	5.0	2.83
9148.5	0	6.0	0	13.3	2.76
9149.5	0	6.1	21	2.6	2.75
9150.5	4.8	14.4	3.3	20	2.68
9151.5	19	14.9	11.3	37	2.68
9152.5	6.2	14.1	13.4	34	2.65
9153.5	2.1	10.3	8.7	35	2.70
9154.5	0	7.3	19	33	2.71
9155.5	7.7	12.9	15	31	2.67
9156.5	13	14.0	12.1	31	2.67
9157.5	18	13.8	17.1	39	2.66
9158.5	167	14.6	13.9	44	2.66
9159.5	800	16.5	11.7	34	2.65
9160.5	900	20.7	5.1	34	2.64
9161.5	5.1	9.4	6/5	3.3	2.72
9162.5	0	6.3	5.0	5.0	2.73
9163.5	148	8.5	-	-	2.72
9164.5	165	14.1	13.4	28	2.67
9165.5	22	8.5	-	-	2.72
9172.5	23	13.6	1.90	24	2.64
9173.5	0	6.7	22	8.2	2.62
9174.5	0	3.2	T	8.7	2.69
9175.5	2.0	9.6	12.8	18.5	2.63
9176.5	2.2	8.5	7.8	7.8	2.67
9177.5	1.5	8.1	10.9	10.9	2.64
9178.5	316	18.8	13.5	65	2.64
9179.5	274	17.5	3.3	48	2.63
9180.5	829	20.6	12.6	49	2.66
9181.5	26	9.2	23	32	2.66
9182.5	65	13.4	13.5	30	2.64
9183.5	0	6.8	21	8.5	2.61
9184.5	5.7	7.1	22	52	2.69
9185.5	2.5	7.4	20	8.3	2.66
9186.5	0	3.6	16.6	10.0	2.70
9187.5	1.8	11.1	5.0	10.0	2.61
9188.5	15	9.5	18.3	56	2.66
9189.5	2.7	10.5	10.2	7.7	2.67
9190.5	6.4	11.9	14.1	47	2.60
9191.5	171	17.4	8.0	35	2.62
9192.5	0	5.7	43	21	2.58
9193.5	0	5.5	20	7.7	2.60
9194.5	0	6.6	14.3	8.9	2.62
9195.5	0	3.8	17.8	7.1	2.66
9196.5	0	4.4	31	5.7	2.58
9197.5	0	4.9	23	5.9	2.60
9198.5	5.0 Sh prtng	5.7	22	8.7	2.64
9199.5	0	4.8	32	19.5	2.66
9200.5	0	5.8	20.6	12.9	2.56
9201.5	0	5.5	31	10.8	2.56
9202.5	0	5.7	24	16.3	2.66
9203.5	0	5.5	13.3	10.7	2.56

23-8N-66W

9204.5	0	5.3	25	25	2.56
9205.5	0	5.2	39	11.2	2.54
9206.5	0	5.5	29	13.4	2.54
9207.5	0	6.0	19.8	14.8	2.56
9208.5	0	4.4	31	10.3	2.58
9209.5	0	5.2	37	8.7	2.52
9210.5	0	7.5	19.0	31	2.58
9211.5	0	4.7	3.3	3.3	2.61
9212.5	0	4.7	13.3	20	2.58
9213.5	0	5.9	5.4	8.0	2.70
9214.5	0	5.1	6.2	105	2.72
9215.5	0	5.6	5.4	19.5	2.68
9216.5	0	5.4	10.9	110	2.57
9217.5	0	5.9	5.0	77	2.63
9218.5	0	7.6	2.1	24	2.73
9219.5	0	9.2	T	42	2.68
9220.5	0	5.3	T	54	2.70
9221.5	0	5.1	T	88	2.73
9222.5	0	5.8	0	44	2.72
9223.5	0	7.8	0	42	2.71
9224.5	0	4.8	0	119	2.68
9225.5	0	5.3	0	94	2.63
9226.5	0	6.8	0	74	2.70
9227.5	0	5.7	0	80	2.69
9228.5	0	4.4	0	125	2.58
9229.5	0	4.8	0	87	2.67

TOTAL PERMEABILITY LYONS SECTION 4026.8