

DISCHARGE MONITORING REPORT GENERATOR - WELLINGTON OPERATING COMPANY - prepared by STEWART ENVIRONMENTAL CONSULTANTS, INC.

Facility Information:

Name:

Mailing Address:

City, State, Zip:

Location Address:

City, State, Zip:

Telephone:

Contact Name:

Permit Number:

DATE:	Year	Month	Day
Monitoring Period Start:	2008	12	1
Monitoring Period Stop:	2008	12	31
Date Form Completed:	2009	1	22

Sample Location Result

Parameter:	001 A										050 A		050 B		050 C		050 D		050 E		
	# 1	# 2	# 3	# 4	# 5	Average	Minimum	Maximum	# Samples	Type	# 1	Type	# 1	Type	# 1	Type	# 1	Type	# 1	Type	
Flow - MGD	0.0060	0.0745	0.0915	0.0831	0.0776	0.0665		0.0915	5	recorder											
pH min	7.76	7.60	7.63	7.57	7.61		7.57														
pH max	7.76	7.70	7.70	7.71	7.64			7.76	5	grab											
Oil & Grease - Visible Sheen Yes = 1 No = 0		0						0.00	1	visual											
Oil & Grease									0	grab											
Total Dissolved Solids		2426						2426	1	composite	832	grab	1350	grab	916	grab	950	grab	908	grab	
Chloride as Cl		550.0						550.0	1	composite	11.3	grab	448	grab	84.7	grab	12.4	grab	38.6	grab	
Fluoride, Total as F		5.1						5.10	1	composite	0.9	grab	0.77	grab	0.82	grab	0.81	grab	0.84	grab	
Sodium, as Na		969						969	1	composite	44.6	grab	221	grab	87.2	grab	34.8	grab	50.5	grab	
Sulfate as S		13.2						13.20	1	composite	652	grab	124	grab	461	grab	671	grab	506	grab	
Barium, Total as Ba		9.93						9.93	1	composite	0.011	grab	0.064	grab	0.016	grab	0.011	grab	0.025	grab	
Boron, Total as B		2.93						2.93	1	composite	0.18	grab	1.33	grab	0.35	grab	0.017	grab	0.18	grab	
Thallium, Total as Tl		< 0.01						< 0.01	1	composite	< 0.01	grab	<0.01	grab	< 0.01	grab	<0.01	grab	< 0.01	grab	
Benzene		< 0.001						< 0.001	1	grab			N.S.	grab 1/365							
Toluene		< 0.002						< 0.002	1	grab			N.S.	grab 1/365							
Ethyl Benzene		< 0.002						< 0.002	1	grab			N.S.	grab 1/365							
Xylene, Total		< 0.004						< 0.004	1	grab			N.S.	grab 1/365							
Naphthalene		< 0.002						< 0.002	1	grab											

Complete Only If NO Discharge:

NO DISCHARGE:

050 B: Enter "N.S." instead of concentration values when Not Sampled (annual BTEX)
Also manually enter "0" in "# EX" column if N.S.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

ADDRESS 6065 S. Quebec Street, Suite 201
Englewood, CO 80111

FACILITY LOCATION 1590 East Larimer County Road 70
Wellington, CO 80549

ATTN: Bradley A. Pomeroy

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

COGCC 281818 & 281824
PERMIT NUMBER

001 A
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

Form Approved.
OMB No. 2040-0004
Approval expires

LARIMER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2008	12	1		2008	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

DISCHARGE TO PIPELINE

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT		0.0665	0.0915	(03)	*****	*****	*****	*****	0	30/30	recorder
50050 1 0 1 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	0.144 30 DA AVG	REPORT DAILY MAX	MGD	*****	*****	*****	*****		CONTIN	RECORDER
OIL AND GREASE VISUAL		*****	0	(94)	*****	*****	*****	*****	0	1/7	visual
84066 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT		INST MAX	YES = 1	*****	*****	*****	*****		WEEKLY	VISUAL
			YES = 1 NO = 0	NO = 0							
OIL AND GREASE		*****	*****	*****	*****	*****	N.S.	(19)	0	contingent	grab
03582 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10	MG/L		CONTIN GENT	GRAB
							INST MAX				
pH		*****	*****	*****	7.57	*****	7.76	(12)	0	1/7	grab
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	6.5	*****	8.5	SU		WEEKLY	GRAB
					MINIMUM		MAXIMUM				
TOTAL DISSOLVED SOLIDS		*****	*****	*****	*****	*****	2426	(19)	0	1/30	composite
70295 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT	MG/L		ONCE/MONTH	COMPOSITE
							DAILY MAX				
CHLORIDE as Cl		*****	*****	*****	*****	*****	550	(19)	0	1/30	composite
00940 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT	MG/L		ONCE/MONTH	COMPOSITE
							DAILY MAX				
FLUORIDE, TOTAL as F		*****	*****	*****	*****	*****	5.1	(19)	0	1/30	composite
00951 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT	MG/L		ONCE/MONTH	COMPOSITE
							DAILY MAX				

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

ADDRESS 6065 S. Quebec Street, Suite 201
Englewood, CO 80111

FACILITY LOCATION 1590 East Larimer County Road 70
Wellington, CO 80549

ATTN: Bradley A. Pomeroy

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)

COGCC 281818 & 281824
PERMIT NUMBER

001 A
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

Form Approved.
OMB No. 2040-0004
Approval expires

LARIMER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2008	12	1		2008	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

DISCHARGE TO PIPELINE

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SODIUM as Na	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	969	(19)	0	1/30	composite
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/ MONTH	COMPOSITE
SULFATE as S	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	13.2	(19)	0	1/30	composite
00154 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/ MONTH	COMPOSITE
BARIUM, TOTAL as Ba	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	9.93	(19)	0	1/30	composite
01007 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/ MONTH	COMPOSITE
BORON, TOTAL as B	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	2.93	(19)	0	1/30	composite
01022 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/ MONTH	COMPOSITE
THALLIUM as Th	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	<0.01	(19)	0	1/30	composite
01059 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/ MONTH	COMPOSITE
BENZENE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	< 0.001	(19)	0	1/30	grab
34030 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	0.005 DAILY MAX	MG/L		ONCE/ MONTH	GRAB
TOLUENE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	< 0.002	(19)	0	1/30	grab
34010 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1 DAILY MAX	MG/L		ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
Please see cover letter for discussion.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

ADDRESS 6065 S. Quebec Street, Suite 201
Englewood, CO 80111

FACILITY 1590 East Larimer County Road 70

LOCATION Wellington, CO 80549
Bradley A. Pomeroy

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

COGCC 281818 & 281824

001 A

PERMIT NUMBER

DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

Form Approved.
OMB No. 2040-0004
Approval expires

LARIMER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2008	12	1		2008	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

DISCHARGE TO PIPELINE

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT PERMIT REQUIREMENT	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUANTITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ETHYLBENZENE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	< 0.002	(19)	0	1/30	grab
37371 1 0 0	EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	0.7			ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	DAILY MAX	MG/L			
XYLENES,TOTAL	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	< 0.004	(19)	0	1/30	grab
81551 1 0 0	EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	1.4			ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	DAILY MAX	MG/L			
NAPHTHALENE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	< 0.002	(19)	0	1/30	grab
34696 1 0 0	EFFLUENT GROSS VALUE	*****	*****	*****	*****	*****	0.14			ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	DAILY MAX	MG/L			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.		TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

OMB No. 2040-0004

Approval expires

ADDRESS 6065 S. Quebec Street, Suite 201
Englewood, CO 80111

(2-16)
COGCC 281818 & 281824
PERMIT NUMBER

(17-19)
050 A
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 70

LOCATION Wellington, CO 80549
Bradley A. Pomeroy

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
2008	12	1	2008	12	31

UPGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only (46-53) (54-61))			QUANTITY OR CONCENTRATION (4 Card Only (38-45) (46-53) (54-61))				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TOTAL DISSOLVED SOLIDS	SAMPLE MEASUREMENT	*****	*****	*****	*****	832	832	(19)	0	1/30	grab
70295 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
SODIUM as Na	SAMPLE MEASUREMENT	*****	*****	*****	*****	44.6	44.6	(19)	0	1/30	grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
CHLORIDE as Cl	SAMPLE MEASUREMENT	*****	*****	*****	*****	11.3	11.3	(19)	0	1/30	grab
940 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
SULFATE as S	SAMPLE MEASUREMENT	*****	*****	(93)	*****	652	652	(19)	0	1/30	grab
00154 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	MGD	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	INSTAN
FLUORIDE, TOTAL as F	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.9	0.9	(19)	0	1/30	grab
00951 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
BARIUM, TOTAL as Ba	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.011	0.011	(19)	0	1/30	grab
01007 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
BORON, TOTAL as B	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.18	0.18	(19)	0	1/30	grab
01022 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.		TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

ADDRESS 5065 S. Quebec Street, Suite 201
Englewood, CO 80111

FACILITY 1590 East Larimer County Road 70

LOCATION Wellington, CO 80549
Bradley A. Pomeroy

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)
COGCC 281818 & 281824
PERMIT NUMBER

(17-19)
050 A
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

Form Approved.
OMB No. 2040-0004
Approval expires

LARIMER

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	2008	12	1		2008	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

UPGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	(3 Card Only) QUANTITY OR LOADING (46-53) (54-61)			(4 Card Only) QUANTITY OR CONCENTRATION (38-45) (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
THALLIUM, TOTAL as Th	SAMPLE MEASUREMENT	*****	*****	*****	*****	< 0.01	< 0.01	(19)	0	1/30	grab
01059 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004
Approval expires

ADDRESS 6065 S. Quebec Street, Suite 201
Englewood, CO 80111

COGCC 281818 & 281824
PERMIT NUMBER

050 B
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 70

LOCATION Wellington, CO 80549
Bradley A. Pomeroy

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
2008	12	1	TO	2008	12	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

DOWNGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUANTITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
TOTAL DISSOLVED SOLIDS	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	1350	(19)	0	1/30	grab
70295 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
SODIUM as Na	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	221	(19)	0	1/30	grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
CHLORIDE as Cl	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	448	(19)	0	1/30	grab
00940 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
SULFATE as S	SAMPLE MEASUREMENT	*****	*****	(03)	*****	*****	124	(19)	0	1/30	grab
00154 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	MGD	*****	*****	REPORT DAILY MAX	MG/L		ONCE/MONTH	INSTAN
FLUORIDE, TOTAL as F	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	0.8	(19)	0	1/30	grab
00951 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
BARIUM, TOTAL as Ba	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	0.064	(19)	0	1/30	grab
01007 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
BORON, TOTAL as B	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	1.33	(19)	0	1/30	grab
01022 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	REPORT DAILY MAX	MG/L		ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.		TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
 OMB No. 2040-0004
 Approval expires

ADDRESS 6065 S. Quebec Street, Suite 201
 Englewood, CO 80111

(2-16)
COGCC 281818 & 281824
 PERMIT NUMBER

(17-19)
050 B
 DISCHARGE NUMBER

E & P WASTES
 (SUBR DP)
 F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 70
 LOCATION Wellington, CO 80549
 Bradley A. Pomeroy

MONITORING PERIOD					
FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
2008	12	1	2008	12	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

DOWNGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
THALLIUM, TOTAL as Th 01059 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	***** *****	***** *****	***** *****	***** *****	***** *****	<0.01 REPORT DAILY MAX	(19) MG/L	0	1/30 ONCE/MONTH	grab GRAB
BENZENE EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	***** *****	***** *****	***** *****	***** *****	***** *****	N.S. 0.005 DAILY MAX	(19) MG/L	0	1/365 ONCE/YEAR	grab GRAB
TOLUENE EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	***** *****	***** *****	***** *****	***** *****	***** *****	N.S. 1 DAILY MAX	(19) MG/L	0	1/365 ONCE/YEAR	grab GRAB
ETHYLBENZENE EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	***** *****	***** *****	***** *****	***** *****	***** *****	N.S. 0.7 DAILY MAX	(19) MG/L	0	1/365 ONCE/YEAR	grab GRAB
XYLENES, TOTAL EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	***** *****	***** *****	***** *****	***** *****	***** *****	N.S. 1.4 DAILY MAX	(19) MG/L	0	1/365 ONCE/YEAR	grab GRAB
	SAMPLE MEASUREMENT PERMIT REQUIREMENT	***** *****	***** *****	***** *****	***** *****	***** *****	***** *****	***** *****			
	SAMPLE MEASUREMENT PERMIT REQUIREMENT	***** *****	***** *****	***** *****	***** *****	***** *****	***** *****	***** *****			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.		TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) **NOTE: "N.S." SIGNIFIES THAT THE OUTFALL WAS "Not Sampled" FOR THE CURRENT REPORTING PERIOD**

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

OMB No. 2040-0004

Approval expires

ADDRESS 6065 S. Quebec Street, Suite 201
Englewood, CO 80111

COGCC 281818 & 281824
PERMIT NUMBER

050 C
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 70
LOCATION Wellington, CO 80549
Bradley A. Pomeroy

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
2008	12	1	2008	12	31

1/4-MILE DOWNGRADE ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TOTAL DISSOLVED SOLIDS		*****	*****		*****	916	916	(19)	0	1/30	grab
70295 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
SODIUM as Na		*****	*****		*****	87.2	87.2	(19)	0	1/30	grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
CHLORIDE as Cl		*****	*****		*****	84.7	84.7	(19)	0	1/30	grab
00940 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	250 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
SULFATE as S			*****	(03)	*****	461	461	(19)	0	1/30	grab
00154 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	MGD	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	INSTAN
FLUORIDE, TOTAL as F		*****	*****		*****	0.82	0.82	(19)	0	1/30	grab
00951 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	2 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
BARIUM, TOTAL as Ba		*****	*****		*****	0.016	0.016	(19)	0	1/30	grab
01007 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	2 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
BORON, TOTAL as B		*****	*****		*****	0.35	0.35	(19)	0	1/30	grab
01022 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	5 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

E & P WASTES

(SUBR DP)

F - FINAL

Form Approved.

OMB No. 2040-0004

Approval expires

LARIMER

ADDRESS 5065 S. Quebec Street, Suite 201
Englewood, CO 80111

COGCC 281818 & 281824
PERMIT NUMBER

050 C
DISCHARGE NUMBER

FACILITY 1590 East Larimer County Road 70

LOCATION Wellington, CO 80549
Bradley A. Pomeroy

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
2008	12	1	2008	12	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

1/4-MILE DOWNGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
THALLIUM, TOTAL as Th		*****	*****	*****	*****	< 0.01	< 0.01	(19)	0	1/30	grab
01059 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	0.002	REPORT			ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE	DATE			
			303-220-5399	2009	1	22	
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
 OMB No. 2040-0004
 Approval expires

ADDRESS 6065 S. Quebec Street, Suite 201
 Englewood, CO 80111

(2-16)
COGCC 281818 & 281824
 PERMIT NUMBER

(17-19)
050 D
 DISCHARGE NUMBER

E & P WASTES
 (SUBR DP)
 F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 70
 LOCATION Wellington, CO 80549
 Bradley A. Pomeroy

MONITORING PERIOD					
FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
2008	12	1	2008	12	31
(20-21)		(22-23)	(24-25)	(26-27)	
(28-29)		(30-31)			

1/4-MILE DOWNGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
TOTAL DISSOLVED SOLIDS	SAMPLE MEASUREMENT	*****	*****	*****	*****	950	950	(19)	0	1/30	grab
70295 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
SODIUM as Na	SAMPLE MEASUREMENT	*****	*****	*****	*****	34.8	34.8	(19)	0	1/30	grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
CHLORIDE as Cl	SAMPLE MEASUREMENT	*****	*****	*****	*****	12.4	12.4	(19)	0	1/30	grab
00940 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	250 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
SULFATE as S	SAMPLE MEASUREMENT	*****	*****	*****	*****	671	671	(19)	0	1/30	grab
00154 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	INSTAN
FLUORIDE, TOTAL as F	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.81	0.81	(19)	0	1/30	grab
00951 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	2 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
BARIUM, TOTAL as Ba	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.011	0.011	(19)	0	1/30	grab
01007 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	2 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
BORON, TOTAL as B	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.017	0.017	(19)	0	1/30	grab
01022 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	5 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE 303-220-5399		DATE 2009 1 22		
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
 OMB No. 2040-0004
 Approval expires

ADDRESS 6065 S. Quebec Street, Suite 201
 Englewood, CO 80111

(2-16)
COGCC 281818 & 281824
 PERMIT NUMBER

(17-19)
050 D
 DISCHARGE NUMBER

E & P WASTES
 (SUBR DP)
 F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 20
 LOCATION Wellington, CO 80549
 Bradley A. Pomeroy

MONITORING PERIOD					
FROM			TO		
YEAR	MO	DAY	YEAR	MO	DAY
2008	12	1	2008	12	31
(20-21)		(22-23)	(24-25)	(26-27)	
		(28-29)	(30-31)		

1/4-MILE DOWNGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only (46-53) / (54-61))			QUANTITY OR CONCENTRATION (4 Card Only (38-45) / (46-53) / (54-61))			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
01059 THALLIUM, TOTAL as Th EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	<0.01	<0.01	(19)	0	1/30	grab
	PERMIT REQUIREMENT	*****	*****	*****	*****	0.002 30 DA AVG	REPORT DAILY MAX	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.		TELEPHONE	DATE			
			303-220-5399	2009	1	22	
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

OMB No. 2040-0004

Approval expires

ADDRESS 5065 S. Quebec Street, Suite 201
Englewood, CO 80111

COGCC 281818 & 281824
PERMIT NUMBER

050 E
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 70

LOCATION Wellington, CO 80549
Bradley A. Pomeroy

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
2008	12	1		2008	12	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

1/4-MILE DOWNGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUANTITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
TOTAL DISSOLVED SOLIDS	SAMPLE MEASUREMENT	*****	*****	*****	*****	908	908	(19)	0	1/30	grab
70295 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT DAILY MAX	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
SODIUM as Na	SAMPLE MEASUREMENT	*****	*****	*****	*****	50.5	50.5	(19)	0	1/30	grab
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT DAILY MAX	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
CHLORIDE as Cl	SAMPLE MEASUREMENT	*****	*****	*****	*****	38.6	38.6	(19)	0	1/30	grab
00940 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	250 DAILY MAX	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
SULFATE as S	SAMPLE MEASUREMENT	*****	*****	(03)	*****	506	506	(19)	0	1/30	grab
00154 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	MGD	*****	REPORT DAILY MAX	REPORT DAILY MAX	MG/L		ONCE/ MONTH	INSTAN
FLUORIDE, TOTAL as F	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.84	0.84	(19)	0	1/30	grab
00951 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	2 DAILY MAX	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
BARIUM, TOTAL as Ba	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.025	0.025	(19)	0	1/30	grab
01007 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	2 DAILY MAX	REPORT DAILY MAX	MG/L		ONCE/ MONTH	GRAB
BORON, TOTAL as B	SAMPLE MEASUREMENT	*****	*****	*****	*****	0.18	0.18	(19)	0	1/30	grab
01022 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	5 DAILY MAX	REPORT DAILY MAX	MG/L		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE		
			AREA CODE	NUMBER	YEAR	MO

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME Wellington Operating Co.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved.

OMB No. 2040-0004

Approval expires

ADDRESS 6065 S. Quebec Street, Suite 201
Englewood, CO 80111

COGCC 281818 & 281824
PERMIT NUMBER

050 E
DISCHARGE NUMBER

E & P WASTES
(SUBR DP)
F - FINAL

LARIMER

FACILITY 1590 East Larimer County Road 70
LOCATION Wellington, CO 80549
Bradley A. Pomeroy

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
2008	12	1	2008	12	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

1/4-MILE DOWNGRADIENT ALLUVIAL GROUNDWATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUANTITY OR CONCENTRATION (4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
THALLIUM, TOTAL as Th	SAMPLE MEASUREMENT	*****	*****	*****	*****	< 0.01	< 0.01	(19)	0	1/30	grab
01059 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	0.002	REPORT			ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER RANDY R. EVANS Operator in Responsible Charge TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
			303-220-5399	2009	1	22	
			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)