



# ALS Paragon



## GC/MS Semivolatiles Case Narrative

---

### Colorado Oil & Gas Conservation Commission

Complaint 200206998

Work Order Number: 0903234

1. This report consists of 1 water sample. The sample was received cool and intact by ALS Paragon on 03/31/09.
2. The sample was prepared and analyzed according to SW-846, 3rd Edition protocol utilizing SOP. Specifically, the water sample was extracted using continuous liquid-liquid extractors, according to SW-846 Method 3520C utilizing SOP 617 Revision 13.
3. The extracts were analyzed using GC/MS with a DB-5.625 capillary column according to SOP 506 Revision 15 based on SW-846 Method 8270D. All positive results were quantitated against the initial calibration standards using the internal standard technique. The identification of positive results was achieved by a comparison of the retention time and mass spectrum of the sample versus the daily calibration standard.
4. All initial calibration criteria for SPCC's and CCC's were met. If average response factors were used in the initial calibration, %RSD was  $\leq 15\%$ . If linear or higher order regression calibrations were used in the initial calibration, the coefficient of determination ( $r^2$ )  $\geq 0.99$ .
5. All initial calibration standards are verified by comparing a second source standard initial calibration verification (ICV) against the calibration curve. All target compounds in the second source verification had a %D of less than 25%.
6. All SPCC and CCC criteria were met in each of the daily (continuing) calibration verifications.
7. All method blank criteria were met.
8. All laboratory control sample and laboratory control sample duplicate recoveries and RPDs were within the acceptance criteria.
9. Since a sample from this order number was not the selected quality control (QC) sample, matrix specific QC results are not included in this report.



10. The sample was extracted and analyzed within the established holding time.
11. All surrogate recoveries were within acceptance criteria.
12. All internal standard recoveries were within acceptance criteria.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS Paragon certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

SLJ  
Sharon L. Jobes  
Organics Primary Data Reviewer

4-9-09  
Date

Eric Bayles  
Organics Final Data Reviewer

4/9/09  
Date



**ALS Paragon**  
**Data Qualifier Flags**  
**Chromatography and Mass Spectrometry**

- U or ND:** This flag indicates that the compound was analyzed for but not detected.
- J:** This flag indicates an estimated value. This flag is used as follows: (1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; (2) when the mass spectral and retention time data indicate the presence of a compound that meets the volatile and semivolatile GC/MS identification criteria, and the result is less than the reporting limit (RL) but greater than the method detection limit (MDL); (3) when the retention time data indicate the presence of a compound that meets the GC identification criteria, and the result is less than the RL but greater than the MDL; and (4) the reported value is estimated.
- B:** This flag is used when the analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user. This flag shall be used for a tentatively identified compound (TIC) as well as for a positively identified target compound.
- E:** This flag identifies compounds whose concentration exceeds the upper level of the calibration range.
- A:** This flag indicates that a tentatively identified compound is a suspected aldol-condensation product.
- X:** This flag indicates that the analyte was diluted below an accurate quantitation level.
- \*:** This flag indicates that a spike recovery is equal to or outside the control criteria used.
- +:** This flag indicates that the relative percent difference (RPD) equals or exceeds the control criteria.

# ALS Paragon

## Sample Number(s) Cross-Reference Table

---

**Paragon OrderNum:** 0903234

**Client Name:** Colorado Oil & Gas Conservation Commission

**Client Project Name:** Complaint 20026998

**Client Project Number:**

**Client PO Number:** OE PHA 09000000004

---

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
Meadows 090330	0903234-1		WATER	30-Mar-09	10:15



**Paragon Analytics**  
A Division of DataChem Laboratories, Inc.

225 Commerce Drive Fort Collins, CO 80524  
800-443-1511 or (970) 490-1511 (970) 490-1522 Fax

511 (970) 490-1522 Fax

Report To: Margaret Ash  
Phone: 303-874-3180 x 110  
Fax: 303-874-3181  
E-mail: Margaret.Ash@state.co.us  
Company: Colorado Office of the State Auditor  
Address: 1120 Lincoln St., Ste. 800  
Denver, CO 80203

**Circle method (right):** provide additional information as needed (comments).

## CONDITION OF SAMPLE UPON RECEIPT FORM

Paragon Analytics

Client: COGCCWorkorder No: 0903234Project Manager: AWInitials: LJODate: 3/31/09

1. Does this project require any <b>special handling</b> in addition to standard Paragon procedures?	YES	<input checked="" type="radio"/>	NO	<input type="radio"/>		
2. Are custody <b>seals on shipping containers</b> intact?	NONE	<input checked="" type="radio"/>	YES	NO		
3. Are Custody seals on <b>sample containers</b> intact?	<input checked="" type="radio"/>	NONE	YES	NO		
4. Is there a <b>COC (Chain-of-Custody) present</b> or other representative documents?	<input checked="" type="radio"/>	YES	NO			
5. Are the <b>COC and bottle labels complete and legible?</b>	<input checked="" type="radio"/>	YES	NO			
6. Is the <b>COC in agreement</b> with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)	<input checked="" type="radio"/>	YES	NO			
7. Were <b>airbills / shipping documents</b> present and/or removable?	DROP OFF	<input checked="" type="radio"/>	YES	NO		
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	N/A	<input checked="" type="radio"/>	YES	<input type="radio"/>		
9. Are all aqueous <b>non-preserved samples pH 4-9?</b>	N/A	<input checked="" type="radio"/>	YES	NO		
10. Is there <b>sufficient sample</b> for the requested analyses?	<input checked="" type="radio"/>	YES	NO			
11. Were all samples placed in the <b>proper containers</b> for the requested analyses?	<input checked="" type="radio"/>	YES	NO			
12. Are all samples within <b>holding times</b> for the requested analyses?	<input checked="" type="radio"/>	YES	NO			
13. Were all sample containers received <b>intact</b> ? (not broken or leaking, etc.)	<input checked="" type="radio"/>	YES	NO			
14. Are all samples requiring <b>no headspace</b> (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: _____ < green pea _____ > green pea	N/A	<input checked="" type="radio"/>	YES	NO		
15. Do perchlorate LCMS-MS samples <b>have headspace</b> ? (at least 1/3 of container required)	N/A	YES	NO			
16. Were samples checked for and free from the presence of <b>residual chlorine</b> ? (Applicable when PM has indicated samples are from a chlorinated water source; note if field preservation with sodium thiosulfate was not observed.)	N/A	YES	NO			
17. Were the samples <b>shipped on ice</b> ?	<input checked="" type="radio"/>	YES	NO			
18. Were cooler temperatures measured at 0.1-6.0°C?	IR gun used*: #2	#4	RAD ONLY	<input checked="" type="radio"/>	YES	NO
Cooler #: <u>1</u>						
Temperature (°C): <u>4.2</u>						
No. of custody seals on cooler: <u>1</u>						
DOT Survey/ Acceptance Information	External µR/hr reading: <u>12</u>					
	Background µR/hr reading: <u>11</u>					
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <input checked="" type="radio"/> YES / NO / NA (If no, see Form 008.)						

**Additional Information:** PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

\*The 500ml poly for metals analysis was received unpreserved.  
COC requests the bottle be filtered and preserved upon receipt.

If applicable, was the client contacted? YES / NO  Contact: \_\_\_\_\_ Date/Time: \_\_\_\_\_Project Manager Signature / Date: Gracy 3/31/09

\*IR Gun #2: Oakton, SN 29922500201-0066

\*IR Gun #4: Oakton, SN 2372220101-0002

# GC/MS Semi-volatiles

## Method SW8270D

### Method Blank

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3MB

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 01-Apr-09

Date Analyzed: 05-Apr-09

Prep Method: SW3520 Rev C

Prep Batch: EX090401-3

QCBatchID: EX090401-3-1

Run ID: SV090405-3

Cleanup: NONE

Basis: N/A

File Name: R0093

Sample Aliquot: 1000 ml

Final Volume: 1 ml

Result Units: UG/L

Clean DF: 1

CASNO	Target Analyte	DF	Result	Reporting Limit	Result Qualifier	EPA Qualifier
110-86-1	PYRIDINE	1	10	10	U	
62-75-9	N-NITROSODIMETHYLAMINE	1	10	10	U	
62-53-3	ANILINE	1	10	10	U	
108-95-2	PHENOL	1	10	10	U	
111-44-4	BIS(2-CHLOROETHYL)ETHER	1	10	10	U	
95-57-8	2-CHLOROPHENOL	1	10	10	U	
541-73-1	1,3-DICHLOROBENZENE	1	10	10	U	
106-46-7	1,4-DICHLOROBENZENE	1	10	10	U	
95-50-1	1,2-DICHLOROBENZENE	1	10	10	U	
100-51-6	BENZYL ALCOHOL	1	10	10	U	
108-60-1	BIS(2-CHLOROISOPROPYL)ETHER	1	10	10	U	
95-48-7	2-METHYLPHENOL	1	10	10	U	
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	1	10	10	U	
108-39-4	3+4-METHYLPHENOL	1	10	10	U	
67-72-1	HEXACHLOROETHANE	1	10	10	U	
98-95-3	NITROBENZENE	1	10	10	U	
78-59-1	ISOPHORONE	1	10	10	U	
88-75-5	2-NITROPHENOL	1	10	10	U	
105-67-9	2,4-DIMETHYLPHENOL	1	10	10	U	
111-91-1	BIS(2-CHLOROETHOXY)METHANE	1	10	10	U	
120-83-2	2,4-DICHLOROPHENOL	1	10	10	U	
65-85-0	BENZOIC ACID	1	50	50	U	
120-82-1	1,2,4-TRICHLOROBENZENE	1	10	10	U	
91-20-3	NAPHTHALENE	1	10	10	U	
106-47-8	4-CHLOROANILINE	1	10	10	U	
87-68-3	HEXACHLOROBUTADIENE	1	10	10	U	
59-50-7	4-CHLORO-3-METHYLPHENOL	1	10	10	U	

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 1 of 3

# GC/MS Semi-volatiles

## Method SW8270D

### Method Blank

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3MB

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 01-Apr-09

Date Analyzed: 05-Apr-09

Prep Method: SW3520 Rev C

Prep Batch: EX090401-3

QCBatchID: EX090401-3-1

Run ID: SV090405-3

Cleanup: NONE

Basis: N/A

File Name: R0093

Sample Aliquot: 1000 ml

Final Volume: 1 ml

Result Units: UG/L

Clean DF: 1

91-57-6	2-METHYLNAPHTHALENE	1	10	10	U	
90-12-0	1-METHYLNAPHTHALENE	1	10	10	U	
77-47-4	HEXACHLOROCYCLOPENTADIENE	1	10	10	U	
88-06-2	2,4,6-TRICHLOROPHENOL	1	10	10	U	
95-95-4	2,4,5-TRICHLOROPHENOL	1	10	10	U	
91-58-7	2-CHLORONAPHTHALENE	1	10	10	U	
88-74-4	2-NITROANILINE	1	20	20	U	
131-11-3	DIMETHYL PHTHALATE	1	10	10	U	
606-20-2	2,6-DINITROTOLUENE	1	10	10	U	
208-96-8	ACENAPHTHYLENE	1	10	10	U	
99-09-2	3-NITROANILINE	1	20	20	U	
83-32-9	ACENAPHTHENE	1	10	10	U	
51-28-5	2,4-DINITROPHENOL	1	20	20	U	
100-02-7	4-NITROPHENOL	1	20	20	U	
132-64-9	DIBENZOFURAN	1	10	10	U	
121-14-2	2,4-DINITROTOLUENE	1	10	10	U	
84-66-2	DIETHYL PHTHALATE	1	10	10	U	
86-73-7	FLUORENE	1	10	10	U	
7005-72-3	4-CHLOROPHENYL PHENYL ETHER	1	10	10	U	
100-01-6	4-NITROANILINE	1	20	20	U	
103-33-3	AZOBENZENE	1	10	10	U	
534-52-1	4,6-DINITRO-2-METHYLPHENOL	1	20	20	U	
86-30-6	N-NITROSODIPHENYLAMINE	1	10	10	U	
101-55-3	4-BROMOPHENYL PHENYL ETHER	1	10	10	U	
118-74-1	HEXACHLOROBENZENE	1	10	10	U	
58-90-2	2,3,4,6-TETRACHLOROPHENOL	1	10	10	U	
87-86-5	PENTACHLOROPHENOL	1	20	20	U	
85-01-8	PHENANTHRENE	1	10	10	U	
120-12-7	ANTHRACENE	1	10	10	U	

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 2 of 3

# GC/MS Semi-volatiles

## Method SW8270D

### Method Blank

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3MB

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 01-Apr-09

Date Analyzed: 05-Apr-09

Prep Method: SW3520 Rev C

Prep Batch: EX090401-3

QCBatchID: EX090401-3-1

Run ID: SV090405-3

Cleanup: NONE

Basis: N/A

File Name: R0093

Sample Aliquot: 1000 ml

Final Volume: 1 ml

Result Units: UG/L

Clean DF: 1

86-74-8	CARBAZOLE	1	10	10	U	
84-74-2	DI-N-BUTYL PHTHALATE	1	10	10	U	
206-44-0	FLUORANTHENE	1	10	10	U	
129-00-0	PYRENE	1	10	10	U	
85-68-7	BUTYL BENZYL PHTHALATE	1	10	10	U	
56-55-3	BENZO(A)ANTHRACENE	1	10	10	U	
91-94-1	3,3'-DICHLOROBENZIDINE	1	10	10	U	
218-01-9	CHRYSENE	1	10	10	U	
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE	1	10	10	U	
117-84-0	DI-N-OCTYL PHTHALATE	1	10	10	U	
205-99-2	BENZO(B)FLUORANTHENE	1	10	10	U	
207-08-9	BENZO(K)FLUORANTHENE	1	10	10	U	
50-32-8	BENZO(A)PYRENE	1	10	10	U	
193-39-5	INDENO(1,2,3-CD)PYRENE	1	10	10	U	
53-70-3	DIBENZO(A,H)ANTHRACENE	1	10	10	U	
191-24-2	BENZO(G,H,I)PERYLENE	1	10	10	U	

### Surrogate Recovery

CASNO	Surrogate Analyte	Result	Flag	Spike Amount	Percent Recovery	Control Limits
118-79-6	2,4,6-TRIBROMOPHENOL	51.5		75	69	23 - 100
321-60-8	2-FLUOROBIPHENYL	41.2		50	82	21 - 106
367-12-4	2-FLUOROPHENOL	52.9		75	71	21 - 100
4165-60-0	NITROBENZENE-D5	42.2		50	84	34 - 111
4165-62-2	PHENOL-D5	54.4		75	73	15 - 104
1718-51-0	TERPHENYL-D14	43.3		50	87	33 - 111

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 3 of 3

# GC/MS Semi-volatiles

## Method SW8270

### Tentatively Identified Compounds

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Field ID:	
Lab ID:	EX090401-3MB

Sample Matrix: WATER

% Moisture: N/A

Date Collected: N/A

Date Extracted: 01-Apr-09

Date Analyzed: 05-Apr-09

Prep Batch: EX090401-3

QCBatchID: EX090401-3-1

Run ID: SV090405-3

Cleanup: NONE

Basis: As Received

Sample Aliquot: 1000 ml

Final Volume: 1 ml

Clean DF: 1

File Name: R0093

CASNO	Retention Time	Target Analyte	Dilution Factor	Result	Units	Qualifier
	3.66	OXYGENATED HYDROCARBON1	1	5	UG/L	J

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 2 of 2

# GC/MS Semi-volatiles

## Method SW8270D Sample Results

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Field ID: Meadows 090330	Sample Matrix: WATER	Prep Batch: EX090401-3	Sample Aliquot: 1060 ml
Lab ID: 0903234-1	% Moisture: N/A	QCBatchID: EX090401-3-1	Final Volume: 1 ml
	Date Collected: 30-Mar-09	Run ID: SV090405-3	Result Units: UG/L
	Date Extracted: 01-Apr-09	Cleanup: NONE	Clean DF: 1
	Date Analyzed: 05-Apr-09	Basis: As Received	
	Prep Method: SW3520 Rev C	File Name: R0098	

CASNO	Target Analyte	Dilution Factor	Result	Reporting Limit	Result Qualifier	EPA Qualifier
110-86-1	PYRIDINE	1	9.4	9.4	U	
62-75-9	N-NITROSODIMETHYLAMINE	1	9.4	9.4	U	
62-53-3	ANILINE	1	9.4	9.4	U	
108-95-2	PHENOL	1	9.4	9.4	U	
111-44-4	BIS(2-CHLOROETHYL)ETHER	1	9.4	9.4	U	
95-57-8	2-CHLOROPHENOL	1	9.4	9.4	U	
541-73-1	1,3-DICHLOROBENZENE	1	9.4	9.4	U	
106-46-7	1,4-DICHLOROBENZENE	1	9.4	9.4	U	
95-50-1	1,2-DICHLOROBENZENE	1	9.4	9.4	U	
100-51-6	BENZYL ALCOHOL	1	9.4	9.4	U	
108-60-1	BIS(2-CHLOROISOPROPYL)ETHER	1	9.4	9.4	U	
95-48-7	2-METHYLPHENOL	1	9.4	9.4	U	
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	1	9.4	9.4	U	
108-39-4	3+4-METHYLPHENOL	1	9.4	9.4	U	
67-72-1	HEXACHLOROETHANE	1	9.4	9.4	U	
98-95-3	NITROBENZENE	1	9.4	9.4	U	
78-59-1	ISOPHORONE	1	9.4	9.4	U	
88-75-5	2-NITROPHENOL	1	9.4	9.4	U	
105-67-9	2,4-DIMETHYLPHENOL	1	9.4	9.4	U	
111-91-1	BIS(2-CHLOROETHOXY)METHANE	1	9.4	9.4	U	
120-83-2	2,4-DICHLOROPHENOL	1	9.4	9.4	U	
65-85-0	BENZOIC ACID	1	47	47	U	
120-82-1	1,2,4-TRICHLOROBENZENE	1	9.4	9.4	U	
91-20-3	NAPHTHALENE	1	9.4	9.4	U	
106-47-8	4-CHLOROANILINE	1	9.4	9.4	U	
87-68-3	HEXACHLOROBUTADIENE	1	9.4	9.4	U	
59-50-7	4-CHLORO-3-METHYLPHENOL	1	9.4	9.4	U	

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 1 of 3

# GC/MS Semi-volatiles

## Method SW8270D Sample Results

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Field ID: Meadows 090330	Sample Matrix: WATER	Prep Batch: EX090401-3	Sample Aliquot: 1060 ml
Lab ID: 0903234-1	% Moisture: N/A	QCBatchID: EX090401-3-1	Final Volume: 1 ml
	Date Collected: 30-Mar-09	Run ID: SV090405-3	Result Units: UG/L
	Date Extracted: 01-Apr-09	Cleanup: NONE	Clean DF: 1
	Date Analyzed: 05-Apr-09	Basis: As Received	
	Prep Method: SW3520 Rev C	File Name: R0098	

91-57-6	2-METHYLNAPHTHALENE	1	9.4	9.4	U	
90-12-0	1-METHYLNAPHTHALENE	1	9.4	9.4	U	
77-47-4	HEXACHLOROCYCLOPENTADIENE	1	9.4	9.4	U	
88-06-2	2,4,6-TRICHLOROPHENOL	1	9.4	9.4	U	
95-95-4	2,4,5-TRICHLOROPHENOL	1	9.4	9.4	U	
91-58-7	2-CHLORONAPHTHALENE	1	9.4	9.4	U	
88-74-4	2-NITROANILINE	1	19	19	U	
131-11-3	DIMETHYL PHTHALATE	1	9.4	9.4	U	
606-20-2	2,6-DINITROTOLUENE	1	9.4	9.4	U	
208-96-8	ACENAPHTHYLENE	1	9.4	9.4	U	
99-09-2	3-NITROANILINE	1	19	19	U	
83-32-9	ACENAPHTHENE	1	9.4	9.4	U	
51-28-5	2,4-DINITROPHENOL	1	19	19	U	
100-02-7	4-NITROPHENOL	1	19	19	U	
132-64-9	DIBENZOFURAN	1	9.4	9.4	U	
121-14-2	2,4-DINITROTOLUENE	1	9.4	9.4	U	
84-66-2	DIETHYL PHTHALATE	1	9.4	9.4	U	
86-73-7	FLUORENE	1	9.4	9.4	U	
7005-72-3	4-CHLOROPHENYL PHENYL ETHER	1	9.4	9.4	U	
100-01-6	4-NITROANILINE	1	19	19	U	
103-33-3	AZOBENZENE	1	9.4	9.4	U	
534-52-1	4,6-DINITRO-2-METHYLPHENOL	1	19	19	U	
86-30-6	N-NITROSODIPHENYLAMINE	1	9.4	9.4	U	
101-55-3	4-BROMOPHENYL PHENYL ETHER	1	9.4	9.4	U	
118-74-1	HEXACHLOROBENZENE	1	9.4	9.4	U	
58-90-2	2,3,4,6-TETRACHLOROPHENOL	1	9.4	9.4	U	
87-86-5	PENTACHLOROPHENOL	1	19	19	U	
85-01-8	PHENANTHRENE	1	9.4	9.4	U	
120-12-7	ANTHRACENE	1	9.4	9.4	U	

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 2 of 3

# GC/MS Semi-volatiles

## Method SW8270D Sample Results

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Field ID: Meadows 090330	Sample Matrix: WATER	Prep Batch: EX090401-3	Sample Aliquot: 1060 ml
Lab ID: 0903234-1	% Moisture: N/A	QCBatchID: EX090401-3-1	Final Volume: 1 ml
	Date Collected: 30-Mar-09	Run ID: SV090405-3	Result Units: UG/L
	Date Extracted: 01-Apr-09	Cleanup: NONE	Clean DF: 1
	Date Analyzed: 05-Apr-09	Basis: As Received	
	Prep Method: SW3520 Rev C	File Name: R0098	

86-74-8	CARBAZOLE	1	9.4	9.4	U	
84-74-2	DI-N-BUTYL PHTHALATE	1	9.4	9.4	U	
206-44-0	FLUORANTHENE	1	9.4	9.4	U	
129-00-0	PYRENE	1	9.4	9.4	U	
85-68-7	BUTYL BENZYL PHTHALATE	1	9.4	9.4	U	
56-55-3	BENZO(A)ANTHRACENE	1	9.4	9.4	U	
91-94-1	3,3'-DICHLOROBENZIDINE	1	9.4	9.4	U	
218-01-9	CHRYSENE	1	9.4	9.4	U	
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE	1	9.4	9.4	U	
117-84-0	DI-N-OCTYL PHTHALATE	1	9.4	9.4	U	
205-99-2	BENZO(B)FLUORANTHENE	1	9.4	9.4	U	
207-08-9	BENZO(K)FLUORANTHENE	1	9.4	9.4	U	
50-32-8	BENZO(A)PYRENE	1	9.4	9.4	U	
193-39-5	INDENO(1,2,3-CD)PYRENE	1	9.4	9.4	U	
53-70-3	DIBENZO(A,H)ANTHRACENE	1	9.4	9.4	U	
191-24-2	BENZO(G,H,I)PERYLENE	1	9.4	9.4	U	

## Surrogate Recovery

CASNO	Surrogate Analyte	Result	Flag	Spike Amount	Percent Recovery	Control Limits
118-79-6	2,4,6-TRIBROMOPHENOL	49.8		70.8	70	23 - 100
321-60-8	2-FLUOROBIPHENYL	38.7		47.2	82	21 - 106
367-12-4	2-FLUOROPHENOL	51		70.8	72	21 - 100
4165-60-0	NITROBENZENE-D5	40.9		47.2	87	34 - 111
4165-62-2	PHENOL-D5	52.8		70.8	75	15 - 104
1718-51-0	TERPHENYL-D14	38.1		47.2	81	33 - 111

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 3 of 3

# GC/MS Semi-volatiles

## Method SW8270

### Tentatively Identified Compounds

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Field ID:	Meadows 090330
Lab ID:	0903234-1

Sample Matrix: WATER

% Moisture: N/A

Date Collected: 30-Mar-09

Date Extracted: 01-Apr-09

Date Analyzed: 05-Apr-09

Prep Batch: EX090401-3

QCBatchID: EX090401-3-1

Run ID: SV090405-3

Cleanup: NONE

Basis: As Received

Sample Aliquot: 1060 ml

Final Volume: 1 ml

Clean DF: 1

File Name: R0098

CASNO	Retention Time	Target Analyte	Dilution Factor	Result	Units	Qualifier
	3.66	OXYGENATED HYDROCARBON1	1	7.1	UG/L	B,J

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 1 of 2

# GC/MS Semi-volatiles

## Method SW8270D

### Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3LCS	Sample Matrix: WATER % Moisture: N/A Date Collected: N/A Date Extracted: 04/01/2009 Date Analyzed: 04/05/2009 Prep Method: SW3520C	Prep Batch: EX090401-3 QCBatchID: EX090401-3-1 Run ID: SV090405-3 Cleanup: NONE Basis: N/A File Name: R0094	Sample Aliquot: 1000 ml Final Volume: 1 ml Result Units: UG/L Clean DF: 1
-----------------------	---	--	--

CASNO	Target Analyte	Spike Added	LCS Result	Reporting Limit	Result Qualifier	LCS % Rec.	Control Limits
110-86-1	PYRIDINE	60	40.4	10		67	10 - 108%
62-75-9	N-NITROSODIMETHYLAMINE	60	51.7	10		86	26 - 110%
62-53-3	ANILINE	60	49.8	10		83	25 - 125%
108-95-2	PHENOL	60	48.8	10		81	49 - 101%
111-44-4	BIS(2-CHLOROETHYL)ETHER	60	48.2	10		80	37 - 110%
95-57-8	2-CHLOROPHENOL	60	44.7	10		74	37 - 106%
541-73-1	1,3-DICHLOROBENZENE	60	44.8	10		75	32 - 98%
106-46-7	1,4-DICHLOROBENZENE	60	45.5	10		76	32 - 98%
95-50-1	1,2-DICHLOROBENZENE	60	46.7	10		78	33 - 102%
100-51-6	BENZYL ALCOHOL	60	49.2	10		82	30 - 112%
108-60-1	BIS(2-CHLOROISOPROPYL)ETHER	60	49.4	10		82	26 - 131%
95-48-7	2-METHYLPHENOL	60	48.9	10		81	38 - 109%
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	60	52	10		87	34 - 128%
108-39-4	3+4-METHYLPHENOL	60	47.6	10		79	32 - 110%
67-72-1	HEXACHLOROETHANE	60	45.3	10		75	28 - 94%
98-95-3	NITROBENZENE	60	51.9	10		86	44 - 109%
78-59-1	ISOPHORONE	60	50	10		83	50 - 112%
88-75-5	2-NITROPHENOL	60	52.2	10		87	39 - 113%
105-67-9	2,4-DIMETHYLPHENOL	60	46	10		77	28 - 109%
111-91-1	BIS(2-CHLOROETHOXY)METHANE	60	49.3	10		82	46 - 107%
120-83-2	2,4-DICHLOROPHENOL	60	50.4	10		84	48 - 105%
65-85-0	BENZOIC ACID	100	59.6	50		60	10 - 125%
120-82-1	1,2,4-TRICHLOROBENZENE	60	45.9	10		76	37 - 107%
91-20-3	NAPHTHALENE	60	46.2	10		77	39 - 102%
106-47-8	4-CHLOROANILINE	60	49.7	10		83	15 - 109%
87-68-3	HEXACHLOROBUTADIENE	60	43.8	10		73	27 - 103%

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 1 of 7

# GC/MS Semi-volatiles

## Method SW8270D

### Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3LCS	Sample Matrix: WATER % Moisture: N/A Date Collected: N/A Date Extracted: 04/01/2009 Date Analyzed: 04/05/2009 Prep Method: SW3520C	Prep Batch: EX090401-3 QCBatchID: EX090401-3-1 Run ID: SV090405-3 Cleanup: NONE Basis: N/A File Name: R0094	Sample Aliquot: 1000 ml Final Volume: 1 ml Result Units: UG/L Clean DF: 1
-----------------------	---	--	--

CASNO	Target Analyte	Spike Added	LCS Result	Reporting Limit	Result Qualifier	LCS % Rec.	Control Limits
59-50-7	4-CHLORO-3-METHYLPHENOL	60	51.8	10		86	47 - 111%
91-57-6	2-METHYLNAPHTHALENE	60	47.8	10		80	46 - 104%
90-12-0	1-METHYLNAPHTHALENE	60	48.5	10		81	46 - 104%
77-47-4	HEXACHLOROCYCLOPENTADIENE	60	11.5	10		19	10 - 125%
88-06-2	2,4,6-TRICHLOROPHENOL	60	51.7	10		86	49 - 113%
95-95-4	2,4,5-TRICHLOROPHENOL	60	53	10		88	49 - 111%
91-58-7	2-CHLORONAPHTHALENE	60	49.8	10		83	36 - 137%
88-74-4	2-NITROANILINE	60	58	20		97	48 - 115%
131-11-3	DIMETHYL PHTHALATE	60	50.9	10		85	25 - 127%
606-20-2	2,6-DINITROTOLUENE	60	54.1	10		90	49 - 117%
208-96-8	ACENAPHTHYLENE	60	51.1	10		85	50 - 107%
99-09-2	3-NITROANILINE	60	57.9	20		97	19 - 126%
83-32-9	ACENAPHTHENE	60	51.9	10		87	47 - 108%
51-28-5	2,4-DINITROPHENOL	60	56.7	20		94	14 - 138%
100-02-7	4-NITROPHENOL	60	57.3	20		95	21 - 119%
132-64-9	DIBENZOFURAN	60	51.6	10		86	54 - 107%
121-14-2	2,4-DINITROTOLUENE	60	56.1	10		93	51 - 118%
84-66-2	DIETHYL PHTHALATE	60	50.7	10		84	41 - 118%
86-73-7	FLUORENE	60	50.8	10		85	50 - 112%
7005-72-3	4-CHLOROPHENYL PHENYL ETHER	60	51.3	10		85	50 - 111%
100-01-6	4-NITROANILINE	60	58.2	20		97	36 - 118%
103-33-3	AZOBENZENE	60	52.2	10		87	21 - 137%
534-52-1	4,6-DINITRO-2-METHYLPHENOL	60	57.1	20		95	40 - 130%
86-30-6	N-NITROSODIPHENYLAMINE	60	45.1	10		75	48 - 111%
101-55-3	4-BROMOPHENYL PHENYL ETHER	60	51.1	10		85	52 - 113%
118-74-1	HEXACHLOROBENZENE	60	50.2	10		84	52 - 112%
58-90-2	2,3,4,6-TETRACHLOROPHENOL	100	85.4	10		85	23 - 112%

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 2 of 7

# GC/MS Semi-volatiles

## Method SW8270D

### Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3LCS	Sample Matrix: WATER % Moisture: N/A Date Collected: N/A Date Extracted: 04/01/2009 Date Analyzed: 04/05/2009 Prep Method: SW3520C	Prep Batch: EX090401-3 QCBatchID: EX090401-3-1 Run ID: SV090405-3 Cleanup: NONE Basis: N/A File Name: R0094	Sample Aliquot: 1000 ml Final Volume: 1 ml Result Units: UG/L Clean DF: 1
-----------------------	---	--	--

CASNO	Target Analyte	Spike Added	LCS Result	Reporting Limit	Result Qualifier	LCS % Rec.	Control Limits
87-86-5	PENTACHLOROPHENOL	60	51	20		85	38 - 117%
85-01-8	PHENANTHRENE	60	51.8	10		86	51 - 117%
120-12-7	ANTHRACENE	60	52.2	10		87	54 - 112%
86-74-8	CARBAZOLE	60	55.3	10		92	48 - 117%
84-74-2	DI-N-BUTYL PHTHALATE	60	53.4	10		89	54 - 116%
206-44-0	FLUORANTHENE	60	53.1	10		88	54 - 116%
129-00-0	PYRENE	60	48	10		80	49 - 128%
85-68-7	BUTYL BENZYL PHTHALATE	60	51.7	10		86	46 - 116%
56-55-3	BENZO(A)ANTHRACENE	60	51.5	10		86	56 - 109%
91-94-1	3,3'-DICHLOROBENZIDINE	60	56.5	10		94	19 - 111%
218-01-9	CHRYSENE	60	52.2	10		87	55 - 109%
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE	60	50.6	10		84	42 - 126%
117-84-0	DI-N-OCTYL PHTHALATE	60	53.6	10		89	37 - 137%
205-99-2	BENZO(B)FLUORANTHENE	60	48.7	10		81	45 - 118%
207-08-9	BENZO(K)FLUORANTHENE	60	48.5	10		81	45 - 124%
50-32-8	BENZO(A)PYRENE	60	47	10		78	53 - 110%
193-39-5	INDENO(1,2,3-CD)PYRENE	60	50.7	10		85	43 - 125%
53-70-3	DIBENZO(A,H)ANTHRACENE	60	54.2	10		90	42 - 127%
191-24-2	BENZO(G,H,I)PERYLENE	60	51.3	10		86	38 - 123%

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 3 of 7

# GC/MS Semi-volatiles

## Method SW8270D

### Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3LCSD	Sample Matrix: WATER % Moisture: N/A Date Collected: N/A Date Extracted: 04/01/2009 Date Analyzed: 04/05/2009 Prep Method: SW3520C	Prep Batch: EX090401-3 QCBatchID: EX090401-3-1 Run ID: SV090405-3 Cleanup: NONE Basis: N/A File Name: R0095	Sample Aliquot: 1000 ml Final Volume: 1 ml Result Units: UG/L Clean DF: 1
------------------------	---	--	--

CASNO	Target Analyte	Spike Added	LCSD Result	Reporting Limit	Result Qualifier	LCSD % Rec.	RPD Limit	RPD
110-86-1	PYRIDINE	60	41	10		68	20	1
62-75-9	N-NITROSODIMETHYLAMINE	60	54.3	10		90	20	5
62-53-3	ANILINE	60	51.7	10		86	20	4
108-95-2	PHENOL	60	51.5	10		86	20	5
111-44-4	BIS(2-CHLOROETHYL)ETHER	60	51.1	10		85	20	6
95-57-8	2-CHLOROPHENOL	60	48.1	10		80	20	7
541-73-1	1,3-DICHLOROBENZENE	60	47.7	10		79	20	6
106-46-7	1,4-DICHLOROBENZENE	60	48.4	10		81	20	6
95-50-1	1,2-DICHLOROBENZENE	60	49.3	10		82	20	5
100-51-6	BENZYL ALCOHOL	60	52.2	10		87	20	6
108-60-1	BIS(2-CHLOROISOPROPYL)ETHER	60	52.8	10		88	20	7
95-48-7	2-METHYLPHENOL	60	50.5	10		84	20	3
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	60	56	10		93	20	7
108-39-4	3+4-METHYLPHENOL	60	49.5	10		83	20	4
67-72-1	HEXACHLOROETHANE	60	47.8	10		80	20	5
98-95-3	NITROBENZENE	60	55.3	10		92	20	6
78-59-1	ISOPHORONE	60	53.7	10		89	20	7
88-75-5	2-NITROPHENOL	60	55.6	10		93	20	6
105-67-9	2,4-DIMETHYLPHENOL	60	45.4	10		76	20	1
111-91-1	BIS(2-CHLOROETHOXY)METHANE	60	52.4	10		87	20	6
120-83-2	2,4-DICHLOROPHENOL	60	52	10		87	20	3
65-85-0	BENZOIC ACID	100	56.7	50		57	20	5
120-82-1	1,2,4-TRICHLOROBENZENE	60	47.8	10		80	20	4
91-20-3	NAPHTHALENE	60	49.1	10		82	20	6
106-47-8	4-CHLOROANILINE	60	51.5	10		86	20	4
87-68-3	HEXACHLOROBUTADIENE	60	46.8	10		78	20	7
59-50-7	4-CHLORO-3-METHYLPHENOL	60	53.8	10		90	20	4

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 4 of 7

# GC/MS Semi-volatiles

## Method SW8270D

### Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3LCSD	Sample Matrix: WATER % Moisture: N/A Date Collected: N/A Date Extracted: 04/01/2009 Date Analyzed: 04/05/2009 Prep Method: SW3520C	Prep Batch: EX090401-3 QCBatchID: EX090401-3-1 Run ID: SV090405-3 Cleanup: NONE Basis: N/A File Name: R0095	Sample Aliquot: 1000 ml Final Volume: 1 ml Result Units: UG/L Clean DF: 1
------------------------	---	--	--

CASNO	Target Analyte	Spike Added	LCSD Result	Reporting Limit	Result Qualifier	LCSD % Rec.	RPD Limit	RPD
91-57-6	2-METHYLNAPHTHALENE	60	49.8	10		83	20	4
90-12-0	1-METHYLNAPHTHALENE	60	51.4	10		86	20	6
77-47-4	HEXACHLOROCYCLOPENTADIENE	60	10.7	10		18	20	7
88-06-2	2,4,6-TRICHLOROPHENOL	60	54.5	10		91	20	5
95-95-4	2,4,5-TRICHLOROPHENOL	60	56.1	10		94	20	6
91-58-7	2-CHLORONAPHTHALENE	60	54.7	10		91	20	9
88-74-4	2-NITROANILINE	60	60.5	20		101	20	4
131-11-3	DIMETHYL PHTHALATE	60	55.7	10		93	20	9
606-20-2	2,6-DINITROTOLUENE	60	59.3	10		99	20	9
208-96-8	ACENAPHTHYLENE	60	55.8	10		93	20	9
99-09-2	3-NITROANILINE	60	60.5	20		101	20	4
83-32-9	ACENAPHTHENE	60	56.2	10		94	20	8
51-28-5	2,4-DINITROPHENOL	60	56.7	20		95	20	0
100-02-7	4-NITROPHENOL	60	55.8	20		93	20	3
132-64-9	DIBENZOFURAN	60	55.5	10		93	20	7
121-14-2	2,4-DINITROTOLUENE	60	61.2	10		102	20	9
84-66-2	DIETHYL PHTHALATE	60	56.3	10		94	20	11
86-73-7	FLUORENE	60	55.7	10		93	20	9
7005-72-3	4-CHLOROPHENYL PHENYL ETHER	60	55.8	10		93	20	8
100-01-6	4-NITROANILINE	60	61.4	20		102	20	5
103-33-3	AZOBENZENE	60	56.9	10		95	20	9
534-52-1	4,6-DINITRO-2-METHYLPHENOL	60	60.8	20		101	20	6
86-30-6	N-NITROSODIPHENYLAMINE	60	48.7	10		81	20	8
101-55-3	4-BROMOPHENYL PHENYL ETHER	60	55.5	10		92	20	8
118-74-1	HEXACHLOROBENZENE	60	54.8	10		91	20	9
58-90-2	2,3,4,6-TETRACHLOROPHENOL	100	93	10		93	20	9
87-86-5	PENTACHLOROPHENOL	60	52.7	20		88	20	3

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 5 of 7

# GC/MS Semi-volatiles

## Method SW8270D

### Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

Lab ID: EX090401-3LCSD	Sample Matrix: WATER % Moisture: N/A Date Collected: N/A Date Extracted: 04/01/2009 Date Analyzed: 04/05/2009 Prep Method: SW3520C	Prep Batch: EX090401-3 QCBatchID: EX090401-3-1 Run ID: SV090405-3 Cleanup: NONE Basis: N/A File Name: R0095	Sample Aliquot: 1000 ml Final Volume: 1 ml Result Units: UG/L Clean DF: 1
------------------------	---	--	--

CASNO	Target Analyte	Spike Added	LCSD Result	Reporting Limit	Result Qualifier	LCSD % Rec.	RPD Limit	RPD
85-01-8	PHENANTHRENE	60	55.5	10		92	20	7
120-12-7	ANTHRACENE	60	55.8	10		93	20	7
86-74-8	CARBAZOLE	60	58.6	10		98	20	6
84-74-2	DI-N-BUTYL PHTHALATE	60	58.4	10		97	20	9
206-44-0	FLUORANTHENE	60	58.6	10		98	20	10
129-00-0	PYRENE	60	53.9	10		90	20	12
85-68-7	BUTYL BENZYL PHTHALATE	60	56.9	10		95	20	9
56-55-3	BENZO(A)ANTHRACENE	60	55.6	10		93	20	8
91-94-1	3,3'-DICHLOROBENZIDINE	60	55.4	10		92	20	2
218-01-9	CHRYSENE	60	55.4	10		92	20	6
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE	60	55.8	10		93	20	10
117-84-0	DI-N-OCTYL PHTHALATE	60	57	10		95	20	6
205-99-2	BENZO(B)FLUORANTHENE	60	54.2	10		90	20	11
207-08-9	BENZO(K)FLUORANTHENE	60	54.7	10		91	20	12
50-32-8	BENZO(A)PYRENE	60	50.5	10		84	20	7
193-39-5	INDENO(1,2,3-CD)PYRENE	60	53.5	10		89	20	5
53-70-3	DIBENZO(A,H)ANTHRACENE	60	56.4	10		94	20	4
191-24-2	BENZO(G,H,I)PERYLENE	60	54.7	10		91	20	6

Data Package ID: SV0903234-1

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 6 of 7

# GC/MS Semi-volatiles

Method SW8270D

## Laboratory Control Sample and Laboratory Control Sample Duplicate

Lab Name: ALS Paragon

Work Order Number: 0903234

Client Name: Colorado Oil & Gas Conservation Commission

ClientProject ID: Complaint 20026998

---

### Surrogate Recovery LCS/LCSD

CASNO	Target Analyte	Spike Added	LCS % Rec.	LCS Flag	LCSD % Rec.	LCSD Flag	Control Limits
118-79-6	2,4,6-TRIBROMOPHENOL	75	86		93		23 - 100
321-60-8	2-FLUOROBIPHENYL	50	83		90		21 - 106
367-12-4	2-FLUOROPHENOL	75	78		83		21 - 100
4165-60-0	NITROBENZENE-D5	50	87		92		34 - 111
4165-62-2	PHENOL-D5	75	83		86		15 - 104
1718-51-0	TERPHENYL-D14	50	82		90		33 - 111

---

Data Package ID: SV0903234-1

---

Date Printed: Wednesday, April 08, 2009

ALS Paragon

LIMS Version: 6.254A

Page 7 of 7

## Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\040509\R0093.D  
 Acq On : 5 Apr 2009 4:03 pm  
 Sample : EX090401-3MB  
 Misc : WATER EX090401-3  
 MS Integration Params: LSCINT.P  
 Quant Time: Apr 6 7:54 2009

Vial: 3  
 Operator: jk SOP 506 Rev  
 Inst : HPSV-3  
 Multiplr: 1.00

Quant Results File: 040409S3.RES

Quant Method : C:\HPCHEM\1\METHODS\040409S3.M (RTE Integrator)

Title : GC-MS Semivolatiles SOP no. 506

Last Update : Sun Apr 05 16:09:45 2009

Response via : Initial Calibration

DataAcq Meth : 040409S3

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Dichlorobenzene-d4	5.65	152	350359	40.00	ng/uL	0.00
25) Naphthalene-d8	6.84	136	1254380	40.00	ng/uL	0.00
42) Acenaphthene-d10	8.40	164	653618	40.00	ng/uL	0.00
69) Phenanthrene-d10	9.70	188	871632	40.00	ng/uL	0.00
80) Chrysene-d12	11.99	240	787469	40.00	ng/uL	0.00
91) Perylene-d12	13.61	264	725130	40.00	ng/uL	0.00

## System Monitoring Compounds

5) 2-Fluorophenol	4.28	112	661668	52.92	ng/uL	0.00
Spiked Amount 75.000	Range 21 - 100		Recovery	=	70.56%	/
6) 2-Chlorophenol-d4	5.43	132	603404	58.01	ng/uL	0.00
Spiked Amount 75.000	Range 33 - 110		Recovery	=	77.35%	/
8) Phenol-d5	5.23	99	825694	54.40	ng/uL	0.00
Spiked Amount 75.000	Range 15 - 104		Recovery	=	72.53%	/
15) 1,2-Dichlorobenzene-d4	5.80	152	279220	38.20	ng/uL	0.00
Spiked Amount 50.000	Range 16 - 110		Recovery	=	76.40%	/
26) Nitrobenzene-d5	6.17	82	460115	42.18	ng/uL	0.00
Spiked Amount 50.000	Range 34 - 111		Recovery	=	84.36%	/
46) 2-Fluorobiphenyl	7.78	172	868910	41.16	ng/uL	0.00
Spiked Amount 50.000	Range 21 - 106		Recovery	=	82.32%	/
68) 2,4,6-Tribromophenol	9.08	330	129359	51.52	ng/uL	0.00
Spiked Amount 75.000	Range 23 - 100		Recovery	=	68.69%	/
83) p-Terphenyl-d14	11.03	244	739968	43.33	ng/uL	0.00
Spiked Amount 50.000	Range 33 - 111		Recovery	=	86.66%	/

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration  
 R0093.D 040409S3.M Mon Apr 06 07:54:41 2009

96  
47-09

Page 1


Quantitation Report

Data File : C:\HPCHEM\1\DATA\040509\R0093.D  
 Acq On : 5 Apr 2009 4:03 pm  
 Sample : EX090401-3MB  
 Misc : WATER EX090401-3  
 MS Integration Params: LSCINT.P  
 Quant Time: Apr 6 7:54 2009

Vial: 3  
 Operator: jk SOP 506  
 Inst : HPSV-3  
 Multiplr: 1.00

Quant Results File: 040409S3.RES

Method : C:\HPCHEM\1\METHODS\040409S3.M (RTE Integrator)  
 Title : GC-MS Semivolatiles SOP no. 506  
 Last Update : Sun Apr 05 16:09:45 2009  
 Response via : Initial Calibration



Library Search Compound Report


Data File : C:\HPCHEM\1\DATA\040509\R0093.D  
 Acq On : 5 Apr 2009 4:03 pm  
 Sample : EX090401-3MB  
 Misc : WATER EX090401-3  
 MS Integration Params: LSCINT.P

Vial: 3  
 Operator: jk SOP 50  
 Inst : HPSV-3  
 Multiplr: 1.00

Quant Method : C:\HPCHEM\1\METHODS\040409S3.M (RTE Integrator)  
 Title : GC-MS Semivolatiles SOP no. 506  
 Library : C:\DATABASE\nist98.l

\*\*\*\*\*  
 Peak Number 1 Amylene Hydrate Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.		
3.66	5.00 ng/uL	264688	1,4-Dichlorobenzene-d4	5.65		
Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	Amylene Hydrate		88	C5H12O	000075-85-4	39
2	3-Hydroxy-3-methyl-2-butanone		102	C5H10O2	000115-22-0	38
3	4-Pentene-2-ol, 2-methyl		100	C6H12O	000624-97-5	38
4	Formamide, N-methyl-		59	C2H5NO	000123-39-7	9



Data File : C:\HPCHEM\1\DATA\040509\R0098.D  
 Acq On : 5 Apr 2009 6:00 pm  
 Sample : 0903234-1  
 Misc : WATER EX090401-3  
 MS Integration Params: LSCINT.P  
 Quant Time: Apr 6 7:59 2009

Vial: 8  
 Operator: jk SOP 506 Rev  
 Inst : HPSV-3  
 Multiplr: 1.00

Quant Results File: 040409S3.RES

Quant Method : C:\HPCHEM\1\METHODS\040409S3.M (RTE Integrator)

Title : GC-MS Semivolatiles SOP no. 506

Last Update : Sun Apr 05 16:09:45 2009

Response via : Initial Calibration

DataAcq Meth : 040409S3

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Dichlorobenzene-d4	5.65	152	342937✓	40.00	ng/uL	0.00
25) Naphthalene-d8	6.84	136	1251859✓	40.00	ng/uL	0.00
42) Acenaphthene-d10	8.40	164	664766✓	40.00	ng/uL	0.00
69) Phenanthrene-d10	9.69	188	920676✓	40.00	ng/uL	0.00
80) Chrysene-d12	11.99	240	906590✓	40.00	ng/uL	-0.01
91) Perylene-d12	13.60	264	822821✓	40.00	ng/uL	-0.01

## System Monitoring Compounds

5) 2-Fluorophenol	4.28	112	661438	54.05	ng/uL	0.00
Spiked Amount 75.000	Range 21 - 100		Recovery	= 72.07%	✓	
6) 2-Chlorophenol-d4	5.43	132	604641	59.38	ng/uL	0.00
Spiked Amount 75.000	Range 33 - 110		Recovery	= 79.17%		
8) Phenol-d5	5.23	99	831405	55.96	ng/uL	0.00
Spiked Amount 75.000	Range 15 - 104		Recovery	= 74.61%	✓	
15) 1,2-Dichlorobenzene-d4	5.80	152	280303	39.18	ng/uL	0.00
Spiked Amount 50.000	Range 16 - 110		Recovery	= 78.36%		
26) Nitrobenzene-d5	6.17	82	472332	43.39	ng/uL	0.00
Spiked Amount 50.000	Range 34 - 111		Recovery	= 86.78%	✓	
46) 2-Fluorobiphenyl	7.78	172	881312	41.05	ng/uL	0.00
Spiked Amount 50.000	Range 21 - 106		Recovery	= 82.10%	✓	
68) 2,4,6-Tribromophenol	9.08	330	134839	52.80	ng/uL	0.00
Spiked Amount 75.000	Range 23 - 100		Recovery	= 70.40%	✓	
83) p-Terphenyl-d14	11.02	244	795034	40.43	ng/uL	0.00
Spiked Amount 50.000	Range 33 - 111		Recovery	= 80.86%		

## Target Compounds

Qvalue

(#) = qualifier out of range (m) = manual integration  
 R0098.D 040409S3.M Mon Apr 06 07:59:23 2009

4-7-09  
X

Page 1


Quantitation Report

Data File : C:\HPCHEM\1\DATA\040509\R0098.D  
 Acq On : 5 Apr 2009 6:00 pm  
 Sample : 0903234-1  
 Misc : WATER EX090401-3  
 MS Integration Params: LSCINT.P  
 Quant Time: Apr 6 7:59 2009

Vial: 8  
 Operator: jk SOP 506  
 Inst : HPSV-3  
 Multiplr: 1.00

Quant Results File: 040409S3.RES

Method : C:\HPCHEM\1\METHODS\040409S3.M (RTE Integrator)  
 Title : GC-MS Semivolatiles SOP no. 506  
 Last Update : Sun Apr 05 16:09:45 2009  
 Response via : Initial Calibration



## Library Search Compound Report

Data File : C:\HPCHEM\1\DATA\040509\R0098.D  
 Acq On : 5 Apr 2009 6:00 pm  
 Sample : 0903234-1  
 Misc : WATER EX090401-3  
 MS Integration Params: LSCINT.P

Vial: 8  
 Operator: jk SOP 50  
 Inst : HPSV-3  
 Multipllr: 1.00

Quant Method : C:\HPCHEM\1\METHODS\040409S3.M (RTE Integrator)  
 Title : GC-MS Semivolatiles SOP no. 506  
 Library : C:\DATABASE\nist98.1

\*\*\*\*\*  
 Peak Number 1 Amylene Hydrate Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.		
3.66	7.50 ng/uL	407662	1,4-Dichlorobenzene-d4	5.65		
Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	Amylene Hydrate		88	C5H12O	000075-85-4	40
2	Acetamide		59	C2H5NO	000060-35-5	9
3	Butanoic acid, 2-hydroxy-, methyl e	118	C5H10O3		029674-47-3	9
4	Butanamide	87	C4H9NO		000541-35-5	9

