

Surface Consultation Form – Revised 01/21/09

WELL NAME: Grants 14-34 Tr

TWN 32 RNG 66 SEC 34 QTR/QTR SV, W12SE

The following items have been discussed (all terms subject to approval by Operator):

Agreed	Change Requested
--------	------------------

- Width of Road to be 14 feet unless otherwise specified. Change to _____
- Right of Way Route
- Right of Way Route to be surveyed as an "As Built"
- Well Pad Location

Explain change request (subject to approval by Operator): _____

- Disposition of Timber**
- Yes No
- Trees cut into firewood length # inches _____
 - Trees stripped and left in place
 - Trees completely removed
- Check one → Slash buried Slash chipped Slash removed

- Disposition of Pit**
- Yes No
- Pit fenced
 - Pits sloped for wildlife/livestock access (can't do this if well pad is fenced.)
Subject to water quality and quantity and subject to Federal, State, County and local restrictions.
 - Pit back filled

- Work to be Completed by Operator**
- Yes No
- Right-of-way road to be graveled by operator
 - Locking gate at fenced property lines. If yes, answer questions below:
 - Will gate be set back from fence?
 - Wellsite fenced?

Comments/Other: Sound walls, Electric As Soon As Water production allows.

Pioneer represented by: Chris Sanchez (Sign) Chris Sanchez (Print)

Discussed this 10th day of August, 2009.

Landowner Signature: gave verbal over the phone (Sign) Grant Frownfelter (Print)

Owner's Address: _____
Telephone No.: _____