

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

2. TYPE OF WELL

OIL ☐ GAS ☒ COALBED ☐ OTHER \_\_\_\_\_  
SINGLE ZONE ☐ MULTIPLE ZONE ☒ COMMINGLE ZONE ☐

Refilling ☒

Sidetrack ☐

Document Number:

400002792

Plugging Bond Surety

20070091

3. Name of Operator: UNIOIL

4. COGCC Operator Number: 90950

5. Address: 1775 SHERMAN ST STE 3000

City: DENVER State: CO Zip: 80203

6. Contact Name: SarahGarrett Phone: (303)860-5800 Fax: (303)860-5838

Email: sgarrett@petd.com

7. Well Name: Sater Well Number: 19-NU

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 7700

WELL LOCATION INFORMATION

10. QtrQtr: SENW Sec: 19 Twp: 4N Rng: 63W Meridian: 6

Latitude: 40.301080 Longitude: -104.480860

Footage at Surface: 1385 FNL/FSL FNL 2481 FEL/FWL FWL

11. Field Name: Wattenberg Field Number: 90750

12. Ground Elevation: 4670 13. County: WELD

14. GPS Data:

Date of Measurement: 04/16/2008 PDOP Reading: 6.0 Instrument Operator's Name: Thomas G. Carlson PLS 24657

15. If well is ☐ Directional ☐ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_ Bottom Hole: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_

Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_ Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_

16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No

17. Distance to the nearest building, public road, above ground utility or railroad: 1

18. Distance to nearest property line: 1385 19. Distance to nearest well permitted/completed in the same formation: 808

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
Codell, Niobrara	NB-CD		160	GWA
J SAND	JSND		160	GWA

21. Mineral Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian Lease #: \_\_\_\_\_

22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

23. Is the Surface Owner also the Mineral Owner? ☐ Yes ☒ No Surface Surety ID#: 20070028

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☐ Yes ☐ No

23b. If 23 is No ☐ Surface Owners Agreement Attached or ☒ \$25,000 Blanket Surface Bon ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):  
W/2 Sec. 19, T4N R63W

25. Distance to Nearest Mineral Lease Line: 67 26. Total Acres in Lease: 320

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No

30. If questions 27 or 28 are yes, is this location in a sensitive area (Rule 903)? ☐ Yes ☐ No If 28, 29, or 30 are "Yes" a pit permit may be required.

31. Mud disposal: ☐ Offsite ☒ Onsite

Method: ☒ Land Farming ☐ Land Spreading ☐ Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bottom	Cement Top
SURF	12+1/4	8+5/8	24	500	300	500	0
1ST	7+7/8	4+1/2	10.5	7,700	260	7,700	6,000

32. BOP Equipment Type: ☐ Annular Preventer ☒ Double Ram ☐ Rotating Head ☐ None

33. Comments PDC certifies that the land use, surface use, and lease information have not changed from the original permit. The location has not been built. Conductor casing will not be used.

34. Location ID: 302332

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No

36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Sarah Garrett

Title: Landman Date: 9/3/2009 Email: sgarrett@petd.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 10/29/2009

#### API NUMBER

05 123 28160 00

Permit Number: \_\_\_\_\_ Expiration Date: 10/28/2010

CONDITIONS OF APPROVAL, IF ANY:

### **Condition of Approval**

Comment

Agency

1) Provide 24 hr notice of spud to Ed Binkley at 970-506-9834 or e-mail at ed.binkley@state.co.us . 2) Set surface casing per Rule 317d, with cement to surface. Setting surface casing less than the approved depth is a permit violation unless prior written approval is obtained from the COGCC. 3) If completed, provide cement coverage from TD to a minimum of 200' above Niobrara. Verify coverage with cement bond log. 4 If dry hole, set 60 sks cement from 50' below D Sand base to 100' above D Sand top, 40 sks cement 50' above Niobrara top, 50 sks cement ½ out, ½ in surface casing, 10 sks cement top of surface casing, cut 4' below GL, weld on plate, 5 sks cement in rat hole 5 sks cement in mouse hole. Restore surface location.

THIS WELL IS AN EXCEPTION LOCATION TO RULE 318Aa,318Ac. WAIVERS ARE ATTACHED.

UNIOIL HAS OBTAINED WAIVERS FROM THE SURFACE OWNER ,LGD, AND OPERATOR TO WAIVE THE WHOA PERIOD (305d1). WAIVERS ATTACHED.

### **Attachment Check List**

Att Doc Num	Name	Doc Description
1691839	EXCEPTION LOC REQUEST	LF@2143196 1691839
1692745	EXCEPTION LOC WAIVERS	LF@2168292 1692745
2097397	SURFACE CASING CHECK	LF@2153531 2097397
400003592	30 DAY NOTICE LETTER	LF@2143542 400003592
400003596	PROPOSED SPACING UNIT	LF@2143543 400003596
400003598	EXCEPTION LOC WAIVERS	LF@2143544 400003598
400003600	EXCEPTION LOC REQUEST	LF@2143545 400003600
400004237	PROPOSED SPACING UNIT	LF@2143546 400004237

Total Attach: 8 Files