

Halstead, Mary

From: Croteau, Jevin [Jevin.Croteau@encana.com]
Sent: Monday, November 02, 2009 1:17 PM
To: Halstead, Mary
Subject: RE: IONE 62N66W/2NWSW (Doc.# 1759122)

Mary,

Not exactly. We plan to have the two wells and their gathering lines flow back to the existing Ione #3 Battery where all the facilities associated with this well will be. I tried to state this under #5. Facilities, Other: Please let me know if this needs to be done some other way.

Thanks,

Jevin

Checked w/ Jevin on phone 11/3/09
Operator agreed to delete water tank(1)
separators (2), oil tanks (2), → These
facilities will be at the IONE #3 Battery location
MRH

From: Halstead, Mary [mailto:Mary.Halstead@state.co.us]
Sent: Thursday, October 29, 2009 3:46 PM
To: Croteau, Jevin
Subject: IONE 62N66W/2NWSW (Doc.# 1759122)

Hi Jevin,

I are reviewing the above-listed Form 2 and have the following question:

1. Section 3 Facilities: I noticed that you plan to have among other things, 2 gas pipelines, 2 oil pipelines, 2 separators, 2 oil tanks at this location. However, the location drawing only shows that there is an existing well but no other facilities. Is this correct? It is a bit unusual to have just one existing well without any other facilities such as a pipeline. Please verify the facilities and resubmit the location drawing if needed. Note that rule 303.d(3)C requires that existing pipeline be included on the location drawing.

Thanks you for your prompt attention to this minor issue. Take care, Mary

Mary Roberts Halstead
Oil & Gas Location Assessment Supervisor
Colorado Oil & Gas Conservation Commission
1120 Lincoln Street, Suite 801
Denver, Colorado 80203
303-894-2100 Ext. 5153
mary.halstead@state.co.us

This email communication and any files transmitted with it may contain confidential and or proprietary information and is provided for the use of the intended recipient only. Any review, retransmission or dissemination of this information by anyone other than the intended recipient is prohibited. If you receive this email in error, please contact the sender and delete this communication and any copies immediately. Thank you.

<http://www.encana.com>