

Surface Consultation Form – Revised 01/21/09

WELL NAME: Anson 12-19

TWN 32 RNG 65 SEC 19 QTR/QTR SWNW

The following items have been discussed (all terms subject to approval by Operator):

Agreed	Change Requested
--------	------------------

- Width of Road to be 14 feet unless otherwise specified. Change to _____
- Right of Way Route
- Right of Way Route to be surveyed as an "As Built"
- Well Pad Location

Explain change request (subject to approval by Operator): _____

- Check one →
- | | | | |
|---|-------------------------------------|---|------------|
| <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Disposition of Timber | |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Trees cut into firewood length # inches | <u>14"</u> |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Trees stripped and left in place | |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Trees completely removed | |
| | <input checked="" type="checkbox"/> | Slash buried | |
| | <input type="checkbox"/> | Slash chipped | |
| | <input type="checkbox"/> | Slash removed | |

- | | | |
|---|-----------------------------|---|
| <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Disposition of Pit |
| <input type="checkbox"/> | <input type="checkbox"/> | Pit fenced |
| <input type="checkbox"/> | <input type="checkbox"/> | Pits sloped for wildlife/livestock access (can't do this if well pad is fenced.)
Subject to water quality and quantity and subject to Federal, State, County and local restrictions. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Pit back filled |

- | | | |
|---|-------------------------------------|--|
| <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Work to be Completed by Operator |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Right-of-way road to be graveled by operator |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Locking gate at fenced property lines. If yes, answer questions below: |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Will gate be set back from fence? |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Wellsite fenced? |

Comments/Other: Sound walls on All 4 Sides
Electric AS soon AS feasible.

Pioneer represented by: Chris Sanchez (Sign) Chris Sanchez (Print)

Discussed this 8th day of November, 2009.

Landowner Signature: Anne Tomlinson (Sign) _____ (Print)

Anne Tomlinson (Sign) Anne Tomlinson (Print)

Owner's Address: 884 Tioga Trl Parker, CO 80138

Telephone No.: _____