




Date	
Run	
Def	
Def	
Bot	
Top	
Op	
Typ	
Der	
Max	
Esti	
Tim	
Tim	
Equ	
Loc	
Rec	
With	
Ru	
Cas	
Suf	
Pro	
Pro	
Line	

Database File: ge28148706b.db
Dataset Pathname: pass2
Presentation Format: cblrt
Dataset Creation: Mon Aug 07 08:32:49 2006 by Log Open-Cased 060407
Charted by: Depth in Feet scaled 1:240


0	GR (GAPI)	200	0	AMP3 (mV)	100	200	Variable Density	1200
200	GR (GAPI)	400	18	CCL	-2			
400	TT3 (usec)	200	200	CBL5	1200			









650





Performed:

Tit 04 Jul 14 10:43:24 2006

Calibrator Value: 200.0 GAPI

Background Reading: 40.0 cps

Calibrator Reading: 240.0 cps

Sensitivity: 1.1000 GAPI/cps

Cement Bond Log Calibration Report


Serial Number: Titan4
Tool Model: 4
Performed: Mon Jul 24 12:08:10 2006

Depth: 1054.62 ft
Casing Diameter: 5.5 in

3' Spacing 5' Spacing

Signal Zero: 0 1 mV
Calibrated Amplitude: 85 85 mV
Reading at Signal Zero: 0.00161133 0.0143555 V
Reading in Free Pipe: 1.14 1.65081 V

Gain: 74.6669 51.3306
Offset: -1 0.263125

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
CHD	20.38		CHD-None (0)	0.75	1.50	5.00
CENT	19.63		CENT-X (2)	3.00	1.69	25.00
WVF5	12.82		CBL-4 (Titan4)	8.15	2.25	110.00
WVF3	11.82					
CENT	8.48					