



SUPERIOR
Black Lick, Pa.
Mercer, Pa.
Wooster, Oh.
Cleveland, Ok.
Trinidad, Co.

CEMENT BOND GAMMA RAY

Company XTO Energy Inc.
Well Hill Ranch 36-10-67
Field Purgatoire River
County Las Animas
State Colorado

Company XTO Energy Inc.
Well Hill Ranch 36-10-67
Field Purgatoire River
County Las Animas
State Colorado

Location: API #: 05 071 09533 00

2113' FSL & 1547' FEL

TEMP

SEC 36 TWP 34S RGE 67W

Permanent Datum Ground Level Elevation 7826'
Log Measured From Ground Level
Drilling Measured From Ground Level

Elevation

K.B. -----
D.F. -----
G.L. 7826'

Date 5-02-08

Run Number One

Depth Driller 2430'

Depth Logger 2256'

Bottom Logged Interval 2252'

Top Log Interval Surface

Open Hole Size 7 7/8"

Type Fluid Water

Density / Viscosity ///

Max. Recorded Temp. 124F

Estimated Cement Top surf.

Time Well Ready ROA

Time Logger on Bottom 10:10

Equipment Number 0703

Location Trinidad

Recorded By D. Worley

Witnessed By Mr. Dominguez

Run Number

Bit From To

Size

Weight

From To

Size

Weight

From To

Size

Wgt/Ft

Top

Bottom

Size

Weight

From To

Size

Wgt/Ft

Top

Bottom

Size

Weight

From To

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Well Directions:
Lorencto to XTO hill, follow all the way to top, cross cattleguard
take first left to location.



SUPERIOR

Black Lick, Pa.
Mercer, Pa.
Wooster, Oh.
Cleveland, Ok.
Trinidad, Co.

Main Pass

Database File: hr361067b050208.db
Dataset Pathname: pass2
Presentation Format: cblrt
Dataset Creation: Thu May 01 22:21:40 2008 by Log Open-Cased 071220
Charted by: Depth in Feet scaled 1:240

0	GR (GAPI)	200	0	AMP3 (mV)	100	200	CBL5	1200
400	TT3 (usec)	200	18	CCL	-2			
			200	CBL5	1200			

















