





Database File: vprc13022307b.db
Dataset Pathname: pass2
Presentation Format: cblrt
Dataset Creation: Fri Feb 23 15:54:05 2007 by Log Open-Cased 060407
Charted by: Depth in Feet scaled 1:240

0	GR (GAPI)	200	0	AMP3 (mV)	100	200	Variable Density	1200
200	GR (GAPI)	400	18	CCL	-2			
400	TT3 (usec)	200	200	CBL5	1200			











650




700


750


800




850




























SUPERIOR
WELL SERVICES

Black Lick, Pa.
Mercer, Pa.
Wooster, Oh.
Cleveland, Ok.
Trinidad, Co.

Repeat Section

Database File: vprc13022307b.db

Dataset Pathname: pass1

Presentation Format: cblrt


Dataset Creation: Fri Feb 23 15:46:28 2007 by Log Open-Cased 060407

Charted by: Depth in Feet scaled 1:240

Depth (ft)	GR (GAPI)	AMP3 (mV)	CCL	CBL5
0	~100	~100	~100	~100
200	~100	~100	~100	~100
400	~100	~100	~100	~100

Depth (ft)	GR (GAPI)	AMP3 (mV)	CCL	CBL5
0	~100	~100	~100	~100
200	~100	~100	~100	~100
400	~100	~100	~100	~100

Depth (ft)	GR (GAPI)	AMP3 (mV)	CCL	CBL5
0	~100	~100	~100	~100
200	~100	~100	~100	~100
400	~100	~100	~100	~100



Calibration Report

Database File: vprc13022307b.db
 Dataset Pathname: pass1
 Dataset Creation: Fri Feb 23 15:46:28 2007 by Log Open-Cased 060407

Gamma Ray Calibration Report

Serial Number: Titan2.75
 Tool Model: 2.75
 Performed: Fri Jan 26 10:30:12 2007

Calibrator Value: 200.0 GAPI

Background Reading: 40.0 cps
 Calibrator Reading: 240.0 cps

Sensitivity: 1.1000 GAPI/cps

Cement Bond Log Calibration Report

Serial Number: Titan4
 Tool Model: 4
 Performed: Fri Jan 26 11:14:49 2007

Depth: 1054.62 ft
 Casing Diameter: 5.5 in

3' Spacing 5' Spacing

Signal Zero: 0 1 mV
 Calibrated Amplitude: 85 85 mV
 Reading at Signal Zero: 0.00161133 0.0143555 V
 Reading in Free Pipe: 1.27 1.65081 V

Gain: 67.0142 51.3306
 Offset: 0.25 0.263125

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
CHD	20.38		CHD-None (0)	0.75	1.50	5.00
CENT	19.63		CENT-X (2)	3.00	1.69	25.00
WVF5	12.82		CBL-4 (Titan4)	8.15	2.25	110.00
WVF3	11.82					
CENT	8.48		CENT-X (1)	3.00	1.69	25.00
CCL	4.27		CCL-2.75 (Titan2.75)	1.71	2.75	15.00
GR	1.42		GR-2.75 (Titan2.75) Two Point	3.77	2.75	25.00

Dataset: vprc13022307b.db: field/well/run1/pass1
 Total Length: 20.38 ft
 Total Weight: 205.00 lb
 O.D. 2.75 in