

**FORM
2A**Rev
04/01

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

400043020

Oil and Gas Location Assessment☐ New Location ☒ Amend Existing Location Location#: 336001

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a stand alone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

336001

Expiration Date:

☒ This location assessment is included as part of a permit application.**1. CONSULTATION**

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☒ This location is in a sensitive wildlife habitat area.
- ☒ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 10091

Name: BERRY PETROLEUM COMPANY

Address: 1999 BROADWAY STE 3700

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: JANNI KEIDEL

Phone: (303) 999-4225

Fax: (303) 999-4325

email: jek@bry.com

4. Location

Identification:

Name: CHEVRON "C12 697" PAD Number: CHEVRON 12-8D

County: GARFIELD

QuarterQuarter: NENW Section: 12 Township: 6S Range: 97W Meridian: 6 Ground Elevation: 8300

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 969 feet, from North or South section line: FNL and 2246 feet, from East or West section line: FWL

Latitude: 39.541972 Longitude: -108.170111 PDOP Reading: 2.2 Date of Measurement: 07/06/2007

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits:	<input type="text"/>	Drilling Pits:	<input type="text" value="1"/>	Wells:	<input type="text" value="11"/>	Production Pits:	<input type="text" value="1"/>	Dehydrator Units:	<input type="text"/>
Condensate Tanks:	<input type="text" value="1"/>	Water Tanks:	<input type="text" value="1"/>	Separators:	<input type="text" value="3"/>	Electric Motors:	<input type="text" value="3"/>	Multi-Well Pits:	<input type="text"/>
Gas or Diesel Motors:	<input type="text" value="6"/>	Cavity Pumps:	<input type="text"/>	LACT Unit:	<input type="text"/>	Pump Jacks:	<input type="text"/>	Pigging Station:	<input type="text"/>
Electric Generators:	<input type="text" value="3"/>	Gas Pipeline:	<input type="text" value="1"/>	Oil Pipeline:	<input type="text"/>	Water Pipeline:	<input type="text" value="1"/>	Flare:	<input type="text"/>
Gas Compressors:	<input type="text"/>	VOC Combustor:	<input type="text"/>	Oil Tanks:	<input type="text" value="1"/>	Fuel Tanks:	<input type="text" value="1"/>		

Other: DRILLING RIG TEMPORARY ON LOCATION FOR 10 DAYS PER WELL. SEPARATORS USED WILL BE: 2 QUADS, 1 DOUBLE. TEMP OFFICE AND HOUSING

6. Construction:

Date planned to commence construction: 09/01/2010 Size of disturbed area during construction in acres: 6.19
Estimated date that interim reclamation will begin: 06/01/2011 Size of location after interim reclamation in acres: 5.52
Estimated post-construction ground elevation: 8300 Will a closed loop system be used for drilling fluids: Yes ☐
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒
Mud disposal: Offsite ☐ Onsite ☒ Method: Land Farming ☐ Land Spreading ☒ Disposal Facility ☐
Other: _____

7. Surface Owner:

Name: CHEVRON USA, INC. Phone: _____
Address: 11111 SOUTH WILCREST Fax: _____
Address: _____ Email: _____
City: HOUSTON State: TX Zip: 77099 Date of Rule 306 surface owner consultation: 02/03/2010
Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian
The surface owner is: ☒ the mineral owner ☐ committed to an oil and gas lease
☐ is the executer of the oil and gas lease ☐ the applicant
The right to construct the location is granted by: ☐ oil and gas lease ☒ Surface Use Agreement ☐ Right of Way
☐ applicant is owner
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☒ Blanket Surety ID 20040106

8. Reclamation Financial Assurance:

☒ Well Surety ID: 20040106 ☒ Gas Facility Surety ID: 20040107 ☐ Waste Mgmt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒
Distance, in feet, to nearest building: 2461, public road: 13726, above ground utilit: 13438
, railroad: 32997, property line: 2246

10. Current Land Use (Check all that apply):

Crop Land:	<input type="checkbox"/> Irrigated	<input type="checkbox"/> Dry land	<input type="checkbox"/> Improved Pasture	<input type="checkbox"/> Hay Meadow	<input type="checkbox"/> CRP
Non-Crop Land:	<input checked="" type="checkbox"/> Rangeland	<input type="checkbox"/> Timber	<input type="checkbox"/> Recreational	<input type="checkbox"/> Other (describe):	_____
Subdivided:	<input type="checkbox"/> Industrial	<input type="checkbox"/> Commercial	<input type="checkbox"/> Residential		

11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: #57 PARACHUTE-RHONE LOAMS, 5 TO 30 PERCENT SLOPES
NRCS Map Unit Name: _____
NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒
Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 07/06/2007
List individual species: SAGE BRUSH AND OAK & BUCK BRUSH

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
☐ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
☐ Alpine (above timberline)
☐ Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☒ No ☐ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☒ No ☐ Yes
Distance (in feet) to nearest surface water: 384, water well: 4392, depth to ground water: 200
Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes
Is the location within a Rule 317B Surface Water Supply Area buffer zone:
☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☒ No ☐ Yes

15. Comments:

Berry Petroleum Company-Best Management Practices-Chevron C12 697 Well Pad (11 wells)

The following is a list of Best Management Practices that will be implemented by Berry Petroleum Company during the pad construction, well drilling, well completion, natural gas production, and reclamation phases of activity on the Chevron C12 697 location. A total of eleven wells will be directionally drilled from the C12 697 well pad. Directional drilling has enabled Berry Petroleum Company to reduce the number of well pads required for gas recovery and will minimize surface damage. The C12 697 well pad will be constructed adjacent to an existing access road. This eliminates the need to construct an additional road for access and avoids additional surface disturbance. In general, Berry Petroleum Company will comply with applicable federal, state and local statutes, rules, regulations and ordinances, including, those of OSHA, the COGCC and CDPHE relating to safety and the environment. During construction of the well pad, topsoil will be isolated from other soils and placed and stacked per COGCC requirements. All cuts, full slopes, pit and topsoil piles and soil piles will be stabilized and revegetated immediately following construction. The pad will be constructed in compliance with CDPHE Stormwater Discharge regulations. The reserve/completion pit will be fenced/flagged and/or netted to prevent entry of wildlife (including birds) and livestock. Bear-proof dumpsters or trash cages will be used on the location for solid/food waste storage. Noxious weeds will be controlled. Temporary housing for the drill rig crews will meet all Garfield County regulations. The housing quarters will receive 24/7 supervision by Berry Petroleum Company. Production tanks shall be placed on a non-permeable liner and surrounded by a metal containment wall at least 3-feet high. During the reclamation phase, all areas of soil disturbance will be smooth graded, cultivated to provide a loose seed bed of a minimum of 6 inches in depth, fertilized with 250 pounds of 46-0-0 per acre, seeded with the seed mixture specified by the surface owner, and mulched with 1-1/2 tons of grass hay crimped into the soil.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: _____ Email: jek@bry.com

Print Name: JANNI KEIDEL Title: PERMITTING AGENT

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

Attachment Check List

Att Doc Num	Name	Doc Description
400043022	CONST. LAYOUT DRAWINGS	Construction Layout Drawings 1 thru 5 (C12 697 Pad).pdf
400043023	NRCS MAP UNIT DESC	Soil Report - (C12 697 Pad).pdf
400043024	REFERENCE AREA MAP	Reference Area Map - (C12 697 Pad).pdf
400043025	MULTI-WELL PLAN	Multi Well Plan - (C12 697 Pad).pdf
400043026	HYDROLOGY MAP A, TOPO	Hydrology Map - (C12 697 Pad).pdf
400043027	LOCATION DRAWING	Location Drawing (C12 697 Pad).pdf
400043028	ACCESS ROAD MAP	Access Road Map (C12 697 Pad).pdf
400043059	EQUIPMENT LIST	Equipment List (C12 697 Pad).pdf
400043060	PROPOSED BMPs	Proposed BMP's - (Chevron C12 697 Pad).pdf
400043069	FORM 2A	Form 2A signed - C12 697 Pad.pdf

Total Attach: 10 Files