



RECEIVED
APR 01 2010
COGCC

True Vertical Depth [ft]



Vertical Section at 151.42° [ft]



Design Formation Top Editor - Sears 4-4-26/Wellbore #1/Des...

	MD (ft)	TVD WH (ft)	TVD Sys (ft)	TVD Path (ft)	Name	Lithology
1	4849.6	4816.0	-370.0	4816.0	Sussex	(none)
2	5439.8	5401.0	215.0	5401.0	Shannon	(none)
3	7584.6	7531.0	2345.0	7531.0	Niobrara	(none)
4	8014.6	7961.0	2775.0	7961.0	Codell	(none)
5	8461.6	8408.0	3222.0	8408.0	J Sand	(none)
6						

Surface location: 1830' FNL, 1995' FWL
Bottomhole location: 2600' FNL, 2550' FWL

EnCana Oil & Gas (USA) Inc.
Sears 4-4-26



02621314

014-20665

EnCana Corporation
Planning Report - Geographic

Database:	EDM	Local Co-ordinate Reference:	Well Sears 4-4-26
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 5186.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 5186.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Sears 4-4-26	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Project	Wattenberg,		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		


Site	New Drills		
Site Position:		Northing:	1,252,450.66ft
From:	Lat/Long	Easting:	3,120,627.66ft
Position Uncertainty:	ft	Slot Radius:	in
		Latitude:	40° 1' 32.016 N
		Longitude:	105° 4' 9.336 W
		Grid Convergence:	0.28 °

Well	Sears 4-4-26		
Well Position	+N/-S -477.4 ft	Northing:	1,252,134.56 ft
	+E/-W 27,117.2 ft	Easting:	3,147,747.12 ft
Position Uncertainty	ft	Wellhead Elevation:	ft
		Latitude:	40° 1' 27.444 N
		Longitude:	104° 58' 20.748 W
		Ground Level:	5,170.0 ft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF200510	02/17/2009	9.22	66.80	53,170

Design	Design #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction
	(ft)	(ft)	(ft)	(°)
	0.0	0.0	0.0	151.42

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
750.0	0.00	0.00	750.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,129.1	7.58	151.42	1,128.0	-22.0	12.0	2.00	2.00	0.00	151.42	
7,005.5	7.58	151.42	6,953.0	-702.9	382.9	0.00	0.00	0.00	0.00	
7,384.6	0.00	0.00	7,331.0	-724.9	394.9	2.00	-2.00	0.00	180.00	
8,611.6	0.00	0.00	8,558.0	-724.9	394.9	0.00	0.00	0.00	0.00	Sears 4-4-26



EnCana Corporation

Planning Report - Geographic

Database:	EDM	Local Co-ordinate Reference:	Well Sears 4-4-26
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 5186.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 5186.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Sears 4-4-26	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (ft)	Map Easting (ft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
100.0	0.00	0.00	100.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
200.0	0.00	0.00	200.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
300.0	0.00	0.00	300.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
400.0	0.00	0.00	400.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
500.0	0.00	0.00	500.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
600.0	0.00	0.00	600.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
700.0	0.00	0.00	700.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
750.0	0.00	0.00	750.0	0.0	0.0	1,252,134.56	3,147,747.12	40° 1' 27.444 N	104° 58' 20.748 W
800.0	1.00	151.42	800.0	-0.4	0.2	1,252,134.17	3,147,747.33	40° 1' 27.440 N	104° 58' 20.745 W
900.0	3.00	151.42	899.9	-3.4	1.9	1,252,131.12	3,147,749.02	40° 1' 27.410 N	104° 58' 20.724 W
1,000.0	5.00	151.42	999.7	-9.6	5.2	1,252,125.01	3,147,752.39	40° 1' 27.349 N	104° 58' 20.681 W
1,100.0	7.00	151.42	1,099.1	-18.8	10.2	1,252,115.87	3,147,757.44	40° 1' 27.259 N	104° 58' 20.617 W
1,129.1	7.58	151.42	1,128.0	-22.0	12.0	1,252,112.63	3,147,759.23	40° 1' 27.226 N	104° 58' 20.594 W
1,200.0	7.58	151.42	1,198.3	-30.2	16.5	1,252,104.45	3,147,763.75	40° 1' 27.145 N	104° 58' 20.536 W
1,300.0	7.58	151.42	1,297.4	-41.8	22.8	1,252,092.90	3,147,770.13	40° 1' 27.031 N	104° 58' 20.455 W
1,400.0	7.58	151.42	1,396.5	-53.4	29.1	1,252,081.35	3,147,776.51	40° 1' 26.916 N	104° 58' 20.374 W
1,500.0	7.58	151.42	1,495.7	-65.0	35.4	1,252,069.80	3,147,782.90	40° 1' 26.802 N	104° 58' 20.293 W
1,600.0	7.58	151.42	1,594.8	-76.6	41.7	1,252,058.25	3,147,789.28	40° 1' 26.687 N	104° 58' 20.212 W
1,700.0	7.58	151.42	1,693.9	-88.1	48.0	1,252,046.70	3,147,795.66	40° 1' 26.573 N	104° 58' 20.131 W
1,800.0	7.58	151.42	1,793.0	-99.7	54.3	1,252,035.15	3,147,802.04	40° 1' 26.458 N	104° 58' 20.050 W
1,900.0	7.58	151.42	1,892.2	-111.3	60.6	1,252,023.60	3,147,808.42	40° 1' 26.344 N	104° 58' 19.968 W
2,000.0	7.58	151.42	1,991.3	-122.9	67.0	1,252,012.05	3,147,814.80	40° 1' 26.229 N	104° 58' 19.887 W
2,100.0	7.58	151.42	2,090.4	-134.5	73.3	1,252,000.50	3,147,821.18	40° 1' 26.115 N	104° 58' 19.806 W
2,200.0	7.58	151.42	2,189.5	-146.1	79.6	1,251,988.95	3,147,827.56	40° 1' 26.000 N	104° 58' 19.725 W
2,300.0	7.58	151.42	2,288.7	-157.7	85.9	1,251,977.40	3,147,833.94	40° 1' 25.886 N	104° 58' 19.644 W
2,400.0	7.58	151.42	2,387.8	-169.3	92.2	1,251,965.85	3,147,840.32	40° 1' 25.771 N	104° 58' 19.563 W
2,500.0	7.58	151.42	2,486.9	-180.8	98.5	1,251,954.30	3,147,846.70	40° 1' 25.657 N	104° 58' 19.482 W
2,600.0	7.58	151.42	2,586.0	-192.4	104.8	1,251,942.75	3,147,853.09	40° 1' 25.542 N	104° 58' 19.401 W
2,700.0	7.58	151.42	2,685.2	-204.0	111.1	1,251,931.20	3,147,859.47	40° 1' 25.428 N	104° 58' 19.319 W
2,800.0	7.58	151.42	2,784.3	-215.6	117.5	1,251,919.66	3,147,865.85	40° 1' 25.313 N	104° 58' 19.238 W
2,900.0	7.58	151.42	2,883.4	-227.2	123.8	1,251,908.11	3,147,872.23	40° 1' 25.199 N	104° 58' 19.157 W
3,000.0	7.58	151.42	2,982.5	-238.8	130.1	1,251,896.56	3,147,878.61	40° 1' 25.084 N	104° 58' 19.076 W
3,100.0	7.58	151.42	3,081.7	-250.4	136.4	1,251,885.01	3,147,884.99	40° 1' 24.970 N	104° 58' 18.995 W
3,200.0	7.58	151.42	3,180.8	-262.0	142.7	1,251,873.46	3,147,891.37	40° 1' 24.855 N	104° 58' 18.914 W
3,300.0	7.58	151.42	3,279.9	-273.5	149.0	1,251,861.91	3,147,897.75	40° 1' 24.741 N	104° 58' 18.833 W
3,400.0	7.58	151.42	3,379.0	-285.1	155.3	1,251,850.36	3,147,904.13	40° 1' 24.626 N	104° 58' 18.751 W
3,500.0	7.58	151.42	3,478.2	-296.7	161.6	1,251,838.81	3,147,910.51	40° 1' 24.512 N	104° 58' 18.670 W
3,600.0	7.58	151.42	3,577.3	-308.3	167.9	1,251,827.26	3,147,916.90	40° 1' 24.397 N	104° 58' 18.589 W
3,700.0	7.58	151.42	3,676.4	-319.9	174.3	1,251,815.71	3,147,923.28	40° 1' 24.283 N	104° 58' 18.508 W
3,800.0	7.58	151.42	3,775.5	-331.5	180.6	1,251,804.16	3,147,929.66	40° 1' 24.168 N	104° 58' 18.427 W
3,900.0	7.58	151.42	3,874.7	-343.1	186.9	1,251,792.61	3,147,936.04	40° 1' 24.053 N	104° 58' 18.346 W
4,000.0	7.58	151.42	3,973.8	-354.7	193.2	1,251,781.06	3,147,942.42	40° 1' 23.939 N	104° 58' 18.265 W
4,100.0	7.58	151.42	4,072.9	-366.2	199.5	1,251,769.51	3,147,948.80	40° 1' 23.824 N	104° 58' 18.183 W
4,200.0	7.58	151.42	4,172.0	-377.8	205.8	1,251,757.96	3,147,955.18	40° 1' 23.710 N	104° 58' 18.102 W
4,300.0	7.58	151.42	4,271.2	-389.4	212.1	1,251,746.41	3,147,961.56	40° 1' 23.595 N	104° 58' 18.021 W
4,400.0	7.58	151.42	4,370.3	-401.0	218.4	1,251,734.87	3,147,967.94	40° 1' 23.481 N	104° 58' 17.940 W
4,500.0	7.58	151.42	4,469.4	-412.6	224.8	1,251,723.32	3,147,974.32	40° 1' 23.366 N	104° 58' 17.859 W
4,600.0	7.58	151.42	4,568.5	-424.2	231.1	1,251,711.77	3,147,980.70	40° 1' 23.252 N	104° 58' 17.778 W
4,700.0	7.58	151.42	4,667.7	-435.8	237.4	1,251,700.22	3,147,987.09	40° 1' 23.137 N	104° 58' 17.697 W
4,800.0	7.58	151.42	4,766.8	-447.3	243.7	1,251,688.67	3,147,993.47	40° 1' 23.023 N	104° 58' 17.615 W
4,900.0	7.58	151.42	4,865.9	-458.9	250.0	1,251,677.12	3,147,999.85	40° 1' 22.908 N	104° 58' 17.534 W
5,000.0	7.58	151.42	4,965.0	-470.5	256.3	1,251,665.57	3,148,006.23	40° 1' 22.794 N	104° 58' 17.453 W
5,100.0	7.58	151.42	5,064.2	-482.1	262.6	1,251,654.02	3,148,012.61	40° 1' 22.679 N	104° 58' 17.372 W
5,200.0	7.58	151.42	5,163.3	-493.7	268.9	1,251,642.47	3,148,018.99	40° 1' 22.565 N	104° 58' 17.291 W

EnCana Corporation

Planning Report - Geographic

Database:	EDM	Local Co-ordinate Reference:	Well Sears 4-4-26
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 5186.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 5186.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Sears 4-4-26	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (ft)	Map Easting (ft)	Latitude		Longitude
5,300.0	7.58	151.42	5,262.4	-505.3	275.3	1,251,630.92	3,148,025.37	40° 1' 22.450 N		104° 58' 17.210 W
5,400.0	7.58	151.42	5,361.6	-516.9	281.6	1,251,619.37	3,148,031.75	40° 1' 22.336 N		104° 58' 17.129 W
5,500.0	7.58	151.42	5,460.7	-528.5	287.9	1,251,607.82	3,148,038.13	40° 1' 22.221 N		104° 58' 17.048 W
5,600.0	7.58	151.42	5,559.8	-540.0	294.2	1,251,596.27	3,148,044.51	40° 1' 22.107 N		104° 58' 16.966 W
5,700.0	7.58	151.42	5,658.9	-551.6	300.5	1,251,584.72	3,148,050.89	40° 1' 21.992 N		104° 58' 16.885 W
5,800.0	7.58	151.42	5,758.1	-563.2	306.8	1,251,573.17	3,148,057.28	40° 1' 21.878 N		104° 58' 16.804 W
5,900.0	7.58	151.42	5,857.2	-574.8	313.1	1,251,561.62	3,148,063.66	40° 1' 21.763 N		104° 58' 16.723 W
6,000.0	7.58	151.42	5,956.3	-586.4	319.4	1,251,550.07	3,148,070.04	40° 1' 21.649 N		104° 58' 16.642 W
6,100.0	7.58	151.42	6,055.4	-598.0	325.8	1,251,538.53	3,148,076.42	40° 1' 21.534 N		104° 58' 16.561 W
6,200.0	7.58	151.42	6,154.6	-609.6	332.1	1,251,526.98	3,148,082.80	40° 1' 21.420 N		104° 58' 16.480 W
6,300.0	7.58	151.42	6,253.7	-621.2	338.4	1,251,515.43	3,148,089.18	40° 1' 21.305 N		104° 58' 16.398 W
6,400.0	7.58	151.42	6,352.8	-632.7	344.7	1,251,503.88	3,148,095.56	40° 1' 21.191 N		104° 58' 16.317 W
6,500.0	7.58	151.42	6,451.9	-644.3	351.0	1,251,492.33	3,148,101.94	40° 1' 21.076 N		104° 58' 16.236 W
6,600.0	7.58	151.42	6,551.1	-655.9	357.3	1,251,480.78	3,148,108.32	40° 1' 20.962 N		104° 58' 16.155 W
6,700.0	7.58	151.42	6,650.2	-667.5	363.6	1,251,469.23	3,148,114.70	40° 1' 20.847 N		104° 58' 16.074 W
6,800.0	7.58	151.42	6,749.3	-679.1	369.9	1,251,457.68	3,148,121.08	40° 1' 20.733 N		104° 58' 15.993 W
6,900.0	7.58	151.42	6,848.4	-690.7	376.2	1,251,446.13	3,148,127.47	40° 1' 20.618 N		104° 58' 15.912 W
7,000.0	7.58	151.42	6,947.6	-702.3	382.6	1,251,434.58	3,148,133.85	40° 1' 20.504 N		104° 58' 15.830 W
7,005.5	7.58	151.42	6,953.0	-702.9	382.9	1,251,433.95	3,148,134.20	40° 1' 20.497 N		104° 58' 15.826 W
7,100.0	5.69	151.42	7,046.9	-712.5	388.1	1,251,424.39	3,148,139.48	40° 1' 20.403 N		104° 58' 15.759 W
7,200.0	3.69	151.42	7,146.5	-719.7	392.0	1,251,417.23	3,148,143.43	40° 1' 20.332 N		104° 58' 15.709 W
7,300.0	1.69	151.42	7,246.4	-723.8	394.3	1,251,413.12	3,148,145.71	40° 1' 20.291 N		104° 58' 15.680 W
7,384.6	0.00	0.00	7,331.0	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
7,400.0	0.00	0.00	7,346.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
7,500.0	0.00	0.00	7,446.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
7,600.0	0.00	0.00	7,546.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
7,700.0	0.00	0.00	7,646.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
7,800.0	0.00	0.00	7,746.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
7,900.0	0.00	0.00	7,846.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,000.0	0.00	0.00	7,946.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,100.0	0.00	0.00	8,046.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,200.0	0.00	0.00	8,146.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,300.0	0.00	0.00	8,246.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,400.0	0.00	0.00	8,346.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,500.0	0.00	0.00	8,446.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,600.0	0.00	0.00	8,546.4	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W
8,611.6	0.00	0.00	8,558.0	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W

Design Targets										
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude		Longitude
Sears 4-4-26 - plan hits target - Point	0.00	0.00	8,558.0	-724.9	394.9	1,251,412.02	3,148,146.31	40° 1' 20.280 N		104° 58' 15.672 W

EnCana Corporation

Planning Report - Geographic

Database:	EDM	Local Co-ordinate Reference:	Well Sears 4-4-26
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 5186.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 5186.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Sears 4-4-26	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Formations						
	Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
	4,849.6	4,816.0	Sussex		0.00	
	5,439.8	5,401.0	Shannon		0.00	
	7,584.6	7,531.0	Niobrara		0.00	
	8,014.6	7,961.0	Codell		0.00	
	8,461.6	8,408.0	J Sand		0.00	