

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

APPLICATION FOR PERMIT TO:

1.  Drill,  Deepen,  Re-enter,  Recomplete and Operate

2. TYPE OF WELL

OIL  GAS  COALBED  OTHER \_\_\_\_\_  
SINGLE ZONE  MULTIPLE ZONE  COMMINGLE ZONE

Refilling   
Sidetrack

Document Number:  
1698172  
Plugging Bond Surety  
20090053

3. Name of Operator: RUNNING FOXES PETROLEUM INC 4. COGCC Operator Number: 10221

5. Address: 7060 SOUTH TUCSON WAY - STE B  
City: CENTENNIAL State: CO Zip: 80112

6. Contact Name: KENT KEPPEL Phone: (720)889-0510 Fax: (303)617-7442  
Email: KKEPPEL@ATOKA.COM

7. Well Name: JOHN CRAIG Well Number: 11-2

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 8800

WELL LOCATION INFORMATION

10. QtrQtr: NESW Sec: 2 Twp: 10S Rng: 56W Meridian: 6  
Latitude: 39.206170 Longitude: -103.633220

Footage at Surface: 1980 FNL/FSL FSL 1980 FEL/FWL FWL

11. Field Name: WILDCAT Field Number: 99999

12. Ground Elevation: 5262 13. County: LINCOLN

14. GPS Data:

Date of Measurement: 09/30/2008 PDOP Reading: 1.9 Instrument Operator's Name: ROBERT J RUBINO

15. If well is  Directional  Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_ Bottom Hole: FNL/FSL \_\_\_\_\_ FEL/FWL \_\_\_\_\_

Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_ Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_

16. Is location in a high density area? (Rule 603b)?  Yes  No

17. Distance to the nearest building, public road, above ground utility or railroad: 9193 ft

18. Distance to nearest property line: 1980 ft 19. Distance to nearest well permitted/completed in the same formation: 5280 mi

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
CHEROKEE	CHRK			
D & J SAND	DJSND			
MISSISSIPPIAN	MSSP			

21. Mineral Ownership:  Fee  State  Federal  Indian Lease #: \_\_\_\_\_

22. Surface Ownership:  Fee  State  Federal  Indian

23. Is the Surface Owner also the Mineral Owner?  Yes  No Surface Surety ID#: \_\_\_\_\_

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease?  Yes  No

23b. If 23 is No  Surface Owners Agreement Attached or  \$25,000 Blanket Surface Bon  \$2,000 Surface Bond  \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):  
 NESW, SECTION 2, T10S-R56W (PLUS ADDITIONAL)

25. Distance to Nearest Mineral Lease Line: 1980 ft 26. Total Acres in Lease: 5

**DRILLING PLANS AND PROCEDURES**

27. Is H2S anticipated?  Yes  No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling?  Yes  No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling?  Yes  No

30. If questions 27 or 28 are yes, is this location in a sensitive area (Rule 903)?  Yes  No **If 28, 29, or 30 are "Yes" a pit permit may be required.**

31. Mud disposal:  Offsite  Onsite

Method:  Land Farming  Land Spreading  Disposal Facility Other: EVAP & BURY

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bottom	Cement Top
SURF	17+1/2	13+3/8	48	400	475	400	0
1ST	7+7/8	4+1/2	11.6	8,800	500	8,800	6,000

32. BOP Equipment Type:  Annular Preventer  Double Ram  Rotating Head  None

33. Comments #19 ABOVE: 1.5 MILES SW OF STATE LIMON 1-36 (SEC. 1. T10S-R56W) PREVIOUS API # 05-073-06379-00 / NO CONDUCTOR CASING WILL BE USED

34. Location ID: 413944

35. Is this application in a Comprehensive Drilling Plan ?  Yes  No

36. Is this application part of submitted Oil and Gas Location Assessment ?  Yes  No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: KENT KEPPEL

Title: LANDMAN Date: 3/30/2010 Email: KKEPPEL@ATOKA.COM

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 4/29/2010

**API NUMBER**  
 05 073 06379 00

Permit Number: \_\_\_\_\_ Expiration Date: 4/28/2012

**CONDITIONS OF APPROVAL, IF ANY:** \_\_\_\_\_

**All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.**

1) Provide 24 hour notice of MIRU to Craig Quint at 719-767-8939 or e-mail at craig.quint@state.co.us. 2) If production casing is set provide cement coverage to at least 200' above shallowest completed interval (200' above Cherokee at a minimum), and stage cement Cheyenne/Dakota interval (4870'-4250' minimum). Run and submit CBL to verify all cemented intervals. 3) If well is a dry hole set plugs at the following depths: 40 sks cement +/- 50' above the Cherokee, 40 sks cement across any DST w/ show, 40 sks cement 100' below Cheyenne (4870' up), 40 sks cement 50' above top of Dakota (4250' up), 50 sks cement from 50' below surface casing shoe up into surface casing, 15 sks cement in top of surface casing, cut 4 ft below GL, weld on plate, 5 sks cement each in rat hole and mouse hole.

### **Attachment Check List**

Att Doc Num	Name	Doc Description
1698172	APD ORIGINAL	LF@2443791 1698172
1698173	WELL LOCATION PLAT	LF@2443792 1698173
1698174	TOPO MAP	LF@2443813 1698174
1698175	MINERAL LEASE MAP	LF@2443812 1698175
1698176	WAIVERS	LF@2443793 1698176
2110237	SURFACE CASING CHECK	LF@2451454 2110237

Total Attach: 6 Files