



May 5, 2010

City of Rifle, Colorado
Attn: Michael J. Erion, P.E.
202 Railroad Avenue
Rifle, CO 81650

RE: Kaufman (Pad #7) 23A-24-692
NWSE, Section 24, T6S, R92W
Notification to Public Water Supply Systems

Dear Mr. Erion:

In compliance with Colorado Oil and Gas Conservation Commission (COGCC) Rule 303.d.(3).N and Rule 317B, Bill Barrett Corporation (BBC) would like to notify you that the subject oil and gas location, GGU Daley Pad, is proposed to be located within the external and intermediate buffer zones of Rule 317B. Attached are a hydrology map and a Rule 317B map for your review. Per Rule 317B.d.(5) and Rule 317B.e.(3), operators are required to send notification of affected impacted to Public Water Systems within fifteen (15) stream miles downstream of the Drilling, Completion, Production and Storage ("DCPS") Operations prior to commencement of new surface disturbing activities at the site. Please note that Rule 317b.d requirements will be met appropriately for the DCPS operation.

Please be advised that, as required by COGCC Rule 317B, BBC has an emergency response plan in place to protect the City of Rifle's Public Water System.

If you have any questions, please contact Doug Dennison (BBC West Slope Government Affairs Manager) at 970-270-2853 or Scot Donato (BBC Manager of Environmental Health & Safety) at 303-312-8191.

Sincerely,

A handwritten signature in blue ink that reads 'Matt Barber'.

Matt Barber
BBC Permit Analyst

Enclosures

cc: Scot Donato (BBC Manager of Environmental Health & Safety)
Doug Dennison (BBC West Slope Government Affairs Manager)

1099 18TH STREET
SUITE 2300
DENVER, CO 80202
O 303.293.9100
F 303.291.0420