

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400052847

Plugging Bond Surety

20090078

APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

2. TYPE OF WELL

OIL ☐ GAS ☒ COALBED ☐ OTHER \_\_\_\_\_  
SINGLE ZONE ☐ MULTIPLE ZONE ☒ COMMINGLE ZONE ☐

Refiling ☐

Sidetrack ☐

3. Name of Operator: PETROLEUM DEVELOPMENT CORPORATION

4. COGCC Operator Number: 69175

5. Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

6. Contact Name: Sarah Garrett Phone: (303)860-5803 Fax: (303)860-5838

Email: sgarrett@petd.com

7. Well Name: Ryland Well Number: 41-20D

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 7606

WELL LOCATION INFORMATION

10. QtrQtr: NWNW Sec: 21 Twp: 4N Rng: 67W Meridian: 6

Latitude: 40.303150 Longitude: -104.904640

Footage at Surface: 903 FNL/FSL FNL 276 FEL/FWL FWL

11. Field Name: Wattenberg Field Number: 90750

12. Ground Elevation: 4922 13. County: WELD

14. GPS Data:

Date of Measurement: 01/27/2010 PDOP Reading: 6.0 Instrument Operator's Name: Thomas G Carlson

15. If well is ☒ Directional ☐ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL 656 FNL 606 FEL 656 FEL 606 FEL  
Sec: 20 Twp: 4N Rng: 67W Sec: 20 Twp: 4N Rng: 67W

16. Is location in a high density area? (Rule 603b)? ☒ Yes ☐ No

17. Distance to the nearest building, public road, above ground utility or railroad: 460 ft

18. Distance to nearest property line: 155 ft 19. Distance to nearest well permitted/completed in the same formation: 2230 ft

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
Niobrara Codell	NB-CD	407-87	80	N/2NE/4
Sussex Shannon	SX-SN	N/A	80	N/2NE/4

21. Mineral Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian Lease #: \_\_\_\_\_

22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

23. Is the Surface Owner also the Mineral Owner? ☐ Yes ☒ No Surface Surety ID#: \_\_\_\_\_

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☐ Yes ☐ No

23b. If 23 is No ☐ Surface Owners Agreement Attached or ☐ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):  
Section 20: E/2; Township 4 North, Range 67 West (+acreage in other sections)

25. Distance to Nearest Mineral Lease Line: 606 ft 26. Total Acres in Lease: 320

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No

30. If questions 27 or 28 are yes, is this location in a sensitive area (Rule 903)? ☐ Yes ☐ No If 28, 29, or 30 are "Yes" a pit permit may be required.

31. Mud disposal: ☒ Offsite ☐ Onsite

Method: ☒ Land Farming ☐ Land Spreading ☐ Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bottom	Cement Top
SURF	12+1/4	8+5/8	24	600	330	600	0
S.C. 1.1	7+7/8	4+1/2	10.5	7,606	215	7,606	6,100

32. BOP Equipment Type: ☐ Annular Preventer ☒ Double Ram ☐ Rotating Head ☐ None

33. Comments Conductor casing will not be used. PDC owns the surface as of 4/30/10. Well is part of a 15 well pad consisting of the following: Ryland 41-20D, Ryland 20RD, Ryland 20UD, Ryland 20CD, Ryland 20VD, Ryland 42-20D, Ryland 20SD, EEE 11-21DU, EEE 21-21DU, EEE 21ADU, Centennial 21GDU, Centennial 12-21DU, Centennial 21KDU, Centennial 22-21DU, EEE 21NDU. All 15 wells will be tied into a common tank battery on-site. Per Sarah Garrett, changed unit configuration from E/2NE/4 to N/2NE/4. PVG 7-15-10 Surface Owner is the Applicant. Petroleum Development Corporation requests approval of a Rule 318Aa and Rule 318Ac exception location: Wellhead is to be located outside of a GWA drilling window and will be located more than 50' from an existing well location. Petroleum Development Corporation (PDC) requests approval of a Rule 603.e.(2) exception location: Wellhead lies within a high density area and are to be located less than 350' from a building unit. PDC owns the encroached building unit. Request letter is attached. 7-14-10 PVG ;

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No

36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Sarah Garrett

Title: Landman Date: 5/2/2010 Email: sgarrett@petd.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 7/16/2010

**API NUMBER**

05 123 31902 00

Permit Number: \_\_\_\_\_

Expiration Date: 7/15/2012

**CONDITIONS OF APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Provide 24 hour notice of MIRU to Bo Brown at 970-330-6085 or e-mail at bo.brown@state.co.us.
- 2) Comply with Rule 317.i and provide cement coverage from TD to a minimum of 200' above Niobrara and from 200' below Shannon to 200' above Sussex. Verify coverage with cement bond log.
- 3) Comply with Rule 321. Run and submit Directional Survey from TD to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

**Attachment Check List**

Att Doc Num	Name	Doc Description
1770347	SURFACE CASING CHECK	LF@2481327 1770347
2621675	EXCEPTION LOC REQUEST	LF@2506614 2621675
400052847	FORM 2 SUBMITTED	LF@2461932 400052847
400052904	PLAT	LF@2461933 400052904
400052905	TOPO MAP	LF@2461934 400052905
400052906	DEVIATED DRILLING PLAN	LF@2461935 400052906
400052908	30 DAY NOTICE LETTER	LF@2462233 400052908
400058974	EXCEPTION LOC WAIVERS	LF@2462234 400058974
400058975	EXCEPTION LOC REQUEST	LF@2462235 400058975

Total Attach: 9 Files