

FORM
2A

Rev
04/01

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400071791

Oil and Gas Location Assessment

☒ New Location ☐ Amend Existing Location Location#: _____

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a stand alone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

418417

Expiration Date:

07/21/2013

☒ This location assessment is included as part of a permit application.

1. CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☒ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 10079

Name: ANTERO RESOURCES PICEANCE CORPORATION

Address: 1625 17TH ST STE 300

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Hannah Knopping

Phone: (303) 357-6412

Fax: (303) 357-7315

email: hknopping@anteroresources.com

4. Location Identification:

Name: Porter Number: B Pad

County: GARFIELD

Quarter: SWSW Section: 17 Township: 6S Range: 90W Meridian: 6 Ground Elevation: 6521

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 53 feet, from North or South section line: FSL and 622 feet, from East or West section line: FWL

Latitude: 39.521841 Longitude: -107.472668 PDOP Reading: 2.4 Date of Measurement: 06/08/2010

Instrument Operator's Name: Scott E. Aibner

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text"/>	Drilling Pits: <input type="text"/>	Wells: <input type="text" value="1"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text"/>
Condensate Tanks: <input type="text" value="2"/>	Water Tanks: <input type="text" value="2"/>	Separators: <input type="text" value="1"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text" value="1"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text" value="1"/>	Water Pipeline: <input type="text" value="1"/>	Flare: <input type="text" value="1"/>
Gas Compressors: <input type="text"/>	VOC Combustor: <input type="text" value="1"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: See attached facilities list for details

6. Construction:

Date planned to commence construction: 07/23/2010 Size of disturbed area during construction in acres: 4.30
Estimated date that interim reclamation will begin: 01/23/2011 Size of location after interim reclamation in acres: 2.10
Estimated post-construction ground elevation: 6515 Will a closed loop system be used for drilling fluids: Yes ☒
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒
Mud disposal: Offsite ☒ Onsite ☐ Method: Land Farming ☐ Land Spreading ☐ Disposal Facility ☒
Other: Onsite if meet Table 910

7. Surface Owner:

Name: _____ Phone: _____
Address: _____ Fax: _____
Address: _____ Email: _____
City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: 06/07/2010
Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian
The surface owner is: ☒ the mineral owner ☒ committed to an oil and gas lease
☒ is the executer of the oil and gas lease ☐ the applicant
The right to construct the location is granted by: ☐ oil and gas lease ☒ Surface Use Agreement ☐ Right of Way
☐ applicant is owner
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID _____

8. Reclamation Financial Assurance:

☒ Well Surety ID: 20040071 ☐ Gas Facility Surety ID: _____ ☐ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒
Distance, in feet, to nearest building: 2000, public road: 750, above ground utilit: 750
, railroad: 5280, property line: 615

10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☒ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☒ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 66: Torriorthents-Camborthids Rock outcrop complex, steep

NRCS Map Unit Name: 5: Ascalon fine sandy loam, 1 to 6 percent slopes

NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☒ NRCS or, ☒ field observation Date of observation: 06/21/2010

List individual species: Sage brush and grasses. See attached NRCS Plant Composition Reports.

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
☒ Native Grassland (Bluestern, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
☐ Alpine (above timberline)
☐ Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☐ No ☒ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☒ No ☐ Yes

Distance (in feet) to nearest surface water: 150, water well: 2050, depth to ground water: 12

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

15. Comments:

#1 Consultation: Since this location is in a "Sensitive Wildlife Habitat Area" Antero contacted CDOW prior to submittal of this APD and discussed best management practices (see attached Proposed BMP List which addresses wildlife issues). #4- The proposed Porter B1 well location was used as the reference point for well distance measurements. #6: The disturbed area acre amounts include the access road. #14-Water Resources: The distance to nearest surface water provided is to an irrigation ditch as shown on Hydrology Map. The depth to ground water was determined by using static water level data of nearest active water well (Permit#262551/Receipt#9502151C). Distance given for nearest water well is to nearest permitted well. Our reference are is undisturbed ground immediately adjacent and to the South of the proposed well pad, as shown in the "looking South" location photo.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 06/23/2010 Email: hknopping@anteroresources.com

Print Name: Hannah Knopping Title: Permit Representative

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____

David S. Neslin

Director of COGCC

Date: 7/22/2010

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

Operator must implement best management practices to contain any unintentional release of fluids.

Location is in a sensitive area because of shallow groundwater; therefore either a lined drilling pit or closed loop system must be implemented.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.

The access road will be constructed as to not allow any sediment to migrate from the access road to the nearby surface water or any drainages leading to surface water.

Location is in a sensitive area because of close proximity to surface water, therefore, operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations.

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations. If fluids are conveyed via pipeline, operator must implement best management practices to contain any unintentional release of fluids.

Reserve pit must be lined or closed loop system must be implemented during drilling.

Attachment Check List

Att Doc Num	Name	Doc Description
2033251	CORRESPONDENCE	LF@2506359 2033251
2033269	SURFACE OWNER CONSENT	LF@2507695 2033269
400071791	FORM 2A SUBMITTED	LF@2496734 400071791
400071935	LOCATION DRAWING	LF@2496735 400071935
400071936	LOCATION PICTURES	LF@2496736 400071936
400071937	HYDROLOGY MAP	LF@2496737 400071937
400071938	ACCESS ROAD MAP	LF@2496738 400071938
400071940	NRCS MAP UNIT DESC	LF@2496739 400071940
400071941	CONST. LAYOUT DRAWINGS	LF@2496740 400071941
400071995	OTHER	LF@2496741 400071995
400072040	EQUIPMENT LIST	LF@2496742 400072040
400072247	PROPOSED BMPs	LF@2496743 400072247
400072248	SURFACE AGRMT/SURETY	LF@2496744 400072248

Total Attach: 13 Files