



FRAM OPERATING, LLC



TYPICAL RIG LAYOUT - AZCARRAGA 26-3



Section 26, T2S, R2E, UTE P.M.		Qtr/Qtr Location: SW SW		Footage Location: 671' FSL & 649' FWL	
Date Surveyed: 06-14-10	Date Drawn: 06-15-10	Date Last Revision:		TIMBERLINE ENGINEERING & LAND SURVEYING, INC. 209 NORTH 300 WEST - VERNAL, UTAH 84078	(435) 789-1365
Surveyed By: D.J.S.	Drawn By: M.W.W.	Scale: 1" = 60'			
					SHEET 9 OF 14

FRAM OPERATING, LLC

TYPICAL PRODUCTION LAYOUT - AZCARRAGA 26-3



Section 26, T2S, R2E, UTE P.M.		Qtr/Qtr Location: SW SW		Footage Location: 671' FSL & 649' FWL	
Date Surveyed: 06-14-10	Date Drawn: 06-15-10	Date Last Revision:		TIMBERLINE ENGINEERING & LAND SURVEYING, INC. 209 NORTH 300 WEST - VERNAL, UTAH 84078	(435) 789-1365
Surveyed By: D.J.S.	Drawn By: M.W.W.	Scale: 1" = 60'			
					SHEET 10 OF 14

FRAM OPERATING LLC
WELL PAD – AZCARRAGA 26-3
Section 26, T2S, R2E, UTE P.M.

From the intersection of US Highway 50 and Pitkin Ave in Grand Junction, Colorado proceed in a southerly then southeasterly direction along us highway 50 approximately 13.5 miles to the junction of the Kannah Creek Road. Exit left and proceed in an easterly direction along Kannah Creek Road approximately 2.1 miles to a service to the North. Exit left and proceed in a northerly then westerly then northeasterly direction along said service road approximately 1.0 miles to a second service road to the Northeast. Exit right and proceed in a northeasterly then northerly direction along second service road approximately 0.5 miles to a proposed access road to the East. Exit right and follow road flags in an easterly direction approximately 480 feet to the proposed well pad.

total distance from grand junction, colorado to the proposed well location is approximately 17.2 miles in a southeasterly direction.