

FORM  
4  
Rev 12/05

## State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)594-2100 Fax: (303)594-2109



## SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

1. OGCC Operator Number: 96850		4. Contact Name		Complete the Attachment Checklist  OP OGCC
2. Name of Operator: Williams Production RMT Company		Ty Woodworth		
3. Address: 1058 County Road 215 City: Parachute State: CO Zip: 81635		Phone: 970 274 9254 Fax: 970 285 9573		
5. API Number 05-045-10372		OGCC Facility ID Number		Survey Plat
6. Well/Facility Name: RWF 342-22		7. Well/Facility Number RWF 342-22		Directional Survey
8. Location (Qtr/Clr, Sec, Twp, Rng, Meridian): SE NE, S22, T6S, R94W, 6th				Surface Eqpm Diagram
9. County: Garfield		10. Field Name: Rulison		Technical Info Page
11. Federal, Indian or State Lease Number:				Other

## General Notice

<input type="checkbox"/> CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)			
Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bottomhole location Qtr/Clr, Sec, Twp, Rng, Mer			
Latitude	Distance to nearest property line	Distance to nearest bldg, public rd, utility or RR	
Longitude	Distance to nearest lease line	Is location in a High Density Area (rule 603b)?	Yes/No <input type="checkbox"/>
Ground Elevation	Distance to nearest well same formation	Surface owner consultation date:	
GPS DATA:			
Date of Measurement	PDOP Reading	Instrument Operator's Name	
<input type="checkbox"/> CHANGE SPACING UNIT			<input type="checkbox"/> Remove from surface bond
Formation	Formation Code	Spacing order number	Signed surface use agreement attached
Unit Acreage	Unit configuration		
<input type="checkbox"/> CHANGE OF OPERATOR (prior to drilling):		<input type="checkbox"/> CHANGE WELL NAME	
Effective Date:		NUMBER	
Plugging Bond: <input type="checkbox"/> Blanket <input type="checkbox"/> Individual		From: _____	
		To: _____	
		Effective Date: _____	
<input type="checkbox"/> ABANDONED LOCATION:		<input type="checkbox"/> NOTICE OF CONTINUED SHUT IN STATUS	
Was location ever built? <input type="checkbox"/> Yes <input type="checkbox"/> No		Date well shut in or temporarily abandoned:	
Is site ready for inspection? <input type="checkbox"/> Yes <input type="checkbox"/> No		Has Production Equipment been removed from site? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date Ready for Inspection: _____		MIT required if shut in longer than two years. Date of last MIT _____	
<input type="checkbox"/> SPUD DATE: _____		<input type="checkbox"/> REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)	
<input type="checkbox"/> SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK			
Method used	Cementing tool setting/perf depth	Cement volume	Cement top
			Cement bottom
			Date
<input type="checkbox"/> RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.			
Final reclamation will commence on approximately _____			
<input type="checkbox"/> Final reclamation is completed and site is ready for inspection.			

## Technical Engineering/Environmental Notice

<input type="checkbox"/> Notice of Intent		<input checked="" type="checkbox"/> Report of Work Done	
Approximate Start Date: _____		Date Work Completed: 7/19/2010	
Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)			
<input type="checkbox"/> Intent to Recomplete (submit form 2)		<input type="checkbox"/> Request to Vent or Flare	
<input type="checkbox"/> Change Drilling Plans		<input type="checkbox"/> Repair Well	
<input type="checkbox"/> Gross Interval Changed?		<input type="checkbox"/> Rule 502 variance requested	
<input type="checkbox"/> Casing/Cementing Program Change		<input type="checkbox"/> Other: _____	
		<input type="checkbox"/> E&P Waste Disposal	
		<input type="checkbox"/> Beneficial Reuse of E&P Waste	
		<input type="checkbox"/> Status Update/Change of Remediation Plans	
		for Spills and Releases	

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 7/20/2010 Email: Karolina.Blaney@Williams.com  
 Print Name: Karolina Blaney Title: Environmental Specialist

COGCC Approved: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: \_\_\_\_\_ API Number: \_\_\_\_\_

2. Name of Operator: \_\_\_\_\_ OGCC Facility ID # \_\_\_\_\_

3. Well/Facility Name: \_\_\_\_\_ Well/Facility Number: \_\_\_\_\_

4. Location (QtrQtr, Sec, Twp, Rng, Meridian): \_\_\_\_\_

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5.


DESCRIBE PROPOSED OR COMPLETED OPERATIONS

Attachment A  
Drilling Logs

**LOCATION MAP**

The map shows the following features:

- Well Heads:** Represented by 'x' marks, located in the upper left quadrant.
- Tanks:** Represented by circles, located in the upper center.
- Sep:** Represented by squares, located below the tanks.
- MW-1:** Represented by a solid black circle, located in the lower right quadrant.
- North Arrow:** Located in the upper right corner, pointing upwards.
- Boundary:** A dashed line runs diagonally from the upper right towards the bottom center.



## PAGE 1 of 1

Sampling Method:	HS Auger CME
------------------	--------------

Grout: -

Total Depth: 16.5'

The diagram shows a vertical well penetrating two geological layers. The upper layer is represented by diagonal hatching, and the lower layer is represented by a stippled pattern. The well casing is shown with a screen in the lower layer. A water level indicator (inverted triangle) shows the water level in the well is higher than the static water level in the lower layer, suggesting the well is tapping into a confined aquifer.

LOCATION MAP

Well Heads  
x x x x x  
+/- 100'  
MW-2

OLSSON ASSOCIATES

826 21 1/2 Road  
Grand Junction, CO 81505  
T: 970.263.7800  
F: 970.263.7456

TEST HOLE/WELL LOG

PAGE 1 of 1

Test/Well Number: MW-2

Project: RWF 342-22

Date: 6/18/10

Project Number: 010-1302

Logged by: T. Dobransky

Drilled by: Odell

Drilling Method: HS Auger CME

Sampling Method: HS Auger CME

Elevation:

Detector: PID

Seal: Bentonite

Grout: -

Gravel Pack: 10-20 Silica Sand

Hole Diameter: 6"

F. L. Meter:

Casing Type: Sch 40 PVC

Diameter: 2"

Length: 9.5'

DTP: NA

DTW: 12.0'

Screen Type: Sch 40 PVC

Slot: 10

Diameter: 2"

Length: 10'

Well Depth: 19.5'

Total Depth: 19.5'


Soil/Rock Type	Color	Moisture Content	% Fines	Structure	Vapor (ppm)	Staining	Sample #	Depth (ft)	Sample Recovery %	Penetration Resistance	LITHOLOGY/REMARKS	WELL COMPLETION
								0				
								1				
	Lt Brn					N		2			Pad Fill Silty, sandy, dry	
								3			Silty clay, increased fines Low to non plastic	
	Lt Brn	70	30					4				
	Brn ↓		50			N		5			Clayey, silt, increasing fines, medium plasticity	
								6				
								7				
								8				
	Dk Brn	50	25			N		9			Silty, sandy loam, low fines, low plasticity	
								10				
			20		0 ↓			11			Silty, Sandy, Gravel <1" dia	
		Sat ↓				N		12				
	Brn		75					13			Clayey silt sand (med) fine sands increasing <1" dia, dense, plastic	
								14				
								15				
								16				
	Brn	100	40			N		17			Coarse gravel sands increasing, clayey sand, moderate plasticity <1-3"	
								18				
								19				
	Lt Brn	100	10			N		20			TD @ 19.5' (refusal) Dense cobble w/ coarse gravel sands (med to fine)	

Stick up

Bentonite

Sand Pack

Screen



✕ ✕ ✕ ✕ ✕

PAGE 1 of 1

Sampling Method: HS Auger CME
-------------------------------

Grout: -

Total Depth: 15'

[illegible]

Attachment B  
Potentiometric Map






NOTE:  
BASE MAP CREATED FROM  
"MONITORING WELLS, RWF 342-22  
LOCATION" BY BOOKCLIFF SURVEY  
SERVICES, INC. DATED 6/30/2010.

**LEGEND**

5226.59  
●  
**MW1**

MONITORING WELL (WITH GW ELEVATION)

1" = 250'  
0' 125' 250' 500'  
SCALE IN FEET

PROJECT: 010-1302	POTENTIOMETRIC SURFACE MAP RWF 342-22 WILLIAMS PRODUCTION RMT COMPANY GARFIELD COUNTY, COLORADO	 <b>OLSSON</b> ASSOCIATES 4690 TABLE MOUNTAIN DRIVE SUITE 200 GOLDEN, CO 80403 TEL 303.237.2072 FAX 303.237.2659	FIGURE
DRAWN BY: BLM			1
DATE: 07.16.10			

DWG: C:\Projects\Projects\Williams\Base Map.dwg  
DATE: Jul 16, 2010 3:20pm XREFS:



Attachment C  
Analytical Results

**Table 1**  
**WILLIAMS RWF 342-22 WATER TESTING**  
**Sample Analytical Summary**

SAMPLE SUMMARY				
Location Description	Williams RWF 342-22 Water Testing			
Sample ID	MW1	MW2	US DOE 620	US DOE 172
Sample Type	Ground Water	Ground Water	Ground Water	Ground Water
Sample Date	6/24/2010	6/24/2010	6/24/2010	6/24/2010

LABORATORY DATA SUMMARY					
Analytical Parameters	Sample ID				Units
	MW1	MW2	US DOE 620	US DOE 172	
Organic Compounds					
TPH - Total	ND	ND	ND	1.3	mg/kg
Gasoline Range Organics (GRO)	ND	ND	ND	1.3	mg/kg
Diesel Range Organics (DRO)	ND	ND	ND	ND	mg/kg
Methane	0.015	0.00643	ND	0.0724	mg/kg
Benzene	ND	ND	ND	33.3	µg/l
Toluene	ND	ND	ND	ND	µg/l
Ethylbenzene	ND	ND	ND	23.4	µg/l
Xylene	ND	ND	ND	303	µg/l
General Chemistry					
Alkalinity - Total as CaCO3	620	653	514	800	mg/kg
Bromide	< 2.0	< 2.0	< 1.0	< 4.0	mg/kg
Chloride	851	779	670	2900	mg/kg
Fluoride	< 2.0	< 2.0	< 1.0	< 4.0	mg/kg
Nitrogen, Nitrate	< 0.45	0.61	28.3	< 0.90	mg/kg
Nitrogen, Nitrite	< 6.1	< 6.1	< 3.1	< 6.1	mg/kg
Sulfate	3770	3010	2390	7090	mg/kg
Metals					
Calcium	463	373	382	502	mg/l
Iron	1.84	13.5	< 0.07	3.66	mg/l
Magnesium	289	247	239	683	mg/l
Manganese	2.93	1.6	1.45	1.07	mg/l
Potassium	15.3	11.1	8.59	18.4	mg/l
Selenium	< 0.05	< 0.05	< 0.05	< 0.05	mg/l
Sodium	1630	1460	942	3660	mg/l
Field Parameters					
Temp	13.96	14.22	14.82	14.64	°C
SpC	9.23	7.90	6.839	18.523	mmhos/cm
DO	4.24	3.3	NA	NA	mg/l
pH	7.58	7.37	7.21	7.05	unit
TDS	5.9	5.1	NA	NA	mg/l
Turb	2000	5.99	1.88	1.91	NTU

mg/kg - milligrams per kilogram

µg/l - micrograms per liter

ND - parameter reported under detection limit

°C - degrees Celsius

NA - parameter not tested

mmhos/cm - milliohms per centimeter

NTU - nephelometric turbidity units



07/02/10

## Technical Report for

**Olsson Associates**

**RWF 342-22 Water Testing**

**010-1302\_100\_100002**

**Accutest Job Number: D14615**

**Sampling Date: 06/24/10**

### Report to:

**Olsson Associates  
826 21 1/2 Road  
Grand Junction, CO 81505  
tdobransky@oaconsulting.com**

**ATTN: Tim Dobransky**

**Total number of pages in report: 31**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

**Jesse L. Smith  
Laboratory Director**

**Client Service contact: Shea Greiner 303-425-6021**

Certifications: CO, ID, NE, NM, ND (R-027) (PW) UT (NELAP CO00049)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.



# Table of Contents

-1-

**Section 1: Sample Summary ..... 3**

**Section 2: Sample Results ..... 4**

**2.1:** D14615-1: DOE 172 ..... 5

**2.2:** D14615-2: DOE 620 ..... 11

**2.3:** D14615-3: MW1 ..... 17

**2.4:** D14615-4: MW2 ..... 23

**Section 3: Misc. Forms ..... 29**

**3.1:** Chain of Custody ..... 30



Sample Summary

Olsson Associates

Job No: D14615

RWF 342-22 Water Testing  
Project No: 010-1302\_100\_100002

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
D14615-1	06/24/10	10:10 JK	06/25/10	AQ	Ground Water	DOE 172
D14615-2	06/24/10	10:45 JK	06/25/10	AQ	Ground Water	DOE 620
D14615-3	06/24/10	13:45 JK	06/25/10	AQ	Ground Water	MW1
D14615-4	06/24/10	12:50 JK	06/25/10	AQ	Ground Water	MW2



## Sample Results

## Report of Analysis



# Report of Analysis

<b>Client Sample ID:</b>	DOE 172	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-1	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B		
<b>Project:</b>	RWF 342-22 Water Testing		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GA7228.D	5	06/29/10	DG	n/a	n/a	GGA428
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	1.30	1.0	1.0	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
120-82-1	1,2,4-Trichlorobenzene	108%		60-140%		

ND = Not detected      MDL - Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

Report of Analysis

<b>Client Sample ID:</b>	DOE 172	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-1	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	RSK175 MOD		
<b>Project:</b>	RWF 342-22 Water Testing		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB1915.D	1	06/25/10	EH	n/a	n/a	GFB43
Run #2							

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	0.0724	0.00080	0.00080	mg/l	

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	DOE 172	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-1	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8021B		
<b>Project:</b>	RWF 342-22 Water Testing		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	TA7228.D	5	06/29/10	DG	n/a	n/a	GTA428
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

## Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	33.3	5.0	5.0	ug/l	
108-88-3	Toluene	ND	10	10	ug/l	
100-41-4	Ethylbenzene	23.4	10	10	ug/l	
	m,p-Xylene	303	10	10	ug/l	
95-47-6	o-Xylene	ND	10	10	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
120-82-1	1,2,4-Trichlorobenzene	114%		60-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound



# Report of Analysis

<b>Client Sample ID:</b>	DOE 172		
<b>Lab Sample ID:</b>	D14615-1	<b>Date Sampled:</b>	06/24/10
<b>Matrix:</b>	AQ - Ground Water	<b>Date Received:</b>	06/25/10
<b>Method:</b>	SW846-8015B SW846 3510C	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FE3031.D	1	06/29/10	CP	06/28/10	OP2084	GFE189
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	2.0 ml
Run #2		

CAS No.	Compound	Result	RL	Units	Q
	TPH-DRO (C10-C28)	ND	0.40	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
84-15-1	o-Terphenyl	93%		40-137%	

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

# Report of Analysis

<b>Client Sample ID:</b>	DOE 172	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-1	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

## Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	502000	400	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Iron	3660	70	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Magnesium	683000	200	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Manganese	1070	5.0	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Potassium	18400	1000	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Selenium	< 50	50	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Sodium	3660000	8000	ug/l	20	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>

(1) Instrument QC Batch: MA787

(2) Prep QC Batch: MP2200

RL = Reporting Limit

Report of Analysis

<b>Client Sample ID:</b>	DOE 172	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-1	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Total as CaCO3	800	5.0	mg/l	1	07/01/10	JD	SM20 2320B
Bromide	< 4.0	4.0	mg/l	20	06/25/10 13:43	GH	EPA 300/SW846 9056
Chloride	2900	50	mg/l	100	06/25/10 14:51	GH	EPA 300/SW846 9056
Fluoride	< 4.0	4.0	mg/l	20	06/25/10 13:43	GH	EPA 300/SW846 9056
Nitrogen, Nitrate	< 0.90	0.90	mg/l	20	06/25/10 13:43	GH	EPA 300/SW846 9056
Nitrogen, Nitrite	< 6.1	6.1	mg/l	100	06/25/10 14:51	GH	EPA 300/SW846 9056
Sulfate	7090	100	mg/l	200	06/25/10 15:04	GH	EPA 300/SW846 9056

RL = Reporting Limit

# Report of Analysis

<b>Client Sample ID:</b>	DOE 620	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-2	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8015B		
<b>Project:</b>	RWF 342-22 Water Testing		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GA7236.D	1	06/29/10	DG	n/a	n/a	GGA428
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	0.20	0.20	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
120-82-1	1,2,4-Trichlorobenzene	93%		60-140%		

ND = Not detected      MDL - Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

Report of Analysis

<b>Client Sample ID:</b>	DOE 620						
<b>Lab Sample ID:</b>	D14615-2				<b>Date Sampled:</b>	06/24/10	
<b>Matrix:</b>	AQ - Ground Water				<b>Date Received:</b>	06/25/10	
<b>Method:</b>	RSK175 MOD				<b>Percent Solids:</b>	n/a	
<b>Project:</b>	RWF 342-22 Water Testing						

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB1882.D	1	06/25/10	EH	n/a	n/a	GFB43
Run #2							

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	ND	0.00080	0.00080	mg/l	

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	DOE 620	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-2	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8021B		
<b>Project:</b>	RWF 342-22 Water Testing		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	TA7236.D	1	06/29/10	DG	n/a	n/a	GTA428
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

## Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	1.0	ug/l	
108-88-3	Toluene	ND	2.0	2.0	ug/l	
100-41-4	Ethylbenzene	ND	2.0	2.0	ug/l	
	m,p-Xylene	ND	2.0	2.0	ug/l	
95-47-6	o-Xylene	ND	2.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
120-82-1	1,2,4-Trichlorobenzene	111%		60-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

Report of Analysis

<b>Client Sample ID:</b>	DOE 620		<b>Date Sampled:</b>	06/24/10			
<b>Lab Sample ID:</b>	D14615-2		<b>Date Received:</b>	06/25/10			
<b>Matrix:</b>	AQ - Ground Water		<b>Percent Solids:</b>	n/a			
<b>Method:</b>	SW846-8015B SW846 3510C						
<b>Project:</b>	RWF 342-22 Water Testing						

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FE3032.D	1	06/29/10	CP	06/28/10	OP2084	GFE189
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	2.0 ml
Run #2		

CAS No.	Compound	Result	RL	Units	Q
	TPH-DRO (C10-C28)	ND	0.40	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
84-15-1	o-Terphenyl	83%		40-137%	

ND = Not detected  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Report of Analysis

<b>Client Sample ID:</b>	DOE 620	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-2	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	382000	400	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Iron	< 70	70	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Magnesium	239000	200	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Manganese	1450	5.0	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Potassium	8590	1000	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Selenium	< 50	50	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Sodium	942000	400	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>

- (1) Instrument QC Batch: MA787  
(2) Prep QC Batch: MP2200

RL = Reporting Limit

Report of Analysis

<b>Client Sample ID:</b>	DOE 620	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-2	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Total as CaCO3	514	5.0	mg/l	1	07/01/10	JD	SM20 2320B
Bromide	< 1.0	1.0	mg/l	5	06/25/10 13:56	GH	EPA 300/SW846 9056
Chloride	670	25	mg/l	50	06/25/10 15:18	GH	EPA 300/SW846 9056
Fluoride	< 1.0	1.0	mg/l	5	06/25/10 13:56	GH	EPA 300/SW846 9056
Nitrogen, Nitrate	28.3	0.23	mg/l	5	06/25/10 13:56	GH	EPA 300/SW846 9056
Nitrogen, Nitrite	< 3.1	3.1	mg/l	50	06/25/10 15:18	GH	EPA 300/SW846 9056
Sulfate	2390	25	mg/l	50	06/25/10 15:18	GH	EPA 300/SW846 9056

RL = Reporting Limit

# Report of Analysis

<b>Client Sample ID:</b>	MW1						
<b>Lab Sample ID:</b>	D14615-3					<b>Date Sampled:</b>	06/24/10
<b>Matrix:</b>	AQ - Ground Water					<b>Date Received:</b>	06/25/10
<b>Method:</b>	SW846 8015B					<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing						

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GA7237.D	1	06/29/10	DG	n/a	n/a	GGA428
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	0.20	0.20	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
120-82-1	1,2,4-Trichlorobenzene	109%		60-140%		

ND = Not detected

RL = Reporting Limit

E = Indicates value exceeds calibration range

MDL - Method Detection Limit

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



Report of Analysis

<b>Client Sample ID:</b>	MW1						
<b>Lab Sample ID:</b>	D14615-3			<b>Date Sampled:</b>	06/24/10		
<b>Matrix:</b>	AQ - Ground Water			<b>Date Received:</b>	06/25/10		
<b>Method:</b>	RSK175 MOD			<b>Percent Solids:</b>	n/a		
<b>Project:</b>	RWF 342-22 Water Testing						

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB1883.D	1	06/25/10	EH	n/a	n/a	GFB43
Run #2							

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	0.0150	0.00080	0.00080	mg/l	

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	MW1	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-3	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8021B		
<b>Project:</b>	RWF 342-22 Water Testing		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	TA7237.D	1	06/29/10	DG	n/a	n/a	GTA428
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

## Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	1.0	ug/l	
108-88-3	Toluene	ND	2.0	2.0	ug/l	
100-41-4	Ethylbenzene	ND	2.0	2.0	ug/l	
	m,p-Xylene	ND	2.0	2.0	ug/l	
95-47-6	o-Xylene	ND	2.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
120-82-1	1,2,4-Trichlorobenzene	112%		60-140%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

# Report of Analysis

<b>Client Sample ID:</b>	MW1	
<b>Lab Sample ID:</b>	D14615-3	<b>Date Sampled:</b> 06/24/10
<b>Matrix:</b>	AQ - Ground Water	<b>Date Received:</b> 06/25/10
<b>Method:</b>	SW846-8015B SW846 3510C	<b>Percent Solids:</b> n/a
<b>Project:</b>	RWF 342-22 Water Testing	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FE3033.D	1	06/29/10	CP	06/28/10	OP2084	GFE189
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	2.0 ml
Run #2		

CAS No.	Compound	Result	RL	Units	Q
	TPH-DRO (C10-C28)	ND	0.40	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
84-15-1	o-Terphenyl	87%		40-137%	

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

# Report of Analysis

<b>Client Sample ID:</b>	MW1	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-3	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

## Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	463000	400	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Iron	1840	70	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Magnesium	289000	200	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Manganese	2930	5.0	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Potassium	15300	1000	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Selenium	< 50	50	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Sodium	1630000	8000	ug/l	20	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>

(1) Instrument QC Batch: MA787

(2) Prep QC Batch: MP2200

RL = Reporting Limit

# Report of Analysis

<b>Client Sample ID:</b>	MW1	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-3	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

## General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Total as CaCO3	620	5.0	mg/l	1	07/01/10	JD	SM20 2320B
Bromide	< 2.0	2.0	mg/l	10	06/25/10 14:10	GH	EPA 300/SW846 9056
Chloride	851	50	mg/l	100	06/25/10 15:31	GH	EPA 300/SW846 9056
Fluoride	< 2.0	2.0	mg/l	10	06/25/10 14:10	GH	EPA 300/SW846 9056
Nitrogen, Nitrate	< 0.45	0.45	mg/l	10	06/25/10 14:10	GH	EPA 300/SW846 9056
Nitrogen, Nitrite	< 6.1	6.1	mg/l	100	06/25/10 15:31	GH	EPA 300/SW846 9056
Sulfate	3770	50	mg/l	100	06/25/10 15:31	GH	EPA 300/SW846 9056

RL = Reporting Limit



## Report of Analysis

Page 1 of 1

<b>Client Sample ID:</b>	MW2						
<b>Lab Sample ID:</b>	D14615-4				<b>Date Sampled:</b>	06/24/10	
<b>Matrix:</b>	AQ - Ground Water				<b>Date Received:</b>	06/25/10	
<b>Method:</b>	SW846 8015B				<b>Percent Solids:</b>	n/a	
<b>Project:</b>	RWF 342-22 Water Testing						

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	GA7238.D	1	06/29/10	DG	n/a	n/a	GGA428
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-GRO (C6-C10)	ND	0.20	0.20	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
120-82-1	1,2,4-Trichlorobenzene	102%		60-140%		

ND = Not detected      MDL - Method Detection Limit  
RL = Reporting Limit  
E = Indicates value exceeds calibration range

J = Indicates an estimated value  
B = Indicates analyte found in associated method blank  
N = Indicates presumptive evidence of a compound

Report of Analysis

<b>Client Sample ID:</b>	MW2	
<b>Lab Sample ID:</b>	D14615-4	<b>Date Sampled:</b> 06/24/10
<b>Matrix:</b>	AQ - Ground Water	<b>Date Received:</b> 06/25/10
<b>Method:</b>	RSK175 MOD	<b>Percent Solids:</b> n/a
<b>Project:</b>	RWF 342-22 Water Testing	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB1884.D	1	06/25/10	EH	n/a	n/a	GFB43
Run #2							

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	0.00643	0.00080	0.00080	mg/l	

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b>	MW2	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-4	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	SW846 8021B		
<b>Project:</b>	RWF 342-22 Water Testing		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	TA7238.D	1	06/29/10	DG	n/a	n/a	GTA428
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

## Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	1.0	ug/l	
108-88-3	Toluene	ND	2.0	2.0	ug/l	
100-41-4	Ethylbenzene	ND	2.0	2.0	ug/l	
	m,p-Xylene	ND	2.0	2.0	ug/l	
95-47-6	o-Xylene	ND	2.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
120-82-1	1,2,4-Trichlorobenzene	114%		60-140%

ND = Not detected      MDL - Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

# Report of Analysis

<b>Client Sample ID:</b>	MW2	
<b>Lab Sample ID:</b>	D14615-4	<b>Date Sampled:</b> 06/24/10
<b>Matrix:</b>	AQ - Ground Water	<b>Date Received:</b> 06/25/10
<b>Method:</b>	SW846-8015B SW846 3510C	<b>Percent Solids:</b> n/a
<b>Project:</b>	RWF 342-22 Water Testing	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FE3034.D	1	06/29/10	CP	06/28/10	OP2084	GFE189
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	2.0 ml
Run #2		

CAS No.	Compound	Result	RL	Units	Q
	TPH-DRO (C10-C28)	ND	0.40	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits	
84-15-1	o-Terphenyl	78%		40-137%	

ND = Not detected  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

# Report of Analysis

<b>Client Sample ID:</b>	MW2	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-4	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

## Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	373000	400	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Iron	13500	70	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Magnesium	247000	200	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Manganese	1600	5.0	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Potassium	11100	1000	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Selenium	< 50	50	ug/l	1	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>
Sodium	1460000	8000	ug/l	20	06/28/10	06/29/10 JM	SW846 6010B <sup>1</sup>	SW846 3010A <sup>2</sup>

(1) Instrument QC Batch: MA787

(2) Prep QC Batch: MP2200

RL = Reporting Limit



# Report of Analysis

<b>Client Sample ID:</b>	MW2	<b>Date Sampled:</b>	06/24/10
<b>Lab Sample ID:</b>	D14615-4	<b>Date Received:</b>	06/25/10
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Project:</b>	RWF 342-22 Water Testing		

## General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Total as CaCO3	653	5.0	mg/l	1	07/01/10	JD	SM20 2320B
Bromide	< 2.0	2.0	mg/l	10	06/25/10 14:23	GH	EPA 300/SW846 9056
Chloride	779	50	mg/l	100	06/25/10 15:45	GH	EPA 300/SW846 9056
Fluoride	< 2.0	2.0	mg/l	10	06/25/10 14:23	GH	EPA 300/SW846 9056
Nitrogen, Nitrate	0.61	0.45	mg/l	10	06/25/10 14:23	GH	EPA 300/SW846 9056
Nitrogen, Nitrite	< 6.1	6.1	mg/l	100	06/25/10 15:45	GH	EPA 300/SW846 9056
Sulfate	3010	50	mg/l	100	06/25/10 15:45	GH	EPA 300/SW846 9056

RL = Reporting Limit



## Misc. Forms

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody

D14615

[illegible]

## D14615: Chain of Custody

Page 1 of 2



## Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D14615

Client: OLSSON ASS.

Immediate Client Services Action Required: No

Date / Time Received: 6/25/2010 9:15:00 AM

No. Coolers: 1

Client Service Action Required at Login: No

Project: RWF 342-22-WATER TESTING

Airbill #'s: fedex

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:			Infrared gun
3. Cooler media:			Ice (bag)

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:			Intact

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume rec'd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

Accutest Laboratories  
V:(303) 425-6021

4036 Youngfield Street  
F: (303) 425-6854

Wheat Ridge, CO  
www.accutest.com

D14615: Chain of Custody  
Page 2 of 2