

FORM  
2A

Rev  
04/01

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
400070957

Oil and Gas Location Assessment

New Location       Amend Existing Location      Location#: \_\_\_\_\_

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a stand alone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:  
**418555**  
Expiration Date:  
**08/03/2013**

This location assessment is included as part of a permit application.

1. CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 10071  
Name: BARRETT CORPORATION\* BILL  
Address: 1099 18TH ST STE 2300  
City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Elaine Winick  
Phone: (303) 312-8168  
Fax: (303) 291-0420  
email: ewinick@billbarrettcorp.com

4. Location Identification:

Name: CB-TG Land NW Number: 11D-20-692  
County: GARFIELD  
Quarter: NWNE Section: 20 Township: 6S Range: 92W Meridian: 6 Ground Elevation: 5529  
Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.  
Footage at surface: 628 feet, from North or South section line: FNL and 2581 feet, from East or West section line: FEL  
Latitude: 39.517759 Longitude: -107.690269 PDOP Reading: 6.0 Date of Measurement: 03/24/2010  
Instrument Operator's Name: James Kalmon

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text" value="1"/>	Drilling Pits: <input type="text" value="1"/>	Wells: <input type="text" value="10"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text"/>
Condensate Tanks: <input type="text" value="5"/>	Water Tanks: <input type="text" value="5"/>	Separators: <input type="text" value="3"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text"/>	Water Pipeline: <input type="text" value="1"/>	Flare: <input type="text"/>
Gas Compressors: <input type="text"/>	VOC Combustor: <input type="text" value="1"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: 75' x 100' completion pit but no solids will be collected

6. Construction:

Date planned to commence construction: 04/01/2011 Size of disturbed area during construction in acres: 4.10  
 Estimated date that interim reclamation will begin: 07/01/2011 Size of location after interim reclamation in acres: 2.52  
 Estimated post-construction ground elevation: 5530 Will a closed loop system be used for drilling fluids: Yes   
 Will salt sections be encountered during drilling: Yes  No  Is H2S anticipated? Yes  No   
 Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes  No   
 Mud disposal: Offsite  Onsite  Method: Land Farming  Land Spreading  Disposal Facility   
 Other: evaporation and backfill

7. Surface Owner:

Name: \_\_\_\_\_ Phone: \_\_\_\_\_  
 Address: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Address: \_\_\_\_\_ Email: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Date of Rule 306 surface owner consultation: \_\_\_\_\_  
 Surface Owner:  Fee  State  Federal  Indian  
 Mineral Owner:  Fee  State  Federal  Indian  
 The surface owner is:  the mineral owner  committed to an oil and gas lease  
 is the executer of the oil and gas lease  the applicant  
 The right to construct the location is granted by:  oil and gas lease  Surface Use Agreement  Right of Way  
 applicant is owner  
 Surface damage assurance if no agreement is in place:  \$2000  \$5000  Blanket Surety ID \_\_\_\_\_

8. Reclamation Financial Assurance:

Well Surety ID: 20040060  Gas Facility Surety ID: \_\_\_\_\_  Waste Mgnt. Surety ID: \_\_\_\_\_

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes  No   
 Distance, in feet, to nearest building: 1478, public road: 250, above ground utilit: 495  
 , railroad: 10560, property line: 234

10. Current Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP  
 Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_  
 Subdivided:  Industrial  Commercial  Residential

11. Future Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP  
 Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_  
 Subdivided:  Industrial  Commercial  Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 50 Olney Loam 3 to 6% slopes

NRCS Map Unit Name: \_\_\_\_\_

NRCS Map Unit Name: \_\_\_\_\_

### 13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes  No

Plant species from:  NRCS or,  field observation Date of observation: 03/24/2010

List individual species: \_\_\_\_\_  
\_\_\_\_\_

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  
 Native Grassland (Bluestern, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  
 Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  
 Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  
 Mountain Riparian (Cottonwood, Willow, Blue Spruce)  
 Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  
 Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  
 Alpine (above timberline)  
 Other (describe): \_\_\_\_\_

### 14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area:  No  Yes Was a Rule 901.e. Sensitive Areas Determination performed:  No  Yes

Distance (in feet) to nearest surface water: 483, water well: 154, depth to ground water: 90

Is the location in a riparian area:  No  Yes Was an Army Corps of Engineers Section 404 permit filed  No  Yes

Is the location within a Rule 317B Surface Water Suppl Area buffer zone:

No  0-300 ft. zone  301-500 ft. zone  501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified:  No  Yes

### 15. Comments:

Location reference is the CB-TG Land 11D-20-692 well location. Bill Barrett Corporation is the surface owner. Reference area is located adjacent to the west side of the proposed well pad, on undisturbed land.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 06/22/2010 Email: ewinick@billbarrettcorp.com

Print Name: Elaine Winick Title: Sr. Permit Analyst

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

*David S. Neslin*

COGCC Approved: \_\_\_\_\_

Director of COGCC

Date: 8/4/2010

**CONDITIONS OF APPROVAL, IF ANY:**

**All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.**

Any pit containing fluids (if constructed) must be lined or closed loop system must be implemented during drilling.

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations. If fluids are conveyed via pipeline, operator must implement best management practices to contain any unintentional release of fluids.

Operator must implement best management practices to contain any unintentional release of fluids.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.

Location is in a sensitive area because of proximity to a domestic water well and shallow groundwater; therefore production, completion, or frac pits (if constructed) must be lined.

Location is in a sensitive area because of proximity to surface water; therefore, operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations.

Location is in a sensitive area because of proximity to a domestic water well and shallow groundwater; therefore either a lined drilling pit or closed loop system must be implemented.

**Attachment Check List**

Att Doc Num	Name	Doc Description
2033275	CORRESPONDENCE	LF@2515316 2033275
400070957	FORM 2A APPROVED	400070957.pdf
400070988	LOCATION PICTURES	LF@2494644 400070988
400070990	ACCESS ROAD MAP	LF@2494645 400070990
400070991	LOCATION DRAWING	LF@2494646 400070991
400070993	HYDROLOGY MAP	LF@2494647 400070993
400071001	CONST. LAYOUT DRAWINGS	LF@2494648 400071001
400071004	NRCS MAP UNIT DESC	LF@2494649 400071004
400071006	MULTI-WELL PLAN	LF@2494650 400071006
400071011	PROPOSED BMPs	LF@2494651 400071011
400071318	317B NOTIFICATION	LF@2494652 400071318
400071319	317B NOTIFICATION	LF@2494653 400071319
400071419	REFERENCE AREA MAP	LF@2494654 400071419
400071421	OTHER	LF@2494655 400071421
400082371	FORM 2A SUBMITTED	LF@2494643 400082371

Total Attach: 15 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
OGLA	Initiated/Completed OGLA Form 2A review on 06-28-10 by Dave Kubeczko; requested clarifications and acknowledgement of fluid containment, spill/release BMPs, lined pits/closed loop, cuttings low moisture content, and no pit in fill COAs from operator on 06-28-10; received clarifications and acknowledgement of COAs from operator on 07-30-10; passed by CDOW on 08-02-10, with operator submitted (with permit application) BMPs acceptable; passed OGLA Form 2A review on 08-02-10 by Dave Kubeczko; fluid containment, spill/release BMPs, lined pits/closed loop, cuttings low moisture content, no pit in fill COAs.	8/2/2010 3:48:07 PM
Permit	Changed distance to nearest aboveground utility to 495' per EW. requesting confirmation that gas pipeline is above ground causing it to be nearest utility to wellhead. 7/29/10 plg.	8/2/2010 3:48:07 PM
DOW	The BMPs as proposed by the operator are sufficient to the site.  by Michael Warren on Monday, August 2, 2010 at 8:30 A.M.	8/2/2010 3:48:07 PM

Total: 3 comment(s)

Error: Subreport could not be shown.