JW WIRELINE COMPANY

CEMENT BOND LOG
GR CCL
VDL

Company: ROSETTA RESOURCES OPERATING, LP
Well: WEIGEL 29-08
Field: WILDCAT
County: YUMA
State: COLORADO

Company ROSETTA RESOURCES OPERATING, LP
Well WEIGEL 29-08
Field WILDCAT
County YUMA
State COLORADO

API # 05-125-12043-00 | Other Services: PEMP

Elevation: GL 3822 | KB 3832 | DF 3831

Permanent Datum: Ground Level | Log Measured From: KB 10 Ft Above Permanent Datum

Drilling Measured From: KB

	Run Number	Date	Depth Driller	Depth Logger	Bottom Logged Interval	Top Logged Interval	Casing Driller	Casing Logger	Bit Size	Type Fluid in Hole	Density	Viscosity	Fluid Loss	Source of Sample	Rm @ Meas Temp	Rmf @ Meas Temp	Rmc @ Meas Temp	Source of Rmf/Rmc	Rm @ BHT	Time Circulation Stopped	Time Logger on Bottom	Max Rec Temp	Equipment Number	Location	Recorded By	Witnessed By
Run 1		7/12/2008	2197	2196	2200	1900	1900	2196	7.875	FW GEL	8.8	40	10.8	MEAS	0.277 @ 70			MEAS	0.15 @ 150	0300	0600	150	10	GOODLAND	J.MCCOY	

Field Name: WILDCAT

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR CHOOSING JW WIRELINE
DEPTH REFERENCE TO DUAL INDUCTION JULY 12, 2008
PERF INTERVAL 2196-2200 AT 4 SPF

Database File: weigel 29-08.db
Dataset Pathname: pass1
Presentation Format: cbl
Dataset Creation: Mon Jul 21 08:12:00 2008 by Log Std Casedhole 07122
Charted by: Depth in Feet scaled 1:240

Gamma Ray (GAPI)		CCL		Amplitude (mV)		Amplified Amplitude (mV)		Variable Density	
0	150	9	-1	0	100 200	0	30		1200

1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300 2400

FLAG_CPST

GR
Amplitude
CCL
Amplified Amplitude
VDL

Gamma Ray (GAPI) 0 150 | CCL 9 -1 | Amplitude (mV) 0 100 200 | Amplified Amplitude (mV) 0 30 | Variable Density 1200