
GAMMA RAY (CCL)
ENERGY RADIAL (CCL)
Schlumberger
COMPANY: ENTHEOGEN LLC, a new corporation of
WELL: PSILO-1
FIELD: MUSHROOM
COUNTY: Oregon
STATE: USA
Other Services:
Permanent Datum: Ground Level
Elevation: 0 ft
Log Measured From: Ground Level
Drilling Measured From: Ground Level
API#: 50-133-20000
Location: Section 1 Township 1 Range 1
Date: 1-Oct-2023
Run Number: 1
Depth Driller: 1000 ft
Depth Logger: 1000 ft
Bottom Logged Interval: 1000 ft
Top Logged Interval: 0 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 1
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 2
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 3
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 4
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 5
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 6
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 7
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 8
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 9
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 10
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 11
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 12
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 13
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 14
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 15
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 16
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 17
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 18
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 19
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 20
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 21
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 22
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 23
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 24
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 25
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 26
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 27
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 28
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 29
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 30
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 31
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 32
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 33
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 34
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 35
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 36
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 37
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 38
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 39
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 40
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1 ohm @ 25 °C
Rmc @ Measured Temp: 0.1 ohm @ 25 °C
Source of Rmf / Rmc: Measured / Measured
Rm @ BHT: 0.1 ohm @ 25 °C
Time Since Circulation: 1 hr
Max Recorded Temp: 25 °C
Equipment Number: 0
Location: Mushroom
Recorded By: Dr. Psilocybin
Witnessed By: Dr. Psilocybin
Run 41
Top Log Interval: 0 ft
Bottom Log Interval: 1000 ft
Casing Driller: 0 ft @ 0 ft
Casing Logger: 0 ft @ 0 ft
Bit Size: 0 in
Type Fluid in Hole: Water
Density / Viscosity: 1.0 g/cm3 / 1 cP
PH / Fluid Loss: 7 / 0 ml
Source of Sample: Flowline
Rm @ Measured Temp: 0.1 ohm @ 25 °C
Rmf @ Measured Temp: 0.1



Database File: lmc08-15.db
Dataset Pathname: pass4
Presented Format: main
Dataset Creation: Tue Sep 25 11:54:53 2007 by Log Viewer 7.0 (LTD Cee.
Charted by: Depth in Feet scaled 1:240