Operator:	Chevron U.S.A. Inc.
Well Name:	Lost Hills 13-30
Location:	Section 30, T26S, R21E
Field:	Lost Hills
County:	Kern
State:	California
Elevation:	1,000 ft
Spud Date:	03/15/2019
Completion Date:	04/22/2019
Total Depth:	5,000 ft
Log Type:	Gamma Ray / Resistivity
Logging Company:	Schlumberger
Run Number:	1
Interval Logged:	0 ft to 5,000 ft
Mud Type:	Water-based
Mud Weight:	9.2 ppg
Bit Size:	12.25 in
Casing:	9.625 in @ 1,200 ft
Remarks:	Gamma ray scale 0–150 API; resistivity scale 0.2–2000 ohm-m. Depth scale 1 in = 100 ft.
Prepared By:	J. Whitfield, Chevron U.S.A. Inc.
Date:	04/23/2019

Operator:	Chevron U.S.A. Inc.
Well Name:	Lost Hills 13-30
Location:	Section 30, T26S, R21E
Field:	Lost Hills
County:	Kern
State:	California
Elevation:	1,000 ft
Spud Date:	03/15/2019
Completion Date:	04/22/2019
Total Depth:	5,000 ft
Log Type:	Gamma Ray / Resistivity
Logging Company:	Schlumberger
Run Number:	1
Interval Logged:	0 ft to 5,000 ft
Mud Type:	Water-based
Mud Weight:	9.2 ppg
Bit Size:	12.25 in
Casing:	9.625 in @ 1,200 ft
Remarks:	Gamma ray scale 0–150 API; resistivity scale 0.2–2000 ohm-m. Depth scale 1 in = 100 ft.
Prepared By:	J. Whitfield, Chevron U.S.A. Inc.
Date:	04/23/2019

7650

7700

7750

7800

7850

7900

9 Collar Locator -1

0 Gamma Ray (GAPI) 240

0 Amplitude (mV) 100

200 VDL 1200