

# CEMENT JOB REPORT



|  |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
|--|-----------------|---|--------------------------------|--|-----------------------------------|----------------------------------|----------------------|---|--------------------|---|------------------|---|--|--|--|
| <b>CUSTOMER</b> Marathon Oil Company   |                 | <b>DATE</b> 02-JUN-08                       | <b>F.R. #</b> 1001325794       |  | <b>SERV. SUPV.</b> DAVID E DOWNEY |                                  |                      |   |                    |   |                  |   |  |  |  |
| <b>LEASE &amp; WELL NAME</b><br>596-30C-28 - API 05045150770000  |                 | <b>LOCATION</b><br>31-5S-96W                |                                | <b>COUNTY-PARISH-BLOCK</b><br>Garfield Colorado  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| <b>DISTRICT</b><br>Grand Junction  |                 | <b>DRILLING CONTRACTOR RIG #</b><br>H&P 324 |                                | <b>TYPE OF JOB</b><br>Surface  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| <b>SIZE &amp; TYPE OF PLUGS</b>  |                 | <b>LIST-CSG-HARDWARE</b>                    |                                | <b>PHYSICAL SLURRY PROPERTIES</b>  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Cement Plug, Rubber, Top 9-5/8 in  |                 | Float Shoe 9-5/8 - 8rd                      |                                | <b>SACKS OF CEMENT</b>   | <b>SLURRY WGT PPG</b>             | <b>SLURRY YLD FT<sup>3</sup></b> |                      |   |                    |   |                  |   |  |  |  |
|  |                 | 700-LAP-PVTS Float Collar, 9-5/8 inc        |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| <b>MATERIALS FURNISHED BY BJ</b>   |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Premilite+.05Static+.5Cello+6 KOL+5A-10+5SMS+1FP-13  |                 |   |                                | 0  | 11.6                              | 3.2                              | 17.84                | 03:23   | 0                  | 0   |                  |   |  |  |  |
| 4pheno+20lbsCSE-2  |                 |   |                                | 1,014  | 11.6                              | 3.2                              | 17.84                | 03:23   | 577.12             | 430.13  |                  |   |  |  |  |
| SURE BOND II   |                 |   |                                |  | 9.1                               |                                  |                      |   | 40.00              |   |                  |   |  |  |  |
| Type III +2%CaCl+.25Cello+3lbsKOL+10%A-10  |                 |   |                                | 0  | 14.2                              | 1.64                             | 7.70                 | 01:00   | 0                  | 0   |                  |   |  |  |  |
| 2%Phenoseal  |                 |   |                                | 200  | 14.2                              | 1.64                             | 7.70                 | 01:00   | 58.56              | 36.67   |                  |   |  |  |  |
| TypeIII+1galFP-13L+4Pheno+.05static+1%CaCl+.25Cello+slbsKOLSEAL  |                 |   |                                | 0  | 0                                 | 0                                | 0                    | 00:00   | 0                  | 0   |                  |   |  |  |  |
|  |                 |   |                                | 264  | 14.2                              | 1.52                             | 6.85                 | 03:45   | 72                 | 43.38   |                  |   |  |  |  |
| Available Mix Water <u>1800</u> Bbl.   |                 | Available Displ. Fluid <u>1800</u> Bbl.     |                                | <b>TOTAL</b>   |                                   |                                  |                      |   | 747.68             | 510.18  |                  |   |  |  |  |
| <b>HOLE</b>  |                 |   | <b>TBG-CSG-D.P.</b>            |  |                                   |                                  | <b>COLLAR DEPTHS</b> |   |                    |   |                  |   |  |  |  |
| <b>SIZE</b>  | <b>% EXCESS</b> | <b>DEPTH</b>                                | <b>SIZE</b>                    | <b>WGT.</b>  | <b>TYPE</b>                       | <b>DEPTH</b>                     | <b>GRADE</b>         | <b>SHOE</b>   | <b>FLOAT</b>       | <b>STAGE</b>  |                  |   |  |  |  |
| 16   | 50              | 3000  | 9.625                          | 36   | CSG                               | 3000                             |                      | 2986  | 2943.18            |   |                  |   |  |  |  |
| <b>LAST CASING</b>   |                 |   | <b>PKR-CMT RET-BR PL-LINER</b> |  |                                   | <b>PERF. DEPTH</b>               |                      | <b>TOP CONN</b>   |                    | <b>WELL FLUID</b>   |                  |   |  |  |  |
| <b>SIZE</b>  | <b>WGT</b>      | <b>TYPE</b>                                 | <b>DEPTH</b>                   | <b>BRAND &amp; TYPE</b>  |                                   | <b>DEPTH</b>                     | <b>TOP</b>           | <b>BTM</b>  | <b>SIZE</b>        | <b>THREAD</b>   | <b>TYPE</b>      | <b>WGT.</b>   |  |  |  |
| 20   | 52.73           |   | 120                            | No Packer  |                                   | 0                                |                      |   |                    |   | FRESHWATER       | 8.4   |  |  |  |
| <b>DISPL. VOLUME</b>   |                 | <b>DISPL. FLUID</b>                         |                                | <b>CAL. PSI</b>  | <b>CAL. MAX PSI</b>               | <b>OP. MAX</b>                   | <b>MAX TBG PSI</b>   |   | <b>MAX CSG PSI</b> |   | <b>MIX WATER</b> |   |  |  |  |
| <b>VOLUME</b>  | <b>UOM</b>      | <b>TYPE</b>                                 | <b>WGT.</b>                    | <b>BUMP PLUG</b>   | <b>TO REV.</b>                    | <b>SQ. PSI</b>                   | <b>RATED</b>         | <b>Operator</b>   | <b>RATED</b>       | <b>Operator</b>   |                  |   |  |  |  |
| 228.8  | BBLS            |   |                                | 1311   | 750                               |                                  |                      | 4280  | 3280               |   | tanks            |   |  |  |  |
| <b>Circulation Prior to Job</b>  |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Circulated Well: Rig <input checked="" type="checkbox"/> BJ <input type="checkbox"/>   |                 |   |                                | Circulation Time: 1  |                                   |                                  |                      | Circulation Rate: 4 BPM   |                    |   |                  |   |  |  |  |
| Mud Density In: 9.6 LBS/GAL  |                 |   |                                | Mud Density Out: 9.6 LBS/GAL   |                                   |                                  |                      | PV & YP Mud In:   |                    | PV & YP Mud Out:  |                  |   |  |  |  |
| Gas Present: NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>   |                 |   |                                | Units:   |                                   |                                  |                      | Solids Present at End of Circulation:                             |                    | NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> |                  |   |  |  |  |
| <b>Displacement And Mud Removal</b>  |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Displaced By: Rig <input type="checkbox"/> BJ <input checked="" type="checkbox"/>  |                 |   |                                | Amount Bled Back After Job: 1.5 BBLS   |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Returns During Job: <input type="checkbox"/> NONE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FULL   |                 |   |                                | Method Used to Verify Returns: Visual  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Cement Returns at Surface: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO   |                 |   |                                | Were Returns Planned at Surface: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Pipe Movement: <input type="checkbox"/> ROTATION <input type="checkbox"/> RECIPROCATION <input type="checkbox"/> NONE <input type="checkbox"/> UNABLE DUE TO STUCK PIPE      |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Centralizers: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES  |                 |   |                                | Quantity:  |                                   |                                  |                      | Type: <input type="checkbox"/> BOW <input type="checkbox"/> RIGID |                    |   |                  |   |  |  |  |
| Job Pumped Through: <input type="checkbox"/> CHOKE MANIFOLD <input type="checkbox"/> SQUEEZE MANIFOLD <input type="checkbox"/> MANIFOLD <input type="checkbox"/> NO MANIFOLD |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| <b>Plugs</b>   |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Number of Attempts by BJ: Competition:   |                 |   |                                | Wiper Balls Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES                |                                   |                                  |                      | Quantity:   |                    |   |                  |   |  |  |  |
| Plug Catcher Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES   |                 |   |                                | Parabow Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES                    |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Was There a Bottom: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES  |                 |   |                                | Top of Plug: FT  |                                   |                                  |                      | Bottom of Plug: FT  |                    |   |                  |   |  |  |  |
| <b>Squeezes (Update Original Treatment Report for Primary Job)</b>   |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| BLOCK SQUEEZE <input type="checkbox"/>   |                 |   |                                | SHOE SQUEEZE <input type="checkbox"/>  |                                   |                                  |                      | TOP OF LINER SQUEEZE <input type="checkbox"/>                     |                    |   |                  | PLANNED <input type="checkbox"/> UNPLANNED <input type="checkbox"/> |  |  |  |
| Liner Packer: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES  |                 |   |                                | Bond Log: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES                        |                                   |                                  |                      | PSI Applied:  |                    |   |                  | Fluid Weight: LBS/GAL   |  |  |  |
| <b>Casing Test (Update Original Treatment Report for Primary Job)</b>  |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |
| Casing Test Pressure: PSI  |                 |   |                                | With LBS/GAL Mud   |                                   |                                  |                      | Time Held: Hours Minutes  |                    |   |                  |   |  |  |  |
| EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING:   |                 |   |                                |  |                                   |                                  |                      |   |                    |   |                  |   |  |  |  |

# CEMENT JOB REPORT



## Shoe Test (Update Original Treatment Report for Primary Job)

|                                  |   |                     |
|----------------------------------|---|---------------------|
| Depth Drilled out of Shoe: FT    | Target EMW: LBS/GAL                         | Actual EMW: LBS/GAL |
| Number of Times Tests Conducted: | Mud Weight When Test was Conducted: LBS/GAL |                     |

Problems Before Job (I.E. Running Casing, Circulating Well, ETC)

Problems During Job (I.E. Lost Returns, Equipment Failure, Bulk Delivery, Foaming, ETC)

Problems After Job (I.E. Gas at Surface, Float Equipment Failed, ETC)

| PRESSURE/RATE DETAIL |                |         |          |                   |            | EXPLANATION  |   |
|----------------------|----------------|---------|----------|-------------------|------------|--|---|
| TIME HR:MIN.         | PRESSURE - PSI |         | RATE BPM | Bbl. FLUID PUMPED | FLUID TYPE | SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/> |   |
|                      | PIPE           | ANNULUS |          |                   |            | TEST LINES   | 5000 PSI  |
|                      |                |         |          |                   |            | CIRCULATING WELL - RIG   | <input checked="" type="checkbox"/> BJ <input type="checkbox"/> |
| 12:30                |                |         |          |                   |            | Left Yard  |   |
| 14:00                |                |         |          |                   |            | On Location  |   |
| 14:30                |                |         |          |                   |            | Pre rig up meeting   |   |
| 20:00                |                |         |          |                   |            | Crew off Duty  |   |
| 22:30                |                |         |          |                   |            | Crew on Duty   |   |
| 23:10                |                |         |          |                   |            | Pre job JSA  |   |
| 23:12                | 5125           |         | 2        | 2                 | H2O        | Pressure test Lines  |   |
| 23:39                | 75             |         | 3.2      | 10                | H2O        | Spacer   |   |
| 23:43                | 125            |         | 5        | 40                | SPACER     | Surebond Spacer  |   |
| 23:54                | 67             |         | 4.4      | 10                | H2O        | Spacer   |   |
| 23:58                |                |         |          |                   |            | Batch cement   |   |
| 23:59                | 37             |         | 3.1      | 5                 | SLURRY     | Start Cement   |   |
| 00:17                | 88             |         | 4.8      | 96                | SLURRY     | Cement   |   |
| 00:30                | 257            |         | 6.8      | 99                | SLURRY     | Cement   |   |
| 01:05                | 261            |         | 6.8      | 100               | SLURRY     | Cement   |   |
| 01:41                | 31             |         | 3.6      | 290               | SLURRY     | End Lead   |   |
| 01:42                | 0              |         | 3.6      | 10                | SLURRY     | Start tail   |   |
| 01:54                | 53             |         | 2.4      | 61                | SLURRY     | End tail   |   |
| 02:09                |                |         |          |                   |            | Drop plug  |   |
| 02:34                | 196            |         | 6.2      | 100               | H2O        | Displace   |   |
| 02:48                | 480            |         | 6.1      | 80                | H2O        | Displace   |   |
| 02:53                | 486            |         | 2.5      | 32                | H2O        | Lower rate   |   |
| 02:58                | 1311           |         | 2.5      | 12                | H2O        | Bump plug  |   |
| 05:00                |                |         |          |                   |            | Crew off Duty  |   |
| 07:00                |                |         |          |                   |            | Crew on Duty   |   |
| 07:00                | 86             |         | 2        | 15                | SLURRY     | Top out # 1  |   |
| 07:30                |                |         |          |                   |            | Crew off duty  |   |
| 10:00                | 86             |         | 2        | 14                | SLURRY     | Top out # 2  |   |
| 10:30                |                |         |          |                   |            | Crew off Duty  |   |
| 13:00                | 86             |         | 2        | 18                | SLURRY     | Top out # 3  |   |
| 13:30                |                |         |          |                   |            | Crew off Duty  |   |
| 15:30                | 86             |         | 2        | 22                | SLURRY     | Cement to Surface  |   |
| 16:00                |                |         |          |                   |            | Wait 1 hr  |   |
| 17:00                |                |         |          |                   |            | End Job.   |   |

|  |                  |  |                           |                   |                 |   |                               |
|--|------------------|--|---------------------------|-------------------|-----------------|---|-------------------------------|
| BUMPED PLUG  | PSI TO BUMP PLUG | TEST FLOAT EQUIP.  | BBL.CMT RETURNS/ REVERSED | TOTAL BBL. PUMPED | PSI LEFT ON CSG | SPOT TOP OUT CEMENT                                   | Service Supervisor Signature: |
| <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | 1311             | <input type="checkbox"/> Y <input checked="" type="checkbox"/> N |                           | 935               | 0               | <input type="checkbox"/> Y <input type="checkbox"/> N |                               |

# BJ Services Company



|  |  |                                       |                  |  |  |   |                                       |   |                                   |                                  |  |
|--|--|---------------------------------------|------------------|--|--|---|---------------------------------------|---|-----------------------------------|----------------------------------|--|
| <b>CUSTOMER (COMPANY NAME)</b><br>Marathon Oil Company |  |                                       |                  | <b>CREDIT APPROVAL NO.</b><br>A10011063281             |  | <b>PURCHASE ORDER NO.</b><br>4800005769 |                                       | <b>CUSTOMER NUMBER</b><br>20055468 - 00233694 |                                   | <b>INVOICE NUMBER</b><br>1393463 |  |
| <b>MAIL INVOICE TO :</b>                               |  |                                       |                  | <b>STREET OR BOX NUMBER</b><br>ATTN: A/P P.O.BOX 22165 |  | <b>CITY</b><br>Tulsa                    |                                       | <b>STATE</b><br>Oklahoma                      |                                   | <b>ZIP CODE</b><br>74121-2165    |  |
| <b>DATE WORK COMPLETED</b>                             |  | <b>MO.</b><br>06                      | <b>DAY</b><br>02 | <b>YEAR</b><br>2008                                    | <b>BJ REPRESENTATIVE</b><br>DAVID E DOWNEY |   | <b>WELL API NO:</b><br>05045150770000 |   | <b>WELL TYPE :</b><br>New Well    |                                  |  |
| <b>BJ SERVICES DISTRICT</b><br>Grand Junction          |  |                                       |                  |  | <b>JOB DEPTH (ft)</b><br>3,000             |   | <b>WELL CLASS :</b><br>Gas            |   |                                   |                                  |  |
| <b>WELL NAME AND NUMBER</b><br>596-30C-28              |  |                                       |                  |  | <b>TD WELL DEPTH(ft)</b><br>2,986          |   | <b>GAS USED ON JOB :</b><br>No Gas    |   |                                   |                                  |  |
| <b>WELL LOCATION :</b>                                 |  | <b>LEGAL DESCRIPTION</b><br>31-5S-96W |                  |  | <b>COUNTY/PARISH</b><br>Garfield           |   | <b>STATE</b><br>Colorado              |   | <b>JOB TYPE CODE :</b><br>Surface |                                  |  |

| PRODUCT CODE                   | DESCRIPTION                       | UNIT OF MEASURE | QUANTITY | LIST PRICE UNIT | GROSS AMOUNT | PERCENT DISC. | NET AMOUNT |
|--------------------------------|-----------------------------------|-----------------|----------|-----------------|--------------|---------------|------------|
| 100112                         | Calcium Chloride                  | lbs             | 1024     | 1.300           | 1,331.20     | 60%           | 532.48     |
| 100275                         | Sodium Metasilicate               | lbs             | 4512     | 3.320           | 14,979.84    | 60%           | 5,991.94   |
| 100295                         | Cello Flake                       | lbs             | 623      | 4.140           | 2,579.22     | 60%           | 1,031.69   |
| 100317                         | Poz (Fly Ash)                     | sacks           | 254      | 16.750          | 4,254.50     | 60%           | 1,701.80   |
| 100318                         | A-10                              | lbs             | 6392     | 0.750           | 4,794.00     | 60%           | 1,917.60   |
| 121116                         | Cement Plug, Rubber, Top 9-5/8 in | ea              | 1        | 328.000         | 328.00       | 60%           | 131.20     |
| 398308                         | Surebond II Spacer                | gals            | 1681     | 2.710           | 4,555.51     | 60%           | 1,822.20   |
| 424509                         | FP-13L                            | gals            | 24       | 152.000         | 3,648.00     | 60%           | 1,459.20   |
| 488353                         | CSE-2                             | lbs             | 20280    | 1.360           | 27,580.80    | 60%           | 11,032.32  |
| 499632                         | Granulated Sugar                  | lbs             | 100      | 2.980           | 298.00       | 60%           | 119.20     |
| 499634                         | Kol Seal                          | lbs             | 8004     | 0.960           | 7,683.84     | 60%           | 3,073.54   |
| 499680                         | Static Free                       | lbs             | 52       | 32.400          | 1,684.80     | 60%           | 673.92     |
| 499703                         | Type III Cement                   | sacks           | 1225     | 39.900          | 48,877.50    | 60%           | 19,551.00  |
| SUB-TOTAL FOR Product Material |                                   |                 |          |                 | 122,595.21   | 60.00%        | 49,038.09  |

|   |                  |                  |                     |                      |   |  |
|---|------------------|------------------|---------------------|----------------------|---|--|
| <b>ARRIVE LOCATION :</b>                              | <b>MO.</b><br>06 | <b>DAY</b><br>01 | <b>YEAR</b><br>2008 | <b>TIME</b><br>14:00 | <b>SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.</b> | <b>SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.</b> |
| <b>CUSTOMER REP.</b><br>Matt Mc Gaugh                 |                  |                  |                     |                      | <b>CUSTOMER AUTHORIZED AGENT</b>  |  |
| <b>SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS</b> |                  |                  |                     |                      | <b>CUSTOMER AUTHORIZED AGENT</b>  |  |
|   |                  |                  |                     |                      | <b>X</b>  | <b>CUSTOMER AUTHORIZED AGENT</b>   |
|   |                  |                  |                     |                      | <b>X</b>  | <b>BJ SERVICES APPROVED</b>  |

# BJ Services Company



|  |  |                  |                                       |  |  |   |                                       |   |                                |                                   |  |
|--|--|------------------|---------------------------------------|--|--|---|---------------------------------------|---|--------------------------------|-----------------------------------|--|
| <b>CUSTOMER (COMPANY NAME)</b><br>Marathon Oil Company |  |                  |                                       | <b>CREDIT APPROVAL NO.</b><br>A10011063281             |  | <b>PURCHASE ORDER NO.</b><br>4800005769 |                                       | <b>CUSTOMER NUMBER</b><br>20055468 - 00233694 |                                | <b>INVOICE NUMBER</b><br>1393463  |  |
| <b>MAIL INVOICE TO :</b>                               |  |                  |                                       | <b>STREET OR BOX NUMBER</b><br>ATTN: A/P P.O.BOX 22165 |  | <b>CITY</b><br>Tulsa                    |                                       | <b>STATE</b><br>Oklahoma                      |                                | <b>ZIP CODE</b><br>74121-2165     |  |
| <b>DATE WORK COMPLETED</b>                             |  | <b>MO.</b><br>06 | <b>DAY</b><br>02                      | <b>YEAR</b><br>2008                                    | <b>BJ REPRESENTATIVE</b><br>DAVID E DOWNEY |   | <b>WELL API NO:</b><br>05045150770000 |   | <b>WELL TYPE :</b><br>New Well |                                   |  |
| <b>BJ SERVICES DISTRICT</b><br>Grand Junction          |  |                  |                                       |  | <b>JOB DEPTH (ft)</b><br>3,000             |   | <b>WELL CLASS :</b><br>Gas            |   |                                |                                   |  |
| <b>WELL NAME AND NUMBER</b><br>596-30C-28              |  |                  |                                       |  | <b>TD WELL DEPTH(ft)</b><br>2,986          |   | <b>GAS USED ON JOB :</b><br>No Gas    |   |                                |                                   |  |
| <b>WELL LOCATION :</b>                                 |  |                  | <b>LEGAL DESCRIPTION</b><br>31-5S-96W |  |  | <b>COUNTY/PARISH</b><br>Garfield        |                                       | <b>STATE</b><br>Colorado                      |                                | <b>JOB TYPE CODE :</b><br>Surface |  |

| PRODUCT CODE | DESCRIPTION                            | UNIT OF MEASURE | QUANTITY | LIST PRICE UNIT | GROSS AMOUNT | PERCENT DISC. | NET AMOUNT |
|--------------|--|-----------------|----------|-----------------|--------------|---------------|------------|
| A152         | Personnel Surcharge - Cement Svc       | ea              | 1        | 145.500         | 145.50       | 0%            | 145.50     |
| M100         | Bulk Materials Service Charge          | cu ft           | 2667     | 3.410           | 9,094.47     | 60%           | 3,637.79   |
| R798         | Automatic Density System               | job             | 1        | 1,250.000       | 1,250.00     | 60%           | 500.00     |
|              | SUB-TOTAL FOR Service Charges          |                 |          |                 | 10,489.97    | 59.17%        | 4,283.29   |
| F007A        | Cement Pump Casing, 2001 - 3000 ft     | 4hrs            | 1        | 4,450.000       | 4,450.00     | 60%           | 1,780.00   |
| F038         | Cement Pump Casing, Additional Hrs     | hrs             | 23       | 775.000         | 17,825.00    | 60%           | 7,130.00   |
| H9985        | High Pressure Hose                     | ea              | 1        | 500.000         | 500.00       | 0%            | 500.00     |
| J050         | Cement Head                            | job             | 1        | 515.000         | 515.00       | 60%           | 206.00     |
| J225         | Data Acquisition, Cement, Standard     | job             | 1        | 1,335.000       | 1,335.00     | 60%           | 534.00     |
| J390         | Mileage, Heavy Vehicle                 | miles           | 150      | 7.400           | 1,110.00     | 60%           | 444.00     |
| J391         | Mileage, Auto, Pick-Up or Treating Van | miles           | 150      | 4.200           | 630.00       | 60%           | 252.00     |
| K371         | Field Storage Bin                      | job             | 2        | 1,035.000       | 2,070.00     | 60%           | 828.00     |
|              | SUB-TOTAL FOR Equipment                |                 |          |                 | 28,435.00    | 58.94%        | 11,674.00  |

|   |     |     |      |      |   |  |
|---|-----|-----|------|------|---|--|
| <b>ARRIVE LOCATION :</b>                              | MO. | DAY | YEAR | TIME | <b>SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.</b> | <b>SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.</b> |
| <b>CUSTOMER REP.</b><br>Matt Mc Gaugh                 |     |     |      |      | <b>CUSTOMER AUTHORIZED AGENT</b>  |  |
| <b>SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS</b> |     |     |      |      | <b>CUSTOMER AUTHORIZED AGENT</b>  |  |
|   |     |     |      |      | <b>X</b>  | <b>CUSTOMER AUTHORIZED AGENT</b>   |
|   |     |     |      |      | <b>X</b>  | <b>BJ SERVICES APPROVED</b>  |



| CUSTOMER (COMPANY NAME)<br>Marathon Oil Company |  |     |                   | CREDIT APPROVAL NO.<br>A10011063281             |  | PURCHASE ORDER NO.<br>4800005769 |                   | CUSTOMER NUMBER<br>20055468 - 00233694 |   | INVOICE NUMBER<br>1393463 |  |  |
|---|--|-----|-------------------|---|--|----------------------------------|-------------------|--|---|---------------------------|--|--|
| MAIL INVOICE TO :                               |  |     |                   | STREET OR BOX NUMBER<br>ATTN: A/P P.O.BOX 22165 |  | CITY<br>Tulsa                    |                   | STATE<br>Oklahoma                      |   | ZIP CODE<br>74121-2165    |  |  |
| DATE WORK COMPLETED                             |  | MO. | DAY               | YEAR  | BJ REPRESENTATIVE  |                                  | WELL API NO:      |  | WELL TYPE :   |                           |  |  |
|   |  | 06  | 02                | 2008  | DAVID E DOWNEY   |                                  | 05045150770000    |  | New Well  |                           |  |  |
| BJ SERVICES DISTRICT<br>Grand Junction          |  |     |                   |   | JOB DEPTH (ft)   |                                  | WELL CLASS :      |  |   |                           |  |  |
|   |  |     |                   |   | 3,000  |                                  | Gas               |  |   |                           |  |  |
| WELL NAME AND NUMBER<br>596-30C-28              |  |     |                   |   | TD WELL DEPTH(ft)  |                                  | GAS USED ON JOB : |  |   |                           |  |  |
|   |  |     |                   |   | 2,986  |                                  | No Gas            |  |   |                           |  |  |
| WELL LOCATION :                                 |  |     | LEGAL DESCRIPTION |   |  | COUNTY/PARISH                    |                   | STATE                                  |   | JOB TYPE CODE :           |  |  |
|   |  |     | 31-5S-96W         |   |  | Garfield                         |                   | Colorado                               |   | Surface                   |  |  |
| PRODUCT CODE                                    | DESCRIPTION                            |     |                   |   | UNIT OF MEASURE  | QUANTITY                         | LIST PRICE UNIT   | GROSS AMOUNT                           | PERCENT DISC.   | NET AMOUNT                |  |  |
| J401  | Bulk Delivery, Dry Products            |     |                   |   | ton-mi   | 6560                             | 2.470             | 16,203.20                              | 60%   | 6,481.28                  |  |  |
|   | SUB-TOTAL FOR Freight/Delivery Charges |     |                   |   |  |                                  |                   | 16,203.20                              | 60%   | 6,481.28                  |  |  |
|   | FIELD ESTIMATE                         |     |                   |   |  |                                  |                   | 177,723.38                             | 59.78%  | 71,476.66                 |  |  |
| ARRIVE LOCATION :                               | MO.                                    | DAY | YEAR              | TIME  | SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER. |                                  |                   |  | SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER. |                           |  |  |
|   | 06                                     | 01  | 2008              | 14:00   |  |                                  |                   |  | X CUSTOMER AUTHORIZED AGENT   |                           |  |  |
| CUSTOMER REP.<br>Matt Mc Gaugh                  |  |     |                   |   |  |                                  |                   | X BJ SERVICES APPROVED                 |   |                           |  |  |
| SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS  |  |     |                   | CUSTOMER AUTHORIZED AGENT                       |  |                                  |                   |  |   |                           |  |  |

**BJ Services**  
**CONDITIONS OF CONTRACT**  
Effective 08/19/96

CUSTOMER AND BJ SERVICES AGREE THAT THE SERVICES DESCRIBED ON THE FACE OF THIS SERVICE ORDER AND FIELD RECEIPT ARE TO BE PERFORMED SUBJECT TO AND IN CONSIDERATION OF THE FOLLOWING TERMS AND CONDITIONS:

1. **CUSTOMER.** For the purpose of this contract, the term Customer shall include agents, subsidiaries, joint venturers and partners of customers.
2. **WELL CONDITION.** Customer warrants that the well described on the face of this service order and field receipt is in proper condition to receive the products, supplies, materials, and services described herein.
3. **INDEPENDENT CONTRACTOR.** BJ Services is and shall be an independent contractor with respect to the performance of this contract and neither BJ Services nor anyone employed by BJ Services shall be the agent, representative, employee or servant of Customer in the performance of this contract or any part hereof.
4. **PRICE.** Customer agrees to pay BJ Services for the products, supplies, materials, and services described herein in accordance with BJ Services' current price list. In the event that BJ Services has agreed to charge Customer other than as set forth in such price list, the charges agreed upon by Customer and BJ Services shall be those set forth on the face of this service order and field receipt and the agreement of Customer thereto shall be conclusively established by its execution of the receipt set forth on the face of this service order and field receipt.
5. **TERMS.** Cash in advance unless BJ Services has approved credit prior to the sale. Credit terms for approved accounts are total invoice amount due on or before the 30th day from the date of the invoice at the address set forth therein. Past due accounts shall pay interest on the balance due at the rate of 1 1/2% per month or the maximum allowable under applicable state law if such law limits interest to a lesser amount. In the event it is necessary to employ a third party to effect collection of said account, Customer agrees to pay all fees of such third party directly or indirectly incurred for such collection.
6. **TAXES.** Customer agrees to pay all taxes based on or measured by the charges set forth on the face of this service order and field receipt.
7. **AMENDMENTS AND MODIFICATIONS.** No field employee of BJ Services shall be empowered to alter the terms and conditions of this contract and BJ Services shall not be bound by any changes or modifications in this contract unless made in writing by a duly authorized executive officer of BJ Services. By requesting the goods and services set forth herein, Customer agrees to all the terms and conditions contained on both sides of this service order and field receipt, which constitutes the entire agreement between the parties, unless Customer and BJ Services have entered into a master service agreement or master work contract applicable to the services performed and products, supplies and materials furnished by BJ Services hereunder, in which event any term or provision of this service order and field receipt in conflict with the provisions thereof shall be deemed invalid to such extent. Subject only to the preceding sentence BJ Services hereby objects to any term of any purchase order, delivery ticket or receipt or other document that varies from or conflicts with the terms of this contract.
8. **SEVERABILITY.** It is understood and agreed by Customer and BJ Services that any term or provision of this contract prohibited by law shall be deemed invalid to the extent of such prohibition and shall be modified to the extent necessary to conform to such rule of law. Any term or provision of this contract not deemed invalid and modified pursuant to the preceding sentence shall remain in full force and effect without regard to such invalidity and modification.
9. **LIMITED WARRANTY.** BJ SERVICES WARRANTS ONLY TITLE TO PRODUCTS, SUPPLIES AND MATERIALS FURNISHED PURSUANT TO THIS CONTRACT AND THAT THE SAME WILL CONFORM TO THE DESCRIPTION SPECIFIED HEREIN AND ARE FREE FROM DEFECTS IN WORKMANSHIP AND MATERIALS. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OF MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. BJ SERVICES' LIABILITY AND CUSTOMERS EXCLUSIVE REMEDY IN ANY CAUSE OF ACTION (WHETHER IN CONTRACT, TORT, BREACH OR WARRANTY OR OTHERWISE) ARISING OUT OF THE SALE OR USE OF ANY PRODUCTS, SUPPLIES OR MATERIALS IS EXPRESSLY LIMITED TO THE REPLACEMENT OF SUCH PRODUCTS, SUPPLIES OR MATERIALS OR, AT BJ SERVICES' OPTION, TO THE ALLOWANCE TO THE CUSTOMER OF CREDIT FOR THE COST OF SUCH ITEMS. BJ SERVICES MAKES NO WARRANTIES FOR ANY EQUIPMENT, MATERIALS OR PRODUCTS MANUFACTURED BY THIRD PARTIES, BUT WILL PASS ON TO CUSTOMER ALL WARRANTIES OF THE MANUFACTURERS OF SUCH EQUIPMENT, MATERIALS OR PRODUCTS. BJ SERVICES IS UNABLE TO, AND DOES NOT, GUARANTEE THE ACCURACY OF ANY JOB RECOMMENDATION, RESEARCH ANALYSIS, DATA INTERPRETATION, OR OTHER INFORMATION FURNISHED TO CUSTOMER BY BJ SERVICES IN VIEW OF THE UNCERTAINTY OF WELL CONDITIONS AND THE RELIANCE BY BJ SERVICES AND CUSTOMER UPON INFORMATION AND SERVICES FURNISHED BY THIRD PARTIES. THEREFORE, NO WARRANTY EXPRESS OR IMPLIED IS GIVEN CONCERNING THE EFFECTIVENESS OF THE PRODUCTS, SUPPLIES OR MATERIALS USED, RECOMMENDATIONS GIVEN, OR SERVICES PERFORMED BY BJ SERVICES. CUSTOMER AGREES THAT BJ SERVICES SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES ARISING FROM THE USE OF DATA FURNISHED BY BJ SERVICES. CUSTOMER ACCEPTS FULL RESPONSIBILITY FOR RETURNING THE WELL DESCRIBED ON THE FACE OF THIS SERVICE ORDER AND FIELD RECEIPT TO PRODUCTION. BJ SERVICES DOES NOT GUARANTEE THE EFFECTIVENESS OF THE PRODUCTS, SUPPLIES OR MATERIALS FURNISHED PURSUANT TO THIS CONTRACT NOR THE RESULTS OF ANY TREATMENT OR SERVICE IT PERFORMS HEREUNDER.
10. **FORCE MAJEURE.** Any delays or failure by BJ Services in the performance of this contract shall be excused if and to the extent caused by war, fire, flood, strike or other labor trouble, accident, riot, acts of God, or any other cause beyond the reasonable control of BJ Services.
11. **CHEMICAL DISPOSAL.** Customer agrees that all chemicals used in performance of this contract which are not removed from the location of the well by BJ Services shall be disposed of by Customer in accordance with all applicable federal, state and local laws and regulations.

**12. LIABILITY AND INDEMNITY OBLIGATIONS.**

- (A) BJ SERVICES SHALL PROTECT, DEFEND, INDEMNIFY, HOLD HARMLESS AND RELEASE CUSTOMER, ITS PARENT, SUBSIDIARY AND AFFILIATED COMPANIES AND ITS AND THEIR OFFICERS, DIRECTORS AND EMPLOYEES ("CUSTOMER GROUP") FROM AND AGAINST ALL CLAIMS, DEMANDS, LOSSES, LIABILITIES, PENALTIES, COSTS, EXPENSES (INCLUDING REASONABLE ATTORNEYS' FEES) AND CAUSES OF ACTION OF EVERY KIND AND CHARACTER (COLLECTIVELY, "CLAIMS") ARISING IN FAVOR OF (I) BJ SERVICES' EMPLOYEES OR THE EMPLOYEES OF BJ SERVICES' SUBCONTRACTORS ON ACCOUNT OF BODILY INJURY, DEATH OR DAMAGE TO PROPERTY OR (II) BJ SERVICES ON ACCOUNT OF DAMAGE TO BJ SERVICES' PROPERTY, EXCEPT AS OTHERWISE PROVIDED BELOW, INCLUDING, IN EACH CASE, CLAIMS CAUSED BY THE SOLE, JOINT AND/OR COMPARATIVE NEGLIGENCE, STRICT LIABILITY OR OTHER FAULT OF CUSTOMER GROUP.
- (B) CUSTOMER SHALL PROTECT, DEFEND, INDEMNIFY, AND HOLD HARMLESS AND RELEASE BJ SERVICES, ITS PARENT, SUBSIDIARY AND AFFILIATED COMPANIES AND ITS AND THEIR OFFICERS, DIRECTORS AND EMPLOYEES ("BJ SERVICES GROUP") FROM AND AGAINST ALL CLAIMS ARISING IN FAVOR OF (I) CUSTOMER'S EMPLOYEES OR THE EMPLOYEES OF CUSTOMER'S OTHER CONTRACTORS OR THEIR SUBCONTRACTORS ON ACCOUNT OF BODILY INJURY, DEATH OR DAMAGE TO PROPERTY, OR (II) CUSTOMER ON ACCOUNT OF LOSS OR DAMAGE TO CUSTOMER'S PROPERTY, EXCEPT AS OTHERWISE PROVIDED BELOW, INCLUDING, IN EACH CASE, CLAIMS CAUSED BY THE SOLE, JOINT AND/OR COMPARATIVE NEGLIGENCE, STRICT LIABILITY OR OTHER FAULT OF BJ SERVICES GROUP.
- (C) CUSTOMER SHALL PROTECT, DEFEND, INDEMNIFY, HOLD HARMLESS AND RELEASE BJ SERVICES GROUP FROM AND AGAINST ANY CLAIMS FOR POLLUTION OR CONTAMINATION, INCLUDING THE CLEANUP OR REMOVAL THEREOF ARISING OUT OF OR CONNECTED WITH THE PERFORMANCE BY BJ SERVICES OF SERVICES FOR THE CUSTOMER (AND NOT ASSUMED BY BJ SERVICES IN THE FOLLOWING SENTENCE) INCLUDING BUT NOT LIMITED TO CLAIMS THAT MAY RESULT FROM WELL FIRE, BLOWOUT, CRATERING, SEEPAGE OR ANY OTHER UNCONTROLLABLE FLOW OF OIL, GAS, WATER OR OTHER SUBSTANCES, INCLUDING CLAIMS CAUSED BY THE SOLE, JOINT AND/OR COMPARATIVE NEGLIGENCE, STRICT LIABILITY OR OTHER FAULT OF BJ SERVICES GROUP. BJ SERVICES SHALL PROTECT, DEFEND, INDEMNIFY, HOLD HARMLESS CUSTOMER GROUP FROM AND AGAINST ANY CLAIMS FOR POLLUTION OR CONTAMINATION, INCLUDING THE REMOVAL THEREOF, ORIGINATING ABOVE THE SURFACE OF THE EARTH FROM SPILLS, LEAKS OR DISCHARGES OF FUELS, LUBRICANTS, MOTOR OILS, PIPE DOPE, PAINT, SOLVENTS, SLUDGE OR GARBAGE IN THE POSSESSION AND CONTROL OF BJ SERVICES AND ASSOCIATED WITH CONTRACTORS' EQUIPMENT AND FACILITIES, EXCEPTING ANY POLLUTION IN RESERVE PITS FROM FLOWBACK INCIDENT TO B.J. SERVICES' OPERATIONS.
- (D) CUSTOMER SHALL PROTECT, DEFEND, INDEMNIFY, HOLD HARMLESS AND RELEASE BJ SERVICES GROUP FROM AND AGAINST ANY AND ALL CLAIMS ARISING IN FAVOR OF CUSTOMER OR ANY THIRD PARTY INCLUDING, BUT NOT LIMITED TO, ANY GOVERNMENTAL ENTITY OR PARTY FOR WHOM CUSTOMER IS ACTING (INCLUDING CUSTOMER'S CO-WORKING INTEREST OWNERS) FOR ALL DAMAGES OR LOSSES RESULTING FROM PRODUCTS, SERVICES OR EQUIPMENT PROVIDED BY BJ SERVICES ON ACCOUNT OF (I) LOSS OF THE HOLE, (II) DAMAGE OR INJURY TO ANY DOWNHOLE PROPERTY OR ANY PROPERTY RIGHT IN OR TO OIL, GAS OR OTHER SUBSTANCES OR WATER (III) LOSS OR DAMAGE TO, OR CONTAMINATION OF, ANY FORMATIONS, STRATA OR RESERVOIRS BENEATH THE EARTH'S SURFACE, (IV) SUBSURFACE TRESPASS OR (V) ANY OTHER SIMILAR LOSSES OR DAMAGES, AND WITHOUT REGARD TO THE NEGLIGENCE OF ANY PARTY OR PARTIES, INCLUDING, IN EACH CASE, CLAIMS CAUSED BY THE SOLE JOINT AND/OR COMPARATIVE NEGLIGENCE, STRICT LIABILITY OR OTHER FAULT OF BJ SERVICES GROUP.
- (E) CUSTOMER WILL ASSUME LIABILITY FOR BJ SERVICES' EQUIPMENT WHICH MAY BE LOST OR DAMAGED IN THE HOLE, REGARDLESS OF ANY NEGLIGENCE OF ANY PARTY, AND WILL AT ITS OWN EXPENSE AND RISK ATTEMPT TO RECOVER SUCH EQUIPMENT. THE VALUE OF ANY UNRECOVERABLE, LOST OR DAMAGED EQUIPMENT SHALL BE REIMBURSED BY CUSTOMER AT THE FAIR MARKET VALUE ON THE DATE OF LOSS OF SUCH EQUIPMENT, BUT IN NO EVENT AT A VALUE LESS THAN 50% OF THE THEN CURRENT REPLACEMENT COST.
- (F) BJ SERVICES AND CUSTOMER AGREE TO SUPPORT THEIR INDEMNITY OBLIGATIONS HEREIN BY FURNISHING LIABILITY INSURANCE COVERAGE OR QUALIFIED SELF INSURANCE IN AN AMOUNT OF NO LESS THAN \$2,000,000. HOWEVER BJ SERVICES AND CUSTOMER AGREE AND INTEND THAT, TO THE FULLEST EXTENT ALLOWED FROM TIME TO TIME BY APPLICABLE LAW, THEIR RESPECTIVE INDEMNITIES UNDER THESE TERMS AND CONDITIONS ARE TO APPLY WITHOUT LIMIT, AND ARE NOT TO BE LIMITED TO THE AMOUNT OF INSURANCE EITHER OF THEM MAY FROM TIME TO TIME MAINTAIN OR AGREE TO MAINTAIN. IF IT SHOULD BE DETERMINED THAT THE INDEMNITY OBLIGATIONS ASSUMED HEREUNDER THAT ARE TO BE SUPPORTED EITHER BY INSURANCE OR SELF INSURANCE EXCEEDS THAT WHICH IS PERMITTED UNDER APPLICABLE LAW, THEN SUCH INDEMNITIES SHALL AUTOMATICALLY BE AMENDED TO CONFORM TO THE MONETARY LIMITS PERMITTED UNDER SUCH LAW.
13. **CONFIDENTIAL INFORMATION.** Customer and BJ Services will use their best efforts to maintain the confidentiality of all records and proprietary information obtained by either party in the performance of any services by BJ Services. Such information will not be disclosed by either party to its employees unless it is necessary in order to perform or evaluate such services, or to any third parties without the prior consent of the other party.
14. **WAIVER.** (A) Neither BJ Services nor Customer will be liable to the other for special, incidental, indirect or consequential damages resulting from or arising out of the products or equipment provided or the services performed by BJ Services hereunder, including but not limited to, loss of profit or revenue or business interruption losses, whether or not arising under an alleged breach of warranty or caused by the sole, joint and/or comparative negligence, strict liability or other fault of either party.  
(B) Customer represents that it is a business consumer purchasing products and services from BJ Services for commercial use, that it has experience in business matters that enable it to evaluate the merits and risks of the purchase of such products and services, and that it is not in a significantly disparate bargaining position. Customer waives the provisions of the Texas Deceptive Trade Practices Act (other than section 17), as from time to time amended.
15. **GOVERNING LAW.** This contract shall be governed by the law of the State of Texas.