All testing undertaken and opinions based on reference tests carried out to other measurements are not carried out to UK accredited ISO standards. It is considered by the author that the tests undertaken are to a reasonable standard and that the opinions given are reasonable. However, the author cannot be held responsible for any consequential losses or liabilities that may arise from the use of these opinions and measurements. These measurements are only valid for the date and time of the tests undertaken.

Comments

Anoxic volume calculated to 8 T using
Energy Delta Eq 16
Thank you for using Pandora Surveys
JW @ 04:32:36/20:06

Database File: 1hz001.db
Dataset Filename: 1hz
Dataset Comment: Test
Dataset Created: Thu Jan 31 15:46:31 2019
Project File: C:\Users\Public\Documents\Fish Surveys\1hz.mdb

Density_Celsius (kg/m³) 1000 1020
Celsius (°C) 0 30
pH (pH) 0 14

Deep Resistivity (Ohm-m) (M) 20
Medium Resistivity (Ohm-m) (M) 20
Shallow Resistivity (Ohm-m) (M) 20

Density_Pycnocline (kg/m³) 1000 1020
Density_Anoxic (kg/m³) 1000 1020
Density_Epilimnion (kg/m³) 1000 1020

Depth (m) 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 310 320 330 340 350 360 370 380 390 400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560 570 580 590 600 610 620 630 640 650 660 670 680 690 700 710 720 730 740 750 760 770 780 790 800 810 820 830 840 850 860 870 880 890 900 910 920 930 940 950 960 970 980 990 1000