

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)894-2100 Fax: (303)894-2100



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

1. OGCC Operator Number: 96850		4. Contact Name Karolina Blaney		Complete the Attachment Checklist  OP OGCC
2. Name of Operator: Williams Production RMT		Phone: 970 683 2295		
3. Address: 1058 County Road 215 City: Parachute State: CO Zip: 81635		Fax: 970 285 9573		
5. API Number 05-045-13599		OGCC Facility ID Number 335159		Survey Plat
6. Well/Facility Name:		7. Well/Facility Number RWF 314-14		Directional Survey
8. Location (Qtr/Sec, Twp, Rng, Meridian): SWSW- 14-6S-94W 6M				Surface Expt Diagram
9. County: Garfield		10. Field Name: Rullson		Technical Info Page
11. Federal, Indian or State Lease Number:				Other

General Notice

<input type="checkbox"/> CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)	
Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/> FUL/FSL <input type="checkbox"/> FEL/FWL
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> attach directional survey
Bottomhole location Qtr/Sec, Twp, Rng, Mer	
Latitude	Distance to nearest property line
Longitude	Distance to nearest bldg, public rd, utility or RR
Ground Elevation	Distance to nearest lease line
	Is location in a High Density Area (rule 603b)? Yes/No
	Distance to nearest well same formation
	Surface owner consultation date:
GPS DATA:	
Date of Measurement	PDOP Reading Instrument Operator's Name
<input type="checkbox"/> CHANGE SPACING UNIT	
Formation	Formation Code Spacing order number Unit Acreage Unit configuration
<input type="checkbox"/> Remove from surface bond Signed surface use agreement attached	
<input type="checkbox"/> CHANGE OF OPERATOR (prior to drilling):	
Effective Date:	
Plugging Bond: <input type="checkbox"/> Blanket <input type="checkbox"/> Individual	
<input type="checkbox"/> CHANGE WELL NAME NUMBER	
From:	
To:	
Effective Date:	
<input type="checkbox"/> ABANDONED LOCATION:	
Was location ever built? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Is site ready for inspection? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date Ready for inspection:	
<input type="checkbox"/> NOTICE OF CONTINUED SHUT IN STATUS	
Date well shut in or temporarily abandoned:	
Has Production Equipment been removed from site? <input type="checkbox"/> Yes <input type="checkbox"/> No	
MIT required if shut in longer than two years. Date of last MIT	
<input type="checkbox"/> SPUD DATE:	
<input type="checkbox"/> REQUEST FOR CONFIDENTIAL STATUS (if more from date casing set)	
<input type="checkbox"/> SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK	
Method used	Cementing tool setting/perf depth Cement volume Cement top Cement bottom Date
<input type="checkbox"/> RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.	
Final reclamation will commence on approximately	<input type="checkbox"/> Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

<input type="checkbox"/> Notice of Intent		<input type="checkbox"/> Report of Work Done	
Approximate Start Date:		Date Work Completed:	
Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)			
<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal	
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste	
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans	
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: Background	for Spills and Releases	

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 12/21/2010 Email: Karolina.Blaney@Williams.com  
Print Name: Karolina Blaney Title: Environmental Specialist

COGCC Approved: [Signature] Title: for Chris Canfield Date: 12/23/2010  
CONDITIONS OF APPROVAL IF ANY:

EPS NW Region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: \_\_\_\_\_ API Number: \_\_\_\_\_

2. Name of Operator: \_\_\_\_\_ OGCC Facility ID # \_\_\_\_\_

3. Well/Facility Name: \_\_\_\_\_ Well/Facility Number: \_\_\_\_\_

4. Location (QtrQtr, Sec, Twp, Rng, Meridian): \_\_\_\_\_

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5.

DESCRIBE PROPOSED OR COMPLETED OPERATIONS

## Report of Analysis

Client Sample ID: PIT SAMPLE  
 Lab Sample ID: T63705-1  
 Matrix: SO - Soil  
 Project: RWF 314-14

Date Sampled: 11/10/10  
 Date Received: 11/16/10  
 Percent Solids: 86.3

## Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analized By	Method	Prep Method
Arsenic <sup>a</sup>	2.8	0.59	0.13	mg/kg	5	11/23/10	12/04/10 ANJ	SW846 6020A <sup>4</sup>	SW846 3050B <sup>7</sup>
Barium	9480	130	0.38	mg/kg	10	11/22/10	11/24/10 NS	SW846 6010B <sup>3</sup>	SW846 3050B <sup>5</sup>
Cadmium	0.49	0.32	0.064	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>
Chromium	12.3	0.64	0.045	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>
Copper	20.4	1.6	0.083	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>
Lead	12.5	0.64	0.26	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>
Mercury	0.036	0.017	0.0068	mg/kg	1	11/23/10	11/23/10 CN	SW846 7471A <sup>2</sup>	SW846 7471A <sup>6</sup>
Nickel	13.9	2.6	0.083	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>
Selenium	0.15 U	0.64	0.15	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>
Silver	0.21 J	0.64	0.051	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>
Zinc	58.8	1.3	0.26	mg/kg	1	11/22/10	11/23/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>5</sup>

- (1) Instrument QC Batch: MA5272  
 (2) Instrument QC Batch: MA5274  
 (3) Instrument QC Batch: MA5277  
 (4) Instrument QC Batch: N:MA25471  
 (5) Prep QC Batch: MP13386  
 (6) Prep QC Batch: MP13394  
 (7) Prep QC Batch: N:MP55810

(a) Analysis performed at Accutest Laboratories, Dayton, NJ.

RL = Reporting Limit  
 MDL = Method Detection Limit

U = Indicates a result < MDL  
 J = Indicates a result > = MDL but < RL

Report of Analysis

<b>Client Sample ID:</b>	RWF 314-14-B-1	<b>Date Sampled:</b>	12/08/10
<b>Lab Sample ID:</b>	T65174-1	<b>Date Received:</b>	12/11/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.9
<b>Project:</b>	RWF 314-14 Backgrounds		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.5	0.59	0.12	mg/kg	1	12/18/10	12/18/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA5336  
(2) Prep QC Batch: MP13593

RL = Reporting Limit  
MDL = Method Detection Limit  
U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

Report of Analysis

<b>Client Sample ID:</b>	RWF 314-14-B-2	<b>Date Sampled:</b>	12/08/10
<b>Lab Sample ID:</b>	T65174-2	<b>Date Received:</b>	12/11/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	90.5
<b>Project:</b>	RWF 314-14 Backgrounds		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.0	0.61	0.12	mg/kg	1	12/18/10	12/18/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA5336  
(2) Prep QC Batch: MP13593

RL = Reporting Limit  
MDL = Method Detection Limit  
U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

Report of Analysis

<b>Client Sample ID:</b>	RWF 314-14-B-3	<b>Date Sampled:</b>	12/08/10
<b>Lab Sample ID:</b>	T65174-3	<b>Date Received:</b>	12/11/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	88.7
<b>Project:</b>	RWF 314-14 Backgrounds		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.8	0.58	0.12	mg/kg	1	12/18/10	12/18/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA5336  
(2) Prep QC Batch: MP13593

RL = Reporting Limit  
MDL = Method Detection Limit  
U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

Report of Analysis

<b>Client Sample ID:</b>	RWF 314-14-B-4	<b>Date Sampled:</b>	12/08/10
<b>Lab Sample ID:</b>	T65174-4	<b>Date Received:</b>	12/11/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.2
<b>Project:</b>	RWF 314-14 Backgrounds		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.9	0.61	0.12	mg/kg	1	12/18/10	12/18/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: MA5336  
(2) Prep QC Batch: MP13593

RL = Reporting Limit  
MDL = Method Detection Limit  
U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

Report of Analysis

<b>Client Sample ID:</b>	RWF 314-14-B-5	<b>Date Sampled:</b>	12/08/10
<b>Lab Sample ID:</b>	T65174-5	<b>Date Received:</b>	12/11/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	85.9
<b>Project:</b>	RWF 314-14 Backgrounds		


Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.9	0.62	0.12	mg/kg	1	12/18/10	12/18/10 NS	SW846 6010B <sup>1</sup>	SW846 3050B <sup>2</sup>




(1) Instrument QC Batch: MA5336  
(2) Prep QC Batch: MP13593

RL = Reporting Limit  
MDL = Method Detection Limit  
U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL





## Legend

-  Background Sample Location
-  Existing Road
-  Existing Pad Limit of Disturbance

**RWF 314-14**  
**Arsenic Background Sample Location Map**  
**T6S R94W, Section 14**

**December 9, 2010**

