

Planning Report

Database:	EDM 5000.1 US Multi Users DB	Local Co-ordinate Reference:	Well Antelope 24-17
Company:	Bonanza Creek Energy Operating Company, LLC	TVD Reference:	WELL @ 4652.0ft (Original Well Elev)
Project:	Weld County	MD Reference:	WELL @ 4652.0ft (Original Well Elev)
Site:	Antelope I-17	North Reference:	Grid
Well:	Antelope 24-17	Survey Calculation Method:	Minimum Curvature
Wellbore:	DD		
Design:	Plan #1		

Project	Weld County		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site		Antelope I-17			
Site Position:		Northing:	1,389,136.37 ft	Latitude:	40.395890
From:	Lat/Long	Easting:	3,319,802.68 ft	Longitude:	-104.351800
Position Uncertainty:	0.0 ft	Slot Radius:	13.200 in	Grid Convergence:	0.74 °

Well	Antelope 24-17					
Well Position	+N/-S	0.0 ft	Northing:	1,389,074.40 ft	Latitude:	40.395720
	+E/-W	0.0 ft	Easting:	3,319,800.70 ft	Longitude:	-104.351810
Position Uncertainty		0.0 ft	Wellhead Elevation:	ft	Ground Level:	4,642.0 ft

Wellbore	DD				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	12/20/2010	8.71	67.13	53,226

Design	Plan #1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.0	0.0	0.0	131.89

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
600.0	0.00	0.00	600.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,135.6	10.71	131.89	1,132.5	-33.3	37.2	2.00	2.00	0.00	131.89	
5,343.9	10.71	131.89	5,267.5	-555.6	619.5	0.00	0.00	0.00	0.00	
5,879.6	0.00	0.00	5,800.0	-589.0	656.7	2.00	-2.00	0.00	180.00	Antelope 24-17 TGT
6,779.6	0.00	0.00	6,700.0	-589.0	656.7	0.00	0.00	0.00	0.00	Antelope 24-17 PBHL

Planning Report

Database: EDM 5000.1 US Multi Users DB
Company: Bonanza Creek Energy Operating Company, LLC
Project: Weld County
Site: Antelope I-17
Well: Antelope 24-17
Wellbore: DD
Design: Plan #1

Local Co-ordinate Reference: Well Antelope 24-17
TVD Reference: WELL @ 4652.0ft (Original Well Elev)
MD Reference: WELL @ 4652.0ft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Comments / Formations
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	KOP @ 600'
700.0	2.00	131.89	700.0	-1.2	1.3	1.7	2.00	2.00	
800.0	4.00	131.89	799.8	-4.7	5.2	7.0	2.00	2.00	
900.0	6.00	131.89	899.5	-10.5	11.7	15.7	2.00	2.00	
1,000.0	8.00	131.89	998.7	-18.6	20.8	27.9	2.00	2.00	
1,100.0	10.00	131.89	1,097.5	-29.1	32.4	43.5	2.00	2.00	
1,135.6	10.71	131.89	1,132.5	-33.3	37.2	49.9	2.00	2.00	EOB @ Inc. = 10.71°
1,200.0	10.71	131.89	1,195.8	-41.3	46.1	61.9	0.00	0.00	
1,300.0	10.71	131.89	1,294.0	-53.7	59.9	80.5	0.00	0.00	
1,400.0	10.71	131.89	1,392.3	-66.1	73.8	99.1	0.00	0.00	
1,500.0	10.71	131.89	1,490.5	-78.6	87.6	117.7	0.00	0.00	
1,600.0	10.71	131.89	1,588.8	-91.0	101.4	136.2	0.00	0.00	
1,700.0	10.71	131.89	1,687.0	-103.4	115.3	154.8	0.00	0.00	
1,800.0	10.71	131.89	1,785.3	-115.8	129.1	173.4	0.00	0.00	
1,900.0	10.71	131.89	1,883.6	-128.2	142.9	192.0	0.00	0.00	
2,000.0	10.71	131.89	1,981.8	-140.6	156.8	210.6	0.00	0.00	
2,100.0	10.71	131.89	2,080.1	-153.0	170.6	229.2	0.00	0.00	
2,200.0	10.71	131.89	2,178.3	-165.4	184.5	247.8	0.00	0.00	
2,300.0	10.71	131.89	2,276.6	-177.9	198.3	266.4	0.00	0.00	
2,400.0	10.71	131.89	2,374.8	-190.3	212.1	285.0	0.00	0.00	
2,500.0	10.71	131.89	2,473.1	-202.7	226.0	303.5	0.00	0.00	
2,600.0	10.71	131.89	2,571.4	-215.1	239.8	322.1	0.00	0.00	
2,700.0	10.71	131.89	2,669.6	-227.5	253.6	340.7	0.00	0.00	
2,800.0	10.71	131.89	2,767.9	-239.9	267.5	359.3	0.00	0.00	
2,900.0	10.71	131.89	2,866.1	-252.3	281.3	377.9	0.00	0.00	
3,000.0	10.71	131.89	2,964.4	-264.7	295.2	396.5	0.00	0.00	
3,100.0	10.71	131.89	3,062.6	-277.1	309.0	415.1	0.00	0.00	
3,200.0	10.71	131.89	3,160.9	-289.6	322.8	433.7	0.00	0.00	
3,300.0	10.71	131.89	3,259.2	-302.0	336.7	452.2	0.00	0.00	
3,400.0	10.71	131.89	3,357.4	-314.4	350.5	470.8	0.00	0.00	
3,500.0	10.71	131.89	3,455.7	-326.8	364.3	489.4	0.00	0.00	
3,600.0	10.71	131.89	3,553.9	-339.2	378.2	508.0	0.00	0.00	
3,700.0	10.71	131.89	3,652.2	-351.6	392.0	526.6	0.00	0.00	
3,800.0	10.71	131.89	3,750.5	-364.0	405.9	545.2	0.00	0.00	
3,900.0	10.71	131.89	3,848.7	-376.4	419.7	563.8	0.00	0.00	
4,000.0	10.71	131.89	3,947.0	-388.8	433.5	582.4	0.00	0.00	
4,100.0	10.71	131.89	4,045.2	-401.3	447.4	601.0	0.00	0.00	
4,200.0	10.71	131.89	4,143.5	-413.7	461.2	619.5	0.00	0.00	
4,300.0	10.71	131.89	4,241.7	-426.1	475.0	638.1	0.00	0.00	
4,400.0	10.71	131.89	4,340.0	-438.5	488.9	656.7	0.00	0.00	
4,500.0	10.71	131.89	4,438.3	-450.9	502.7	675.3	0.00	0.00	
4,600.0	10.71	131.89	4,536.5	-463.3	516.6	693.9	0.00	0.00	
4,700.0	10.71	131.89	4,634.8	-475.7	530.4	712.5	0.00	0.00	
4,800.0	10.71	131.89	4,733.0	-488.1	544.2	731.1	0.00	0.00	
4,900.0	10.71	131.89	4,831.3	-500.5	558.1	749.7	0.00	0.00	
5,000.0	10.71	131.89	4,929.5	-513.0	571.9	768.2	0.00	0.00	

Planning Report

Database: EDM 5000.1 US Multi Users DB
Company: Bonanza Creek Energy Operating Company, LLC
Project: Weld County
Site: Antelope I-17
Well: Antelope 24-17
Wellbore: DD
Design: Plan #1

Local Co-ordinate Reference: Well Antelope 24-17
TVD Reference: WELL @ 4652.0ft (Original Well Elev)
MD Reference: WELL @ 4652.0ft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Comments / Formations
5,100.0	10.71	131.89	5,027.8	-525.4	585.7	786.8	0.00	0.00	
5,200.0	10.71	131.89	5,126.1	-537.8	599.6	805.4	0.00	0.00	
5,300.0	10.71	131.89	5,224.3	-550.2	613.4	824.0	0.00	0.00	
5,343.9	10.71	131.89	5,267.5	-555.6	619.5	832.2	0.00	0.00	Start Drop -2.00
5,400.0	9.59	131.89	5,322.7	-562.2	626.9	842.1	2.00	-2.00	
5,500.0	7.59	131.89	5,421.5	-572.2	638.0	857.0	2.00	-2.00	
5,600.0	5.59	131.89	5,520.9	-579.9	646.5	868.5	2.00	-2.00	
5,700.0	3.59	131.89	5,620.5	-585.2	652.5	876.5	2.00	-2.00	
5,800.0	1.59	131.89	5,720.4	-588.2	655.8	881.0	2.00	-2.00	
5,879.6	0.00	0.00	5,800.0	-589.0	656.7	882.1	2.00	-2.00	EOD @ Inc. = 0° - Antelope 24-17 TGT
5,900.0	0.00	0.00	5,820.4	-589.0	656.7	882.1	0.00	0.00	
6,000.0	0.00	0.00	5,920.4	-589.0	656.7	882.1	0.00	0.00	
6,100.0	0.00	0.00	6,020.4	-589.0	656.7	882.1	0.00	0.00	
6,200.0	0.00	0.00	6,120.4	-589.0	656.7	882.1	0.00	0.00	
6,300.0	0.00	0.00	6,220.4	-589.0	656.7	882.1	0.00	0.00	
6,331.6	0.00	0.00	6,252.0	-589.0	656.7	882.1	0.00	0.00	Niobrara
6,400.0	0.00	0.00	6,320.4	-589.0	656.7	882.1	0.00	0.00	
6,500.0	0.00	0.00	6,420.4	-589.0	656.7	882.1	0.00	0.00	
6,600.0	0.00	0.00	6,520.4	-589.0	656.7	882.1	0.00	0.00	
6,700.0	0.00	0.00	6,620.4	-589.0	656.7	882.1	0.00	0.00	
6,779.6	0.00	0.00	6,700.0	-589.0	656.7	882.1	0.00	0.00	TD at 6779.6 - Antelope 24-17 PBHL

Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
Antelope 24-17 PBHL - plan hits target center - Circle (radius 50.0)	0.00	0.00	6,700.0	-589.0	656.7	1,388,485.42	3,320,457.37	40.394080	-104.349480
Antelope 24-17 TGT - plan hits target center - Point	0.00	0.00	5,800.0	-589.0	656.7	1,388,485.42	3,320,457.37	40.394080	-104.349480

Formations

Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
6,331.6	6,252.0	Niobrara		0.00	

Planning Report

Database:	EDM 5000.1 US Multi Users DB	Local Co-ordinate Reference:	Well Antelope 24-17
Company:	Bonanza Creek Energy Operating Company, LLC	TVD Reference:	WELL @ 4652.0ft (Original Well Elev)
Project:	Weld County	MD Reference:	WELL @ 4652.0ft (Original Well Elev)
Site:	Antelope I-17	North Reference:	Grid
Well:	Antelope 24-17	Survey Calculation Method:	Minimum Curvature
Wellbore:	DD		
Design:	Plan #1		

Plan Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
600.0	600.0	0.0	0.0	KOP @ 600'
1,135.6	1,132.5	-33.3	37.2	EOB @ Inc. = 10.71°
5,343.9	5,267.5	-555.6	619.5	Start Drop -2.00
5,879.6	5,800.0	-589.0	656.7	EOD @ Inc. = 0°
6,779.6	6,700.0	-589.0	656.7	TD at 6779.6