

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)894-2100 Fax: (303)894-2109



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

| | | |
|--|----------------------------------|--|
| 1. OGCC Operator Number: 96850 | 4. Contact Name: Karolina Blaney | Complete the Attachment Checklist OP OGCC |
| 2. Name of Operator: Williams Production RMT | Phone: 970 684 2295 | |
| 3. Address: 1058 County Road 215 | Fax: 970 285 9573 | |
| City: Parachute State: CO Zip: 81635 | | |
| 5. API Number: 05-045-19057 | OGCC Facility ID Number: 412676 | Survey Plat |
| 6. Well/Facility Name: | 7. Well/Facility Number: KP 43-8 | Directional Survey |
| 8. Location (Ctr/Ctr, Sec, Twp, Rng, Meridian): NESE-8-65-91W-6M | | Surface Egrmt Diagram |
| 9. County: Garfield | 10. Field Name: Kokopelli | Technical Info Page |
| 11. Federal, Indian or State Lease Number: | | Other |

General Notice

☐ CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)

| | | |
|---|---------|---------|
| Change of Surface Footage from Exterior Section Lines: | FWL/FEL | FEL/FWL |
| Change of Surface Footage to Exterior Section Lines: | | |
| Change of Bottomhole Footage from Exterior Section Lines: | | |
| Change of Bottomhole Footage to Exterior Section Lines: | | |

Bottomhole location Ctr/Ctr, Sec, Twp, Rng, Mer

Latitude: _____ Distance to nearest property line: _____ Distance to nearest bldg, public rd, utility or RR: _____

Longitude: _____ Distance to nearest lease line: _____ Is location in a High Density Area (rule 603b)? Yes/No: _____

Ground Elevation: _____ Distance to nearest well same formation: _____ Surface owner consultation date: _____

GPS DATA:

Date of Measurement: _____ PDOP Reading: _____ Instrument Operator's Name: _____

☐ CHANGE SPACING UNIT

| | | | | |
|-----------|----------------|----------------------|--------------|--------------------|
| Formation | Formation Code | Spacing order number | Unit Acreage | Unit configuration |
| | | | | |

☐ Remove from surface bond
Signed surface use agreement attached

☐ CHANGE OF OPERATOR (prior to drilling):

Effective Date: _____

Plugging Bond: ☐ Blanket ☐ Individual

☐ CHANGE WELL NAME NUMBER

From: _____

To: _____

Effective Date: _____

☐ ABANDONED LOCATION:

Was location ever built? ☐ Yes ☐ No

Is site ready for inspection? ☐ Yes ☐ No

Date Ready for inspection: _____

☐ NOTICE OF CONTINUED SHUT IN STATUS

Date well shut in or temporarily abandoned: _____

Has Production Equipment been removed from site? ☐ Yes ☐ No

MIT required if shut in longer than two years. Date of last MIT: _____

☐ SPUD DATE: _____

☐ REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)

☐ SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK

| Method used | Cementing tool setting/perf depth | Cement volume | Cement top | Cement bottom | Date |
|-------------|-----------------------------------|---------------|------------|---------------|------|
| | | | | | |

*submit cbl and cement job summaries

☐ RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.

Final reclamation will commence on approximately: _____

☐ Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

☐ Notice of Intent

Approximate Start Date: _____

☐ Report of Work Done

Date Work Completed: _____

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

| | | |
|---|---|--|
| <input type="checkbox"/> Intent to Recomplete (submit form 2) | <input type="checkbox"/> Request to Vent or Flare | <input type="checkbox"/> E&P Waste Disposal |
| <input type="checkbox"/> Change Drilling Plans | <input type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Changed? | <input type="checkbox"/> Rule 502 variance requested | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases |
| <input type="checkbox"/> Casing/Cementing Program Change | <input checked="" type="checkbox"/> Other: Background | |

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 1/11/2011 Email: Karolina.Blaney@Williams.com

Print Name: Karolina Blaney Title: Environmental Specialist

OGCC Approved: For Chris Canfield Date: 01/12/2011

CONDITIONS OF APPROVAL, IF ANY:

EPS NW Region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: _____ API Number: _____

2. Name of Operator: _____ OGCC Facility ID # _____

3. Well/Facility Name: _____ Well/Facility Number: _____

4. Location (QtrQtr, Sec, Twp, Rng, Meridian): _____

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5.

DESCRIBE PROPOSED OR COMPLETED OPERATIONS

Report of Analysis

| | |
|--|--------------------------------|
| Client Sample ID: KP 43-8 | Date Sampled: 10/19/10 |
| Lab Sample ID: T62145-2 | Date Received: 10/21/10 |
| Matrix: SO - Soil | Percent Solids: 68.5 |
| Project: KP Field+ Federal 7-94+ RMV 4-16 | |

Metals Analysis

| Analyte | Result | RL | MDL | Units | DF | Prep | Analized By | Method | Prep Method |
|----------------------|---------|-------|--------|-------|----|----------|--------------|--------------------------|--------------------------|
| Arsenic ^a | 3.7 | 0.50 | 0.11 | mg/kg | 5 | 10/30/10 | 11/01/10 ANJ | SW846 6020A ⁴ | SW846 3050B ⁷ |
| Barium ^b | 8720 | 82 | 0.25 | mg/kg | 5 | 10/27/10 | 10/30/10 NS | SW846 6010B ³ | SW846 3050B ⁶ |
| Cadmium | 0.082 U | 0.41 | 0.082 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |
| Chromium | 18.7 | 0.82 | 0.057 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |
| Copper | 41.4 | 2.1 | 0.11 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |
| Lead | 12.6 | 0.82 | 0.33 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |
| Mercury | 0.049 | 0.022 | 0.0089 | mg/kg | 1 | 10/25/10 | 10/25/10 CN | SW846 7471A ¹ | SW846 7471A ⁵ |
| Nickel | 12.8 | 3.3 | 0.11 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |
| Selenium | 0.62 J | 0.82 | 0.20 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |
| Silver | 0.34 J | 0.82 | 0.066 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |
| Zinc | 55.6 | 1.6 | 0.33 | mg/kg | 1 | 10/27/10 | 10/28/10 NS | SW846 6010B ² | SW846 3050B ⁶ |

- (1) Instrument QC Batch: MA5198
 (2) Instrument QC Batch: MA5209
 (3) Instrument QC Batch: MA5216
 (4) Instrument QC Batch: N:MA25280
 (5) Prep QC Batch: MP13164
 (6) Prep QC Batch: MP13181
 (7) Prep QC Batch: N:MP55412

- (a) Analysis performed at Accutest Laboratories, Dayton, NJ.
 (b) Elevated reporting limit due to sample over calibration range.

RL = Reporting Limit
 MDL = Method Detection Limit

U = Indicates a result < MDL
 J = Indicates a result > = MDL but < RL

Report of Analysis

| | | | |
|--------------------------|---------------------|------------------------|----------|
| Client Sample ID: | KP 43-8-B-1 | Date Sampled: | 12/17/10 |
| Lab Sample ID: | T65624-1 | Date Received: | 12/18/10 |
| Matrix: | SO - Soil | Percent Solids: | 82.4 |
| Project: | KP 43-8 Backgrounds | | |

Metals Analysis

| Analyte | Result | RL | MDL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|------|-------|----|----------|-------------|--------------------------|--------------------------|
| Arsenic | 7.1 | 0.72 | 0.14 | mg/kg | 1 | 12/22/10 | 12/30/10 NS | SW846 6010B ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA5358
(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit
U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

| | | | |
|--------------------------|---------------------|------------------------|----------|
| Client Sample ID: | KP 43-8-B-2 | Date Sampled: | 12/17/10 |
| Lab Sample ID: | T65624-2 | Date Received: | 12/18/10 |
| Matrix: | SO - Soil | Percent Solids: | 80.3 |
| Project: | KP 43-8 Backgrounds | | |

Metals Analysis

| Analyte | Result | RL | MDL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|------|-------|----|----------|-------------|--------------------------|--------------------------|
| Arsenic | 6.2 | 0.68 | 0.14 | mg/kg | 1 | 12/22/10 | 12/30/10 NS | SW846 6010B ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA5358
(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

| | | | |
|--------------------------|---------------------|------------------------|----------|
| Client Sample ID: | KP 43-8-B-3 | Date Sampled: | 12/17/10 |
| Lab Sample ID: | T65624-3 | Date Received: | 12/18/10 |
| Matrix: | SO - Soil | Percent Solids: | 81.4 |
| Project: | KP 43-8 Backgrounds | | |

Metals Analysis

| Analyte | Result | RL | MDL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|------|-------|----|----------|-------------|--------------------------|--------------------------|
| Arsenic | 6.1 | 0.72 | 0.14 | mg/kg | 1 | 12/22/10 | 12/30/10 NS | SW846 6010B ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA5358
(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

| | | | |
|--------------------------|---------------------|------------------------|----------|
| Client Sample ID: | KP 43-8-B-4 | Date Sampled: | 12/17/10 |
| Lab Sample ID: | T65624-4 | Date Received: | 12/18/10 |
| Matrix: | SO - Soil | Percent Solids: | 82.9 |
| Project: | KP 43-8 Backgrounds | | |

Metals Analysis

| Analyte | Result | RL | MDL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|------|-------|----|----------|-------------|--------------------------|--------------------------|
| Arsenic | 5.6 | 0.73 | 0.15 | mg/kg | 1 | 12/22/10 | 12/30/10 NS | SW846 6010B ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA5358
(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit
U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

| | | | |
|--------------------------|---------------------|------------------------|----------|
| Client Sample ID: | KP 43-8-B-5 | Date Sampled: | 12/17/10 |
| Lab Sample ID: | T65624-5 | Date Received: | 12/18/10 |
| Matrix: | SO - Soil | Percent Solids: | 79.1 |
| Project: | KP 43-8 Backgrounds | | |

Metals Analysis

| Analyte | Result | RL | MDL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|------|-------|----|----------|-------------|--------------------------|--------------------------|
| Arsenic | 6.2 | 0.73 | 0.15 | mg/kg | 1 | 12/22/10 | 12/30/10 NS | SW846 6010B ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA5358
(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL



Legend

- Sample Location
- Existing Road
- Existing Pad
Limit of Disturbance

KP 43-8
Arsenic Background Sample Location Map
T6S R91W, Section 8

January 11, 2011

