


UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

FIGURE #1

SCALE: 1" = 60'
DATE: 11-29-10
DRAWN BY: M.D.



Elev. Ungraded Ground At Loc. Stake = **4958.8'**
FINISHED GRADE ELEV. AT LOC. STAKE = **4958.6'**





UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

1" = 40'
X-Section
Scale
1" = 100'

DATE: 11-29-10
DRAWN BY: M.D.

EOG RESOURCES, INC.
CONSTRUCTION LAYOUT CROSS SECTION FOR
JACKSON DRAW #18-27H
SECTION 27, T9N, R61W, 6TH P.M.
650' FNL 501' FWL

FIGURE #2



NOTE:

Topsoil should not be Stripped Below Finished Grade on Substructure Area.

APPROXIMATE ACREAGES
WELL SITE DISTURBANCE = ± 4.094 ACRES
ACCESS ROAD DISTURBANCE = ± 0.251 ACRES
TOTAL = ± 4.345 ACRES

* NOTE:
FILL QUANTITY INCLUDES 5% FOR COMPACTION

APPROXIMATE YARDAGES

(6") Topsoil Stripping = 2,650 Cu. Yds.
Remaining Location = 2,020 Cu. Yds.
TOTAL CUT = 4,670 CU.YDS.
FILL = 1,670 CU.YDS.

EXCESS MATERIAL = 3,000 Cu. Yds.
Topsoil & Pit Backfill = 3,000 Cu. Yds.
(1/2 Pit Vol.)
EXCESS UNBALANCE = 0 Cu. Yds.
(After Interim Rehabilitation)


UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

EOG RESOURCES, INC.

TYPICAL RIG LAYOUT FOR

JACKSON DRAW #18-27H
SECTION 27, T9N, R61W, 6TH P.M.
650' FNL 501' FWL

FIGURE #3



SCALE: 1" = 60'
DATE: 11-29-10
DRAWN BY: M.D.

