
BRAEMAR
GAMMA RAY (GR)
ENERGY SCALE (ES)
WIRELINE SERVICES
Company: PETLAND TX & GAS CORP
Well: BRADY 1-H
Field: NOT TENDERED
County: LOVING State: TX
Location: API#: 42-301-
Sec: Blk: Survey:
Permanent Datum: GL Elevation: 2,847 ft
Log Measured From: KB 25 ft Above Permanent Datum
Drilling Measured From: KB
Run Number: ONE
Date: 04/17/2026
Depth Driller: 10,412 ft
Depth Logger: 10,408 ft
Bottom Logged Interval: 10,406 ft
Top Logged Interval: 2,600 ft
Casing Driller: 9.625 in @ 2,600 ft
Casing Logger: 9.625 in @ 2,598 ft
Bit Size: 8.500 in
Type Fluid in Hole: WBM
Density / Viscosity: 9.8 ppg / 48 s/qt
pH / Fluid Loss: 9.2 / 6.4 cc
Source of Sample: FLOWLINE
Rm @ Meas. Temp: 0.412 @ 78 °F
Rmf @ Meas. Temp: 0.331 @ 78 °F
Rmc @ Meas. Temp: 0.618 @ 78 °F
Source of Rmf / Rmc: MEASURED / MEASURED
Rm @ BHT: 0.241 @ 168 °F
Time Since Circulation: 4 hr 30 min
Max Recorded Temp: 168 °F
Equipment / Base: UNIT 7 / MIDLAND
Recorded By: J. HARGROVE
Witnessed By: R. CALDWELL
GAMMA RAY (GR) 0 API 150
ENERGY SCALE (ES) 0 MeV 3
CALIPER (CAL) 6 in 16
DEPTH 1:240
DEPTH 1:1200
GR
ES
CAL
DEPTH






7250
Flag Joint
7300
7350
7400
7450
7500
7550
7600
7650
Flag Joint
7700
7750
7800
7850
7900
7950
8000
8050
8100
Flag Joint
8150
9 Collar Locator -1
0 Gamma Ray (GAPI) 300
0 Amplified Amplitude (mV) 30
0 Amplitude (mV) 65
200 VDL 1200