

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)894-2100 Fax: (303)894-2109



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

1. OGCC Operator Number: <u>96850</u>	4. Contact Name <u>Karolina Blaney</u>	Complete the Attachment Checklist OP OGCC
2. Name of Operator: <u>Williams Production RMT</u>	Phone: <u>970 684 2295</u>	
3. Address: <u>1058 County Road 215</u> City: <u>Parachute</u> State: <u>CO</u> Zip: <u>81635</u>	Fax: <u>970 285 9573</u>	
5. API Number <u>05-045-07686</u>	OGCC Facility ID Number <u>335472</u>	Survey Plat
6. Well/Facility Name:	7. Well/Facility Number <u>GM 214-33</u>	Directional Survey
8. Location (Ctr/Cir, Sec, Twp, Rng, Meridian): <u>NWNW-33-65-96W-6 M</u>		Surface Expend Diagram
9. County:	10. Field Name:	Technical Info Page <input checked="" type="checkbox"/>
11. Federal, Indian or State Lease Number:		Other <input checked="" type="checkbox"/>

General Notice

CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit) FUL/FSL FEL/FYL

Change of Surface Footage from Exterior Section Lines:

Change of Surface Footage to Exterior Section Lines:

Change of Bottomhole Footage from Exterior Section Lines:

Change of Bottomhole Footage to Exterior Section Lines: attach directional survey

Bottomhole location Ctr/Cir, Sec, Twp, Rng, Mer

Latitude _____ Distance to nearest property line _____ Distance to nearest bldg, public rd, utility or RR _____

Longitude _____ Distance to nearest lease line _____ Is location in a High Density Area (rule 603b)? Yes/No

Ground Elevation _____ Distance to nearest well same formation _____ Surface owner consultation date: _____

GPS DATA:
Date of Measurement _____ PDOP Reading _____ Instrument Operator's Name _____

CHANGE SPACING UNIT
Formation _____ Formation Code _____ Spacing order number _____ Unit Acreage _____ Unit configuration _____

Remove from surface bond
Signed surface use agreement attached

CHANGE OF OPERATOR (prior to drilling):
Effective Date: _____
Plugging Bond: Blanket Individual

CHANGE WELL NAME NUMBER
From: _____
To: _____
Effective Date: _____

ABANDONED LOCATION:
Was location ever built? Yes No
Is site ready for inspection? Yes No
Date Ready for inspection: _____

NOTICE OF CONTINUED SHUT IN STATUS
Date well shut in or temporarily abandoned: _____
Has Production Equipment been removed from site? Yes No
MIT required if shut in longer than two years. Date of last MIT _____

SPUD DATE: _____ REQUEST FOR CONFIDENTIAL STATUS (5 mos from date casing set)

SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK *submit cbl and cement job summaries

Method used	Cementing tool setting/parf depth	Cement volume	Cement top	Cement bottom	Date

RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.
Final reclamation will commence on approximately _____ Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

Notice of Intent
Approximate Start Date: _____

Report of Work Done
Date Work Completed: _____

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: <u>Background</u>	

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 2/18/2011 Email: Karolina.Blaney@Williams.com
Print Name: Karolina Blaney Title: Environmental Specialist

OGCC Approved: [Signature] Title: For Chris Canfield Date: 03/15/2011

CONDITIONS OF APPROVAL, IF ANY:

EPS NW Region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: _____	API Number: _____
2. Name of Operator: _____	OGCC Facility ID # _____
3. Well/Facility Name: _____	Well/Facility Number: _____
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): _____	

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. **DESCRIBE PROPOSED OR COMPLETED OPERATIONS**

Report of Analysis

Client Sample ID: GM 214-33	Date Sampled: 11/17/10
Lab Sample ID: T63907-1	Date Received: 11/18/10
Matrix: SO - Soil	Percent Solids: 70.7
Project: GM 214-33	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic ^a	4.6	0.48	0.11	mg/kg	5	11/23/10	12/04/10 ANJ	SW846 6020A ⁴	SW846 3050B ⁷
Barium ^b	6940	72	0.22	mg/kg	5	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Cadmium	0.072 U	0.36	0.072	mg/kg	1	11/23/10	11/29/10 NS	SW846 6010B ³	SW846 3050B ⁵
Chromium	12.7	0.72	0.051	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Copper	32.4	1.8	0.094	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Lead	23.8	0.72	0.29	mg/kg	1	11/23/10	11/29/10 NS	SW846 6010B ³	SW846 3050B ⁵
Mercury	0.038	0.023	0.0091	mg/kg	1	11/23/10	11/23/10 CN	SW846 7471A ¹	SW846 7471A ⁶
Nickel	12.0	2.9	0.094	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Selenium	0.17 U	0.72	0.17	mg/kg	1	11/23/10	11/29/10 NS	SW846 6010B ³	SW846 3050B ⁵
Silver	0.29 J	0.72	0.058	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵
Zinc	61.4	1.4	0.29	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ²	SW846 3050B ⁵

- (1) Instrument QC Batch: MA5274
- (2) Instrument QC Batch: MA5278
- (3) Instrument QC Batch: MA5281
- (4) Instrument QC Batch: N:MA25471
- (5) Prep QC Batch: MP13393
- (6) Prep QC Batch: MP13396
- (7) Prep QC Batch: N:MP55810

- (a) Analysis performed at Accutest Laboratories, Dayton, NJ.
- (b) Elevated reporting limit due to over calibration range.

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: GM 214-33-B-1	Date Sampled: 11/17/10
Lab Sample ID: T63907-2	Date Received: 11/18/10
Matrix: SO - Soil	Percent Solids: 82.1
Project: GM 214-33	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	7.2	0.65	0.13	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278

(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: GM 214-33-B-2	Date Sampled: 11/17/10
Lab Sample ID: T63907-3	Date Received: 11/18/10
Matrix: SO - Soil	Percent Solids: 81.6
Project: GM 214-33	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.7	0.63	0.13	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278

(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: GM 214-33-B-3	Date Sampled: 11/17/10
Lab Sample ID: T63907-4	Date Received: 11/18/10
Matrix: SO - Soil	Percent Solids: 84.9
Project: GM 214-33	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.4	0.61	0.12	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278

(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: GM 214-33-B-4	Date Sampled: 11/17/10
Lab Sample ID: T63907-5	Date Received: 11/18/10
Matrix: SO - Soil	Percent Solids: 78.8
Project: GM 214-33	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	8.7	0.64	0.13	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278

(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: GM 214-33-B-5	Date Sampled: 11/17/10
Lab Sample ID: T63907-6	Date Received: 11/18/10
Matrix: SO - Soil	Percent Solids: 81.1
Project: GM 214-33	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	13.7	0.64	0.13	mg/kg	1	11/23/10	11/27/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5278

(2) Prep QC Batch: MP13393

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL



Legend

- Background Sample Location
- Existing Road
- Existing Pad Limit of Disturbance

GM 214-33
Arsenic Background Sample Location Map
T6S R96W, Section 33



November 18, 2010