

FORM 2 Rev 12/05	State of Colorado Oil and Gas Conservation Commission 1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109		DE ET OE ES	
APPLICATION FOR PERMIT TO:			Document Number: 400125131 Plugging Bond Surety 20030058	
1. <input checked="" type="checkbox"/> Drill, <input type="checkbox"/> Deepen, <input type="checkbox"/> Re-enter, <input type="checkbox"/> Recomplete and Operate				
2. TYPE OF WELL OIL <input checked="" type="checkbox"/> GAS <input type="checkbox"/> COALBED <input type="checkbox"/> OTHER _____ SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/> COMMINGLE ZONE <input type="checkbox"/>			Refiling <input type="checkbox"/> Sidetrack <input type="checkbox"/>	
3. Name of Operator: <u>EOG RESOURCES INC</u>		4. COGCC Operator Number: <u>27742</u>		
5. Address: <u>600 17TH ST STE 1100N</u> City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>				
6. Contact Name: <u>Kaylene Gardner</u> Phone: <u>(435)781-9111</u> Fax: <u>(435)789-7633</u> Email: <u>Kaylene_Gardner@eogresources.com</u>				
7. Well Name: <u>Tree Creek</u>		Well Number: <u>10-22H</u>		
8. Unit Name (if appl): _____		Unit Number: _____		
9. Proposed Total Measured Depth: <u>12296</u>				
WELL LOCATION INFORMATION				
10. QtrQtr: <u>NWNE</u> Sec: <u>22</u> Twp: <u>10N</u> Rng: <u>65W</u> Meridian: <u>6</u> Latitude: <u>40.824836</u> Longitude: <u>-104.648269</u>				
Footage at Surface: <u>501</u> feet <u>FNL</u> <u>2640</u> feet <u>FEL</u> <small style="margin-left: 100px;">FNL/FSL</small> <small style="margin-left: 100px;">FEL/FWL</small>				
11. Field Name: <u>Wildcat</u>		Field Number: <u>99999</u>		
12. Ground Elevation: <u>5424</u>		13. County: <u>WELD</u>		
14. GPS Data: Date of Measurement: <u>10/06/2010</u> PDOP Reading: <u>1.1</u> Instrument Operator's Name: <u>Robert Kay</u>				
15. If well is <input type="checkbox"/> Directional <input checked="" type="checkbox"/> Horizontal (highly deviated) submit deviated drilling plan. Footage at Top of Prod Zone: <u>926</u> <u>FNL</u> <u>2432</u> <u>FEL</u> Bottom Hole: <u>600</u> <u>FSL</u> <u>600</u> <u>FEL</u> <small style="margin-left: 100px;">FNL/FSL</small> <small style="margin-left: 100px;">FEL/FWL</small> <small style="margin-left: 100px;">FNL/FSL</small> <small style="margin-left: 100px;">FEL/FWL</small> Sec: <u>22</u> Twp: <u>10N</u> Rng: <u>65W</u> Sec: <u>22</u> Twp: <u>10N</u> Rng: <u>65W</u>				
16. Is location in a high density area? (Rule 603b)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
17. Distance to the nearest building, public road, above ground utility or railroad: <u>1068 ft</u>				
18. Distance to nearest property line: <u>501 ft</u> 19. Distance to nearest well permitted/completed in the same formation: <u>3435 ft</u>				
20. LEASE, SPACING AND POOLING INFORMATION				
Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
Niobrara	NBRR	535-7	640	ALL

IMPORTANT: SOME DATA FIELDS HAVE BEEN MODIFIED.

21. Mineral Ownership: Fee State Federal Indian Lease #: _____

22. Surface Ownership: Fee State Federal Indian

23. Is the Surface Owner also the Mineral Owner? Yes No Surface Surety ID#: _____

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? Yes No

23b. If 23 is No Surface Owners Agreement Attached or \$25,000 Blanket Surface Bon \$2,000 Surface Bond \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):
Please see attached lease description.

25. Distance to Nearest Mineral Lease Line: 225 ft 26. Total Acres in Lease: 1080

DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? Yes No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? Yes No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? Yes No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? Yes No

31. Mud disposal: Offsite Onsite **If 28, 29, or 30 are "Yes" a pit permit may be required.**

Method: Land Farming Land Spreading Disposal Facility Other: Backfill and cover

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	20	16	42	0	60	50	60	0
SURF	13+1/2	9+5/8	36	0	1,475	770	1,475	0
1ST	8+3/4	7	23	0	8,080	855	8,080	0
1ST LINER	6	4+1/2	11.6	7330	12,296	305	12,296	7,330

32. BOP Equipment Type: Annular Preventer Double Ram Rotating Head None

33. Comments Spacing application has been filed.

34. Location ID: _____

35. Is this application in a Comprehensive Drilling Plan ? Yes No

36. Is this application part of submitted Oil and Gas Location Assessment ? Yes No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kaylene Gardner

Title: Sr. Regulatory Admin. Date: 1/24/2011 Email: Kaylene_Gardner@eogresourc

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 4/17/2011

API NUMBER 05 123 33337 00	Permit Number: _____	Expiration Date: <u>4/16/2013</u>
--------------------------------------	----------------------	-----------------------------------

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Provide 24 hour notice of MIRU to Ed Binkley at 970-506-9834 or e-mail at ed.binkley@state.co.us
- 2) Comply with Rule 317.i and h. Provide cement coverage from TD to a minimum of 200' above Niobrara. Verify coverage with cement bond log.
- 3) Comply with Rule 321. Run and submit Directional Survey from TD to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

Attachment Check List

Att Doc Num	Name
2111096	SURFACE CASING CHECK
400125131	FORM 2 SUBMITTED
400125172	PLAT
400125174	DRILLING PLAN
400125175	DEVIATED DRILLING PLAN
400125176	TOPO MAP
400125935	LEGAL/LEASE DESCRIPTION

Total Attach: 7 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Lateral possibly draining Fed. minerals. Producing interval 225 feet from Fed minerals. A communitization agreement will be necessary.	1/24/2011 9:41:42 AM
Permit	On hold waiting on the outcome of a spacing application.	1/24/2011 9:41:04 AM

Total: 2 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)