
Gamma Ray (GR)
Caliper (CALI)
Bit Size (BS)
Deep Resistivity (RT)
Medium Resistivity (RM)
Shallow Resistivity (RS)
Neutron Porosity (NPHI)
Density Porosity (DPHI)
Bulk Density (RHOB)
Photoelectric Factor (PEF)
Delta Rho (DRHO)
Compressional Slowness (DTC)
Shear Slowness (DTS)
Mud Weight (MW)
Viscosity (VISC)
Mud Resistivity (RMUD)
Mud Filtrate Resistivity (RMF)
Mud Cake Resistivity (RMC)
Mud Temperature (TMUD)
Mud Filtrate Temperature (TMF)
Mud Cake Temperature (TMC)
Max Recorded Temperature (MRT)
Time Since Circulation (TSC)
Time Since Logging (TSL



Operator's Report

Contractor: Weatherford International Ltd.
Rig Name: Rig 7 Job Number: 8CT-0003

Well Name: Rig 7 S-135 Well Bore: S-135

Report Created: 2/5/2013 at 12:00

Survey / Plan: Survey #1

Survey Program

MD From (ft)	MD To (ft)	EOU Freq	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
0.00	1,000.00	1 STD	12.250	9.625	MWD	Survey #1
1,000.00	1,000.00	1 STD	12.250	9.625	MWD	Survey #1

Project: Alaska, Zone 4, Kuparuk
Map System: US State Plane 1983
Geo Datum: GRS 1980
Sys Datum: Mean Sea Level

Site: S Pad
Site Position: Northing: 5,959,444.43 ft Latitude: 70° 19' 55.429 N
From: Map Easting: 549,652.07 ft Longitude: 149° 29' 58.271 W
Position Uncertainty: 0.00 ft Slot Radius: 0.000 in
Ground Level: 0.00 ft North Reference: True
Grid Convergence: 0.00 °

Well: S-135 Slot Name:
Well Position: +N/-S 0.00 ft Northing: 5,959,444.43 ft Latitude: 70° 19' 55.429 N
+E/-W 0.00 ft Easting: 549,652.07 ft Longitude: 149° 29' 58.271 W
Position Uncertainty: 0.00 ft

Wellbore: S-135
Magnetic Model: BGGM2012 Declination: 17.61 °
Dip Angle: 80.93 ° Field Strength: 57,600 nT

Survey: Survey #1 Survey Program: Def Survey
Survey Date: 2/5/2013 Tool Precision: MWD
Survey Type: Def Survey Tie-on Depth: 0.00 ft
Vertical Section: Depth From (TVD): 0.00 ft Azimuth: 0.00 °

Survey

MD (ft)	Inc (°)	Azi (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	DLS (°/100ft)	Vertical Section (ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00

Survey Error Model: ISCWSA Rev 0 (3-D 95.000% Confidence, 2.7955 sigma)
Survey Error Model Active: Yes
Survey Program: Def Survey

Survey	From (ft)	To (ft)	Tool Name	Description
Survey #1	0.00	1,000.00	MWD	MWD

Survey Notes:

Survey Calculation Method: Minimum Curvature
Vertical Section Azimuth: 0.00 °
Vertical Section Origin: 0.00 ft, 0.00 ft
TVD Reference Datum: Rig
TVD Reference Elevation: 0.00 ft above MSL
Seabed / Ground Elevation: 0.00 ft above MSL
Magnetic Declination: 17.61 °
Total Gravity Field Strength: 1,001.9 mGal
Total Magnetic Field Strength: 57,600 nT
Magnetic Dip Angle: 80.93 °
Declination Date: 2/5/2013
Magnetic Declination Model: BGGM2012
North Reference: True
Grid Convergence Angle: 0.00 °
Total Corr Mag North->True: 17.61 °
Local Coordinates Referenced To: Well Head

Comments

MD (ft)	TVD (ft)	Comment
0.00	0.00	Survey #1
1,000.00	1,000.00	Survey #1

Plan Sections

MD (ft)	Inc (°)	Azi (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	DLS (°/100ft)	Build (°/100ft)	Turn (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00	

Plan Targets

Name	MD (ft)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ftUS)	Easting (ftUS)	Latitude	Longitude
Heel	0.00	0.00	0.00	0.00	5,959,444.43	549,652.07	70° 19' 55.429 N	149° 29' 58.271 W
Toe	0.00	0.00	0.00	0.00	5,959,444.43	549,652.07	70° 19' 55.429 N	149° 29' 58.271 W

Plan Anticollision Parameters

Interval (ft)	Maximum Center-Center Distance (ft)	Clearance Factor	Ellipse Separation (ft)	Scan Method
100.00	1,000.00	1.000	1.000	Ellipse

Offset Design

Offset Wellbore Centers									
Reference	Offset	Ctr-Ctr No-Go (ft)	Allowable Deviation (ft)	Reference MD (ft)	Offset MD (ft)	Ctr-Ctr Distance (ft)	Clearance Factor	Separation Factor	Warning
S-135	S-135	0.00	0.00	0.00	0.00	0.00			
S-135	S-135	0.00	0.00	1,000.00	1,000.00	0.00		

3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000