

BUTTERBALL D19-20D  
(BATTERY)

S 19, T 3N, R 6W

SW 1/4 NW 1/4

Weld County, CO

## Map Unit Description

Weld County, Colorado, Southern Part

### 69 Valent sand, 0 to 3 percent slopes

#### Setting

Elevation: 4650 to 5100 feet  
Mean annual precipitation: 13 to 19 inches  
Mean annual air temperature: 48 to 52 degrees F  
Frost-free period: 130 to 180 days

#### Composition

Valent and similar soils: 90 percent  
Minor components: 10 percent

#### Description of Valent

##### Setting

Landform: Plains  
Down-slope shape: Linear  
Across-slope shape: Linear  
Parent material: Eolian deposits

##### Properties and Qualities

Slope: 0 to 3 percent  
Drainage class: Excessively drained  
Capacity of the most limiting layer to transmit water (Ksat): High or very high (5.95 to 19.98 in/hr)  
Frequency of flooding: None  
Frequency of ponding: None  
Calcium carbonate maximum: 0 percent  
Gypsum maximum: 0 percent  
Available water capacity: Very low (about 2.6 inches)

##### Interpretive Groups

Land capability classification (irrigated): 4e  
Land capability (non irrigated): 6e  
Ecological site: Deep Sand (R067BY015CO)

##### Typical Profile

0 to 8 inches: fine sand  
8 to 60 inches: sand

#### Minor Components

##### Osgood

Percent of map unit: 10 percent

BUTTERBALL D19-200  
(BATTERY)  
S 19. T 3N. R 64W  
SW/4 NW/4  
Weld County, CO

## Map Unit Description

Weld County, Colorado, Southern Part

### 72 Vona loamy sand, 0 to 3 percent slopes

#### Setting

Elevation: 4600 to 5200 feet  
Mean annual precipitation: 13 to 15 inches  
Mean annual air temperature: 48 to 55 degrees F  
Frost-free period: 130 to 160 days

#### Composition

Vona and similar soils: 85 percent  
Minor components: 15 percent

#### Description of Vona

##### Setting

Landform: Terraces, plains  
Down-slope shape: Linear  
Across-slope shape: Linear  
Parent material: Alluvium and/or eolian deposits

##### Properties and Qualities

Slope: 0 to 3 percent  
Drainage class: Well drained  
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 6.00 in/hr)  
Frequency of flooding: None  
Frequency of ponding: None  
Calcium carbonate maximum: 15 percent  
Gypsum maximum: 0 percent  
Available water capacity: Moderate (about 6.5 inches)

##### Interpretive Groups

Land capability classification (irrigated): 3e  
Land capability (non irrigated): 4e  
Ecological site: Sandy Plains (R067BY024CO)

##### Typical Profile

0 to 6 inches: loamy sand  
6 to 28 inches: fine sandy loam  
28 to 60 inches: sandy loam

#### Minor Components

##### Remmit

Percent of map unit: 10 percent

##### Valent

Percent of map unit: 5 percent