

S 1/4 Cor. Sec. 36,
1912 Brass Cap, 1.5'
High, Conduit
Lat: 39.564417
Long: 108.117936

Sec. 36 T6S, R96W, 6th P.M.

SE Cor Sec. 36,
1982 Private Brass
Cap, 0.6' High, Sign
Lat: 39.564417
Long: 108.108631

Encana OIL & GAS (USA) INC.

Well location, N. PARACHUTE MF11A-3 004 696 (SURFACE LOCATION), located as shown in Lot 9 of Section 4, T6S, R96W, 6th P.M., Garfield County, Colorado.

1912 Brass Cap
2.0' High
Lat: 39.563044
Long: 108.096700


BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHWEST CORNER OF SECTION 30, T5S, R95W, 6th P.M. TAKEN FROM THE FORKED GULCH QUADRANGLE, COLORADO, GARFIELD COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5966 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

Sheet 1rr of 11



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED AND LOCATION AS SHOWN WAS STAKED ON THE GROUND FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

- Revised: 06-27-11 D.R.B.
- Revised: 03-19-09 D.R.B.
- Revised: 02-04-09 D.R.B.
- Revised: 09-17-08 D.R.B.
- Revised: 05-14-08 D.R.B.

REGISTERED LAND SURVEYOR
REGISTRATION NO. 172492
STATE OF COLORADO

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

1" = 1000'	DATE SURVEYED: 02-11-08	DATE DRAWN: 03-24-08
PARTY S.V. B.D. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE Encana OIL & GAS (USA) INC.	

N00°01'46"W - 3622.72' (Meas.)

N05°02'23"E - 2836.37' (Meas.)

5964.42' (G.L.O.)

C.C. 1912 Brass Cap, 1.5' High, Sign
Lat: 39.564417
Long: 108.120500

P.C. 1912 Brass Cap, 1.0' High, Conduit, Pile of Stones, Sign
Lat: 39.564419
Long: 108.110489

C.C. 1912 Brass Cap, 0.2' High, Pile of Stones
Lat: 39.563064
Long: 108.108631

NOTE:
THE PROPOSED BOTTOM HOLE IS LOCATED IN LOT 5 OF SECTION 3, T6S, R96W, 6th P.M. AT A DISTANCE OF 2691' FNL 633' FWL. IT BEARS N50°14'49"E 2803.37' FROM THE PROPOSED WELL HEAD.

LINE TABLE		
LINE	BEARING	LENGTH
L1	N89°55'56"W	722.76'
L2	N89°59'23"W	524.22'
L3	N00°02'45"E	493.26'
L5	N89°56'20"W	319.44'

NAD 83 (SURFACE LOCATION)	
LATITUDE	= 39°33'02.68" (39.550744)
LONGITUDE	= 108°06'27.91" (108.107753)
NAD 27 (SURFACE LOCATION)	
LATITUDE	= 39°33'02.76" (39.550767)
LONGITUDE	= 108°06'25.63" (108.107119)

N. PARACHUTE MF11A-3 004 696
Elev. Ungraded Ground = 6016.9'
Elev. Graded Ground = 6010.9'

1912 Brass Cap 0.4' High, E-W Fenceline, Pile of Stones
Lat: 39.546719
Long: 108.121375

W.C. 1912 Brass Cap 1.5' High
Lat: 39.546711
Long: 108.110881

1912 Brass Cap 1.5' High
Lat: 39.546703
Long: 108.102369

NOTE:
SEE ADDENDUM PLAT FOR EXISTING IMPROVEMENT WITHIN 400' OF THE PROPOSED WELL HEAD.

NOTE:
THE PROPOSED WELL HEAD BEARS N45°52'55"W 2115.01' FROM THE SOUTHEAST CORNER OF SECTION 4, T6S, R96W, 6th P.M.

PDOP = 2.8

