



**SUPERIOR
Hays,
Kansas**

**COMPENSATED
DENSITY / NEUTRON
PE LOG**

Company MULL DRILLING CO., INC.
Well WF-MICHEL "A" 1-30
Field
County KIOWA
State KANSAS

Company MULL DRILLING COMPANY, INC.
Well WF-MICHEL "A" 1-30
Field
County KIOWA State KANSAS

Location: SEC 30 TWP 18S RGE 45W
Permanent Datum GROUND LEVEL Elevation 3965
Log Measured From KELLY BUSHING 11' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
DIL
Elevation
K.B. 3976
D.F.
G.L. 3965

Date	7-18-11
Run Number	ONE
Depth Driller	4998
Depth Logger	4972
Bottom Logged Interval	3400
Top Log Interval	00
Casing Driller	332
Casing Logger	343
Bit Size	7.875
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.15 @ 59
pH / Fluid Loss	10.5 / @ 8.4
Source of Sample	FLOWLINE
Rm @ Meas. Temp	0.65 @ 90F
Rmf @ Meas. Temp	0.49 @ 90F
Rmc @ Meas. Temp	0.78 @ 90F
Source of Rmf / Rmc	MEASURED
Rm @ BHT	.470 @ 124F
Time Circulation Stopped	3 HOURS
Time Logger on Bottom	1:30 P.M.
Maximum Recorded Temperature	124F
Equipment Number	860
Location	HAYS, KS.
Recorded By	RUPP
Witnessed By	PHIL ASKEY

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: BRANDON COLO., 4W, 2N, E INTO.





**SUPERIOR
Hays,
Kansas**


MAIN SECTION


Database File: 007332pdm.db
 Dataset Pathname: pass3.A
 Presentation Format: ldt_neu
 Dataset Creation: Mon Jul 18 12:26:54 2011 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)		-10
6	CALIPER (in)	16	10 (ft3)	0	COMPENSATED NEUTRON (pu)		-10
0	MINMK	20	TBHV	0	PE	10	-0.25 CORRECTION (g/cc) 0.25
			0 (ft3)	10			



















SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 007332pdn.db
 Dataset Pathname: pass2.A
 Presentation Format: ldt_neu
 Dataset Creation: Mon Jul 18 11:08:20 2011 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	0	PE	10
			0 (ft3)	10	CORRECTION (g/cc)	0.25





Calibration Report

Database File: 007332pdn.db
 Dataset Pathname: pass3.A
 Dataset Creation: Mon Jul 18 12:26:54 2011 by Calc Open-Cased 090629

Dual Induction Calibration Report

Serial-Model: DIL5-GEAR
 Performed: Mon Jul 18 11:17:11 2011

Loop:	Readings			References			Results	
	Air	Loop		Air	Loop		m	b
Deep	0.004	0.654	V	0.000	400.000	mmho/m	540.000	-15.000
Medium	-0.005	0.737	V	0.000	462.500	mmho/m	560.000	-6.000
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.006	0.655	V	0.000	400.000	mmho/m	615.668	-3.483
Medium	0.010	0.747	V	0.000	462.500	mmho/m	627.607	-6.064

Litho Density Calibration Report
 Serial: 002 Model: PRB
 Performed Tue Jul 03 11:12:28 2007

Litho Density Calibration

	Background	Magnesium	Aluminum	Sandstone	
Window 1	1059.5	9172.0	2859.6	10210.6	cps
Window 2	976.0	7793.2	2486.1	8515.6	cps
Window 3	689.8	2930.5	1159.0	3096.2	cps
Window 4	231.9	237.2	231.1	234.0	cps
Long Space	0.0	6817.1	1510.1	7539.6	cps
Short Space	1.6	1758.1	1188.6	1898.8	cps
Rho		1.7100	2.5960	1.3800	g/cc
Pe			2.5700	1.5500	
Rib Angle	: 45.4	Rib Slope	: 1.015	Density/Spine Ratio	: 0.569
Spine Angle	: 75.4	Spine Slope	: 3.850	Spine Intercept	: -19.9

Caliper		Readings	Reference	
Low Ref		3.8	9.3	
High Ref		5.9	14.0	
	Gain: 2.2			Offset: 0.9

Compensated Neutron Calibration Report

Serial Number: NUE_2I
 Tool Model: G

CALIBRATION

Detector	Readings	Target	Normalization
Short Space	1.00 cps	1.00 cps	1.0000
Long Space	1.00 cps	1.00 cps	1.0000

Gamma Ray Calibration Report

Serial Number: GR5
 Tool Model: OPEN
 Performed: Mon Jul 18 12:02:04 2011

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 0.6500 GAPI/cps