



JW WIRELINE COMPANY

# CEMENT BOND LOG

## GR CCL VDL

Company: ROSETTA RESOURCES OPERATING, LP  
Well: CANTRALL 35-11  
Field: WILDGAT

County: YUMA State: COLORADO

Location: 2166 FS & 2327 FWL  
AP # : 05-125-11245-00  
PERF

SEC 35 TWP 1S RGE 44W  
Permament Datum: GL Elevation: 3847  
Log Measured From: KB  
Drilling Measured From: KB  
Elevation: K.B. 3859, D.F. 3858, G.L. 3847

Date: JULY 31, 2008  
Run Number: 1  
Depth: 2140  
Bottom: 2140  
Bottom Logged Interval: 2143  
Top Log Interval: 2000  
Open Hole Size: 6.25  
Type Fluid: WATER  
Meters/Minute: ---  
Estimate Cement Top: 1060

Time Well Ready: ROA  
Time Logger on Bottom: ---  
Equipment Number: 480  
Recorder: VJ/A  
Witnessed By: BRADY/DI/A  
JOHN/ABO/T

Run Number: ---  
From: --- To: ---  
Size: ---  
Weight: ---  
Tubing Record: ---  
From: --- To: ---

Casing Record: ---  
Production String: ---  
Liner: ---

Company	ROSETTA RESOURCES OPERATING, LP
Well	CANTRALL 35-11
Field	WILDGAT
County	YUMA
State	COLORADO
Location	2166 FS & 2327 FWL
AP #	05-125-11245-00
PERF	
SEC	35 TWP 1S RGE 44W
Permament Datum	GL Elevation: 3847
Log Measured From	KB
Drilling Measured From	KB
Elevation	K.B. 3859, D.F. 3858, G.L. 3847
Date	JULY 31, 2008
Run Number	1
Depth	2140
Bottom	2140
Bottom Logged Interval	2143
Top Log Interval	2000
Open Hole Size	6.25
Type Fluid	WATER
Meters/Minute	---
Estimate Cement Top	1060
Time Well Ready	ROA
Time Logger on Bottom	---
Equipment Number	480
Recorder	VJ/A
Witnessed By	BRADY/DI/A JOHN/ABO/T
Run Number	---
From	---
To	---
Size	---
Weight	---
Tubing Record	---
From	---
To	---
Casing Record	---
Production String	---
Liner	---

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR CHOOSING JW WIRELINE  
DEPTH REFERENCE TO DUAL INDUCTION DATED JULY 21, 2008  
PERF INTERVAL 2172-2182 AT 4 SPF

Database File: cantrail 35-11.db  
Dataset Pathname: pass2  
Presentation Format: cblx  
Dataset Creation: Thu Jul 31 07:07:04 2008 by Log Std Casedhole 07122  
Charted by: Depth in Feet scaled 1.240

0 Gamma Ray (GAPI) 150  
9 CCL -1

0 Amplitude (mV) 100 200 Variable Density 1200  
0 Amplified Amplitude (mV) 30



0 Gamma Ray (GAPI) 150  
9 CCL -1

0 Amplitude (mV) 100 200 Variable Density 1200  
0 Amplified Amplitude (mV) 30