

FORM  
2

Rev  
12/05

## State of Colorado

### Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400192088

PluggingBond SuretyID

20000063

#### APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

#### 2. TYPE OF WELL

OIL ☒ GAS ☐ COALBED ☐ OTHER \_\_\_\_\_  
SINGLE ZONE ☐ MULTIPLE ☒ COMMINGLE ☐

Refiling ☐

Sidetrack ☐

3. Name of Operator: MULL DRILLING COMPANY INC

4. COGCC Operator Number: 61250

5. Address: 1700 N WATERFRONT PKWY B#1200

City: WICHITA State: KS Zip: 67206-6637

6. Contact Name: MARK SHREVE Phone: (316)264-6366 Fax: (316)264-6440

Email: MSHREVE@MULLDRILLING.COM

7. Well Name: STATE-SCHEIMER Well Number: 1-16

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 5600

#### WELL LOCATION INFORMATION

10. QtrQtr: SWNE Sec: 16 Twp: 16S Rng: 46W Meridian: 6

Latitude: 38.667250 Longitude: -102.574880

Footage at Surface: 1457 feet FNL 2494 feet FEL

11. Field Name: WILDCAT Field Number: 99999

12. Ground Elevation: 4190 13. County: CHEYENNE

#### 14. GPS Data:

Date of Measurement: 08/03/2011 PDOP Reading: 2.8 Instrument Operator's Name: KEITH WESTFALL

15. If well is ☐ Directional ☐ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL

Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_ Sec: \_\_\_\_\_ Twp: \_\_\_\_\_ Rng: \_\_\_\_\_

16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No

17. Distance to the nearest building, public road, above ground utility or railroad: 7814 ft

18. Distance to nearest property line: 1457 ft 19. Distance to nearest well permitted/completed in the same formation: 5280 ft

#### 20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
MARMATON	MRTN			
MISSISSIPPIAN	MSSP			
SHAWNEE	SHWNE			

21. Mineral Ownership: ☐ Fee ☒ State ☐ Federal ☐ Indian Lease #: 8572.5

22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

23. Is the Surface Owner also the Mineral Owner? ☐ Yes ☒ No Surface Surety ID#: 20010165

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☐ Yes ☐ No

23b. If 23 is No: ☐ Surface Owners Agreement Attached or ☒ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):

ALL OF 16-T16S-R46W.

25. Distance to Nearest Mineral Lease Line: 1457 ft

26. Total Acres in Lease: 640

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☐ Yes ☒ No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? ☐ Yes ☐ No

31. Mud disposal: ☐ Offsite ☒ Onsite

If 28, 29, or 30 are "Yes" a pit permit may be required.

Method: ☐ Land Farming ☐ Land Spreading ☐ Disposal Facility Other: DRY AND BURY

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	8+5/8	24	0	500	400	400	0
1ST	7+7/8	5+1/2	15.5	0	5,600	250	5,600	3,700
			Stage Tool	0	2,750	450	2,750	0

32. BOP Equipment Type: ☒ Annular Preventer ☐ Double Ram ☐ Rotating Head ☐ None

33. Comments NO CONDUCTOR CASING WILL BE SET, INTERMEDIATE CASING WILL ONLY BE RUN IF NECESSARY DUE TO LOST CIRCULATION.

34. Location ID: \_\_\_\_\_

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☒ No

36. Is this application part of submitted Oil and Gas Location Assessment ? ☒ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: MARK SHREVE

Title: PRESIDENT/COO Date: 8/4/2011 Email: MSHREVE@MULLDRILLING.

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Nesline

Director of COGCC Date: 9/11/2011

#### API NUMBER

05 017 07707 00

Permit Number: \_\_\_\_\_ Expiration Date: 9/10/2013

#### CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Provide 24 hour notice of MIRU to Craig Quint at 719-767-8939 or e-mail at craig.quint@state.co.us.
- 2) If production casing is set provide cement coverage to at least 200' above the shallowest completed interval and 50' below to 50' above Cheyenne/Dakota interval (1800'-1200' minimum). Operator proposed stage cement from 2750' to surface also meets this requirement. Verify with CBL.
- 3) If well is a dry hole set the following plugs: 40 sks cement +/- 50' above the MRTN, 40 sks cement across any DST w/ show, 40 sks cement 50' below base of Cheyenne (1800' up), 40 sks cement 50' above top of Dakota (1200' up), 50 sks cement from 50' below surface casing shoe up into surface casing, 15 sks cement in top of surface csg, cut 4 ft below GL, weld on plate, 5 sks cement each in rat hole and mouse hole.

### **Attachment Check List**

Att Doc Num	Name
400192088	FORM 2 SUBMITTED
400192487	WELL LOCATION PLAT
400192488	TOPO MAP
400192529	30 DAY NOTICE LETTER

Total Attach: 4 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Email sent to Tim Kelly, State Land Board requesting bonding confirmation. Response "We are ok with this location and their bond is in good order. Please press forward with the APD process." 9/8/2011. NKP	9/8/2011 9:13:34 AM

Total: 1 comment(s)

## BMP

<u>Type</u>	<u>Comment</u>
Material Handling and Spill Prevention	DURING DRILLING/COMPLETION OPERATIONS, STORAGE AREAS GRADED TOWARDS PIT. DURING PRODUCTION OPERATIONS, IMPLEMENTATION OF SPILL PREVENTION, CONTROL AND COUNTERMEASURE PLAN & DAILY INSPECTION. ALL STOCK AND PRODUCED WATER TANKS HAVE SECONDARY CONTAINMENT.
Wildlife	DEVELOPMENT AND IMPLEMENTATION OF A WILDLIFE MANAGEMENT PLAN IF PROTECTED SPECIES ARE PRESENT.
Drilling/Completion Operations	IMPLEMENT STORM WATER POLLUTION PREVENTION PLAN, INCLUDING ROUTINE INSPECTIONS AND EVALUATION OF EFFECTIVENESS. LOCATION TANK BATTERIES AT SAFE DISTANCE FROM PUBLIC ROADWAYS AND RAILHEAD. FULL CONTAINMENT FOR STOCK TANKS AND SEPARATORS. INSTALLATION OF PIPELINES IN COMMON TRENCHES WHEN PRACTICAL. INSTALLATION OF PIPELINES AT RIGHT ANGLES TO WATER BODIES (DRAINAGES, WETLANDS, PERENNEIAL WATER BODIES) WHERE PRACTICAL.
Planning	CONDUCT INITIAL SITE ASSESSMENT: IDENTIFICATION OF NEARBY WATER BODIES. IDENTIFICATION OF VEGETATION TYPES. IDENTIFICATION OF PROTECTED WILDLIFE SPECIES. IDENTIFICATION OF POTENTIAL ACCESS ROUTES TO MINIMIZE DISTURBANCES. IDENTIFICATION OF NEARBY IMPROVEMENTS.
Storm Water/Erosion Control	DURING DRILLING/COMPLETION OPERATIONS, IMPLEMENTATION OF STORM WATER POLLUTION PREVENTION PLAN. FOLLOWING DRILLING/COMPLETION OPERATIONS, PROMPT RECLAMATION OF DISTURBED AREAS. DURING PRODUCTION OPERATIONS, IMPLEMENTATION OF MDC'S POST CONSTRUCTION STORM WATER MANAGEMENT PROGRAM.
Pre-Construction	PREPARATION OF A STORM WATER POLLUTION PREVENTION PLAN. ACQUISITION OF A STORM WATER DISCHARGE PERMIT. FINALIZE ACCESS ROUTES. FINALIZE WELL PAD LOCATION TO MINIMIZE SURFACE GRADE IMPACTS. FINALIZE WELL PAD LAYOUT TO MINIMIZE DISTURBANCES. DEVELOP WILDLIFE MANAGEMENT PLAN IF PROTECTED SPECIES ARE PRESENT.
Construction	ACCESS ROAD, WELL PAD AND PIT DISTURBANCES MINIMIZED. SOILS SEGREGATED BY TYPE TO FACILITATE RECLAMATION. STORM WATER CONTROLS DEPLOYED AND ROUTINELY INSPECTED.
Interim Reclamation	DEBRIS AND WASTE MATERIAL REMOVED. AREAS NOT IN USE RECLAIMED PROMPTLY, PITS CLOSED USING SEGREGATED MATERIAL, WELL PAD AND OTHER COMPACTED SURFACES RIPPED. NOXIOUS WELLS CONTROLLED.
Final Reclamation	ALL EQUIPMENT AND DEBRIS REMOVED. ALL REMAINING DISTURBED AREAS, INCLUDING ACCESS ROADS, RECLAIMED. NOXIOUS WEED CONTROL PLAN DEVELOPED IF APPROPRIATE.
General Housekeeping	DRILLING AND PRODUCTION OPERATIONS CONDUCTED IN SAFE, WORKMANLIKE MANNER. SAFETY EXPECTATIONS INCLUDE GOOD HOUSEKEEPING. DURING DRILLING/COMPLETION OPERATIONS, DEBRIS STORED IN CAGED CONTAINER WHICH IS REMOVED FROM THE SITE. DURING PRODUCTION OPERATIONS, THE LEASE IS INSPECTED DAILY BY MDC PERSONNEL.

Total: 10 comment(s)