

FORM  
5A

Rev  
02/08

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400211558

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10373 4. Contact Name: CLAYTON DOKE  
 2. Name of Operator: HIGH SIERRA WATER SERVICES LLC Phone: (970) 669-7411  
 3. Address: 3773 CHERRY CREEK NORTH DR Fax: (970) 669-4077  
 City: DENVER State: CO Zip: 80209

5. API Number 05-123-32858-00 6. County: WELD  
 7. Well Name: SWD Well Number: C8A  
 8. Location: QtrQtr: NESE Section: 29 Township: 11N Range: 62W Meridian: 6  
 9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: Admire Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: AMAZON Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: ATOKA Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: COUNCIL GROVE Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: DES MOINES Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: LYONS Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: MISSOURI Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: VIRGIL Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

FORMATION: WOLFCAMP Status: INJECTING

Treatment Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ No. Holes: \_\_\_\_\_ Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbls oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbls H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ BTU Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

\_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

Bridge Plug Depth: \_\_\_\_\_ Sacks cement on top: \_\_\_\_\_

Comment:

Entire exposed interval: 9,044'-9,200' & 9,330'-10,557', Acid'zd w/ 2500 gal 15% HCl containing 25 gal Mavhib-3, 2 gal S-1 & 38 lbs 1C-100.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: CLAYTON DOKE

Title: PETROLEUM ENGINEER Date: 10/5/2011 Email: cdoke@petersonenergy.com

### Attachment Check List

Att Doc Num	Name
400211558	FORM 5A SUBMITTED
400211593	WELLBORE DIAGRAM

Total Attach: 2 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)