


REFERENCE INFORMATION												
Co-ordinate (N/E) Reference: Well Slater 44-28, True North												
Vertical (TVD) Reference: WELL @ 4974.0ft (Original Well Elev)												
Section (VS) Reference: Slot - (0.0N, 0.0E)												
Measured Depth Reference: WELL @ 4974.0ft (Original Well Elev)												
Calculation Method:												
WELL DETAILS: Slater 44-28												
+N/-S		+E/-W		Northing		Ground Level: 4961.0		Easting		Latitude	Longitude	Slot
SECTION DETAILS												
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target		
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0			
2	750.0	0.00	0.00	750.0	0.0	0.0	0.00	0.00	0.0			
3	1527.8	15.56	125.15	1518.3	-60.4	85.8	2.00	125.15	104.9			
4	6147.5	15.56	125.15	5968.7	-773.8	1098.7	0.00	0.00	1343.8			
5	6925.3	0.00	0.00	6737.0	-834.2	1184.5	2.00	180.00	1448.8			
6	7975.3	0.00	0.00	7787.0	-834.2	1184.5	0.00	0.00	1448.8	Slater 44-28		



FORMATION TOP DETAILS		
TVDPath	MDPath	Formation
3971.0	4073.8	Sussex
4492.0	4614.6	Shannon
6946.0	7134.3	Niobrara
7192.0	7380.3	Codell
7637.0	7825.3	J Sand
7682.0	7870.3	A Marker

CASING DETAILS			
TVD	MD	Name	Size
700.0	700.0	Surface	8.625
7787.0	7975.3	Production	4.500

# EnCana Corporation

## Planning Report - Geographic

<b>Database:</b>	EDM	<b>Local Co-ordinate Reference:</b>	Well Slater 44-28
<b>Company:</b>	DJ/Paradox/WTX	<b>TVD Reference:</b>	WELL @ 4974.0ft (Original Well Elev)
<b>Project:</b>	Wattenberg	<b>MD Reference:</b>	WELL @ 4974.0ft (Original Well Elev)
<b>Site:</b>	New Drills	<b>North Reference:</b>	True
<b>Well:</b>	Slater 44-28	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Slater 44-28		

<b>Project</b>	Wattenberg,		
<b>Map System:</b>	US State Plane 1983	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	North American Datum 1983		
<b>Map Zone:</b>	Colorado Northern Zone		

Site		New Drills				
Site Position:		Northing:	1,278,589.08ft	Latitude:	40° 5' 49.848 N	
From:	Lat/Long	Easting:	3,130,247.44ft	Longitude:	105° 2' 3.912 W	
Position Uncertainty:		ft	Slot Radius:	in	Grid Convergence:	0.30 °

Well	Slater 44-28					
Well Position	+N-S	34,991.4 ft	Northing:	1,313,626.75 ft	Latitude:	40° 11' 35.664 N
	+E-W	8,389.9 ft	Easting:	3,138,441.59 ft	Longitude:	105° 0' 15.948 W
Position Uncertainty		ft	Wellhead Elevation:	ft	Ground Level:	4,961.0 ft

<b>Wellbore</b>	Wellbore #1				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	IGRF200510	12/31/2009	9.13	66.90	53,168

<b>Design</b>	Slater 44-28				
<b>Audit Notes:</b>					
<b>Version:</b>	<b>Phase:</b>	PROTOTYPE		<b>Tie On Depth:</b>	0.0
<b>Vertical Section:</b>	<b>Depth From (TVD) (ft)</b>	<b>+N/-S (ft)</b>	<b>+E/-W (ft)</b>	<b>Direction (°)</b>	
	0.0	0.0	0.0	125.15	

<b>Plan Sections</b>										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
750.0	0.00	0.00	750.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,527.8	15.56	125.15	1,518.3	-60.4	85.8	2.00	2.00	0.00	125.15	
6,147.5	15.56	125.15	5,968.7	-773.8	1,098.7	0.00	0.00	0.00	0.00	
6,925.3	0.00	0.00	6,737.0	-834.2	1,184.5	2.00	-2.00	0.00	180.00	
7,975.3	0.00	0.00	7,787.0	-834.2	1,184.5	0.00	0.00	0.00	0.00	Slater 44-28

# EnCana Corporation

## Planning Report - Geographic

<b>Database:</b>	EDM	<b>Local Co-ordinate Reference:</b>	Well Slater 44-28
<b>Company:</b>	DJ/Paradox/WTX	<b>TVD Reference:</b>	WELL @ 4974.0ft (Original Well Elev)
<b>Project:</b>	Wattenberg	<b>MD Reference:</b>	WELL @ 4974.0ft (Original Well Elev)
<b>Site:</b>	New Drills	<b>North Reference:</b>	True
<b>Well:</b>	Slater 44-28	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Slater 44-28		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (ft)	Map Easting (ft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	1,313,626.75	3,138,441.59	40° 11' 35.664 N	105° 0' 15.948 W
700.0	0.00	0.00	700.0	0.0	0.0	1,313,626.75	3,138,441.59	40° 11' 35.664 N	105° 0' 15.948 W
<b>Surface</b>									
750.0	0.00	0.00	750.0	0.0	0.0	1,313,626.75	3,138,441.59	40° 11' 35.664 N	105° 0' 15.948 W
1,527.8	15.56	125.15	1,518.3	-60.4	85.8	1,313,566.81	3,138,527.73	40° 11' 35.067 N	105° 0' 14.842 W
4,073.8	15.56	125.15	3,971.0	-453.6	644.0	1,313,176.81	3,139,088.16	40° 11' 31.182 N	105° 0' 7.649 W
<b>Sussex</b>									
4,614.6	15.56	125.15	4,492.0	-537.1	762.6	1,313,093.96	3,139,207.21	40° 11' 30.356 N	105° 0' 6.121 W
<b>Shannon</b>									
6,147.5	15.56	125.15	5,968.7	-773.8	1,098.7	1,312,859.15	3,139,544.63	40° 11' 28.017 N	105° 0' 1.790 W
6,925.3	0.00	0.00	6,737.0	-834.2	1,184.5	1,312,799.21	3,139,630.76	40° 11' 27.420 N	105° 0' 0.684 W
7,134.3	0.00	0.00	6,946.0	-834.2	1,184.5	1,312,799.21	3,139,630.76	40° 11' 27.420 N	105° 0' 0.684 W
<b>Niobrara</b>									
7,380.3	0.00	0.00	7,192.0	-834.2	1,184.5	1,312,799.21	3,139,630.76	40° 11' 27.420 N	105° 0' 0.684 W
<b>Codell</b>									
7,825.3	0.00	0.00	7,637.0	-834.2	1,184.5	1,312,799.21	3,139,630.76	40° 11' 27.420 N	105° 0' 0.684 W
<b>J Sand</b>									
7,870.3	0.00	0.00	7,682.0	-834.2	1,184.5	1,312,799.21	3,139,630.76	40° 11' 27.420 N	105° 0' 0.684 W
<b>A Marker</b>									
7,975.3	0.00	0.00	7,787.0	-834.2	1,184.5	1,312,799.21	3,139,630.76	40° 11' 27.420 N	105° 0' 0.684 W
<b>Production - Slater 44-28</b>									

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
- hit/miss target									
- Shape									
Slater 44-28	0.00	0.00	7,787.0	-834.2	1,184.5	1,312,799.21	3,139,630.76	40° 11' 27.420 N	105° 0' 0.684 W
- plan hits target									
- Point									

Casing Points					
Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (in)	Hole Diameter (in)	
700.0	700.0	Surface	8.625	12.250	
7,975.3	7,787.0	Production	4.500	7.785	

Formations						
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)	
4,073.8	3,971.0	Sussex		0.00		
4,614.6	4,492.0	Shannon		0.00		
7,134.3	6,946.0	Niobrara		0.00		
7,380.3	7,192.0	Codell		0.00		
7,825.3	7,637.0	J Sand		0.00		
7,870.3	7,682.0	A Marker		0.00		