



Method used	String	Cementing tool setting/pref depth	Cement volume	Cement top	Cement bottom
1 INCH	SURF	3,031	480	0	3,031

Details of work:

Remedial cementing

TIH circulate to 7297'. Set RBP @ 7055, pressure test casing to 2000 psi, test good. TIH with 1 1/4" annular cement string, tag original cmt @ 3031'. Set EOT @ 3026, pump 310 sks 12.0# Varicem, pulled EOT to 1094', pumped 170 sks 13.0# Varicem, circulate 10 bbl to surface.

Run CBL from 3250 to surface

21. Formation log intervals and test zones:

### FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analyses must be submitted to COGCC)
	Top	Bottom	DST	Cored	
			<input type="checkbox"/>	<input type="checkbox"/>	

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Jeff Glossa  
 Title: Sr Engineering Tech Date: \_\_\_\_\_ Email: jglossa@petd.com

The subreport 'subreport3' could not be found at the specified location W:\Inetpub\Net\Reports\AttachListNew.rdlc. Please

#### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)