

NOTE: LOW RES DEPTH ZONE (FOR SHOW DESCRIPTION) OPEN HOLE LOG NOTE #1
SHOT: 1 RUN: 1 DATE: 2/1/2008 TIME: 0:00
MIN: 6,000.0 FT
MAX: 6,500.0 FT
DIA: 6.0 IN-8

MAIN PASS

Company: ANADARKO PETROLEUM CORPORATION
Well: ANADARKO 1-36 HZ
Field: WILDCAT
County: GRAND
State: UTAH
Location: 1,980' FSL & 1,980' FWL
Section: 36
Township: 20S
Range: 24E
Permanent Datum: GROUND LEVEL
Elevation: 4,500 FT
Log Measured From: KELLY BUSHING
Drilling Measured From: KELLY BUSHING
API Number: 43-019-31-0-0000
Run Number: 1
Date: 2/1/2008
Depth Driller: 6,500 FT
Depth Logger: 6,500 FT
Bottom Logged Interval: 6,500 FT
Top Logged Interval: 6,000 FT
Casing Driller: 13.375 IN @ 1,000 FT
Casing Logger: 13.375 IN @ 1,000 FT
Bit Size: 6.0 IN-8
Type Fluid in Hole: WATER BASED MUD
Density: 9.2 LB/GAL
Viscosity: 38 S
Fluid Loss: 8.0 C3
Source of Sample: FLOWLINE
Rm @ Measured Temp: 0.18 @ 70 DEGF
Rmf @ Measured Temp: 0.14 @ 70 DEGF
Rmc @ Measured Temp: 0.24 @ 70 DEGF
Source of Rmf/Rmc: CALCULATED
Rm @ BHT: 0.09 @ 180 DEGF
Time Since Circulation: 12 HRS
Max Recorded Temp: 180 DEGF
Equipment Number: 3
Location: GRAND VALLEY
Recorded By: J. SMITH
Witnessed By: B. JOHNSON

Run	Number	Depth Driller	Depth Logger	Bottom Logged Interval	Top Logged Interval	Casing Driller	Casing Logger	Bit Size
1	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8
2	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8
3	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8
4	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8
5	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8
6	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8
7	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8
8	1	6,500 FT	6,500 FT	6,500 FT	6,000 FT	13.375 IN @ 1,000 FT	13.375 IN @ 1,000 FT	6.0 IN-8

Logging Disclaimer

Logging Disclaimer

Logging Disclaimer



REPEAT PASS

FREE PIPE PASS

TEMP PASS



Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			CHD AES (000001) Cable Head	1.04	1.69	2.00
			XTJ-002 (216414) Crossover Ultiwire Toolbus To Ultiwire	1.58	1.69	6.50
CCL	18.97		CCL-026 (1638) CCL Link 3 5/8" SONDEX	1.61	3.13	36.00
			PRC-062 (C-1099) 4MM 2 3/4" ROLLER	2.90	2.75	34.00
WVF3FT	11.22					
WVFS1	11.22					
WVFS2	11.22		RBT-004 (11123) Radial Bond Tool (UW-3 1/8)	9.47	3.13	140.00
WVFS3	11.22					
WVFS4	11.22					
WVFS5	11.22					
WVF96	11.22					
WVFS7	11.22					
WVFS8	11.22					
CBLTEMP	11.22					
CBLROT	11.22					
WVFSFT	10.22					
			PRC-062 (C-1100) 4MM 2 3/4" ROLLER	2.90	2.75	34.00
GR	1.76		PGR-020 (217692) Production Gamma Ray	1.93	1.69	9.50
TEMP	0.37		PRT-016 (216611) Platinum Resistance Thermometer	1.04	1.69	6.00
TSTAMP	0.00					
ITEMPK	0.00		BJL-005 (212965) Bullnose Terminator	0.22	1.69	1.20
HVOLTX	0.00					

Dataset: kaufman_24a_24_692_cst_090911.db: field/well/MAIN/pass1 2
Total Length: 22.70 ft
Total Weight: 269.20 lb
O.D: 3.13 in

ROCKY MOUNTAIN WIRELINE SERVICE

Company	BILL BARRETT CORPORATION
Well	KAUFMAN 24A - 24 - 692
Field	MAMM CREEK
County	GARFIELD
State	COLORADO