

<<< Fold Here >>>

Comments

Wet canyon, seventh left after fire station, go over yellow cattle gaurd, stay dtraight, drive past the lightning location, next right, go thru double green gates, drive past A frame cabin, drive thru double green gates, at Y Stay left, stay on road, dead end on location.




Database File: cedar7711b.db
Dataset Pathname: pass3
Presentation Format: cbldig
Dataset Creation: Thu Jul 07 16:13:36 2011 by Log Open-Cased 110302
Charted by: Depth in Feet scaled 1:240

400	Travel Time (usec)	200
0	GR (GAPI)	200
0	DEVI (°)	10

0	Amplitude (mV)	100
9	Collar Locator	-1



200 Variable Density 1200




50

100

150








200

250

300

350





400



450


500

550

600

Surface Casing







650

700

750

800







850


900

950

1000

1050








1100

1150

1200

1250







1300

1350

1400

1450






1500


1550

1600

1650

1700








1750

1800

1850

1900







1950


2000

2050

2100

2150







2200

2250

2300

2350








2400

2450

2500

2550







2600


2650

2700

2750

2800






2850


2900


2950

3000



Short Joint →





3050

ECP →

3100


3150



3200

3250

AMP3 →

↑
CCL







200 Variable Density 1200




Repeat Pass

Database File: cedar7711b.db
 Dataset Pathname: pass2
 Presentation Format: cbldig
 Dataset Creation: Thu Jul 07 16:07:17 2011 by Log Open-Cased 110302
 Charted by: Depth in Feet scaled 1:240





200 Variable Density 1200




3100

3150

3200





Calibration Report

Database File: cedar7711b.db
 Dataset Pathname: pass2
 Dataset Creation: Thu Jul 07 16:07:17 2011 by Log Open-Cased 110302

Gamma Ray Calibration Report

Serial Number: 080616
 Tool Model: 275D_INC
 Performed: Wed May 04 17:31:09 2011

 Calibrator Value: 200.0 GAPI

 Background Reading: 50.0 cps
 Calibrator Reading: 250.0 cps

 Sensitivity: 1.0000 GAPI/cps

Inclinometer Calibration Report

Performed: Wed May 04 17:39:54 2011

	Low Read.	High Read.	Low Ref.	High Ref.	
X Accelerometer	-3585.20	3595.40	-1.00	1.00	gee
Y Accelerometer	-3619.40	3520.00	-1.00	1.00	gee
Z Accelerometer					

Cement Bond Log Calibration Report

Serial Number: 081024
 Tool Model: PROBEDIGITALCBL
 Performed: Thu Jul 07 15:46:47 2011

 Depth: 79.0748 ft
 Casing Diameter: 5.5 in

