

FORM
6Rev
12/05State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Date Received:

12/08/2011

Document Number:

400230527

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 49100

Contact Name: Natalie Naeve

Name of Operator: KOCH EXPLORATION COMPANY, LLC

Phone: (303) 325-2565

Address: 9777 PYRAMID CT STE 210

Fax:

City: ENGLEWOOD State: CO Zip: 80112

Email: natalie.naeve@kochind.com

For "Intent" 24 hour notice required,

Name: LONGWORTH, MIKE

Tel: (970) 812-7644

COGCC contact:

Email: mike.longworth@state.co.us

API Number 05-103-10235-00

Well Name: ANT HILL UNIT

Well Number: 33-24

Location: QtrQtr: SENE Section: 33 Township: 2N Range: 96W Meridian: 6

County: RIO BLANCO

Federal, Indian or State Lease Number: C-01275

Field Name: WHITE RIVER

Field Number: 92800

☒ Notice of Intent to Abandon☐ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.100733

Longitude: -108.163372

GPS Data:

Date of Measurement: 03/06/2007

PDOP Reading: 2.4

GPS Instrument Operator's Name: Brian Baker

Reason for Abandonment: ☐ Dry ☒ Production for Sub-economic ☐ Mechanical Problems☐ OtherCasing to be pulled: ☐ Yes ☒ No Top of Casing Cement:Fish in Hole: ☐ Yes ☒ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☐ No If yes, explain details below

Details:

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
WILLIAMS FORK - CAMEO	5890	7220			

Total: 1 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	11	8+5/8	24	1,127	450	1,127	0	VISU
1ST	7+7/8	5+1/2	17	7,572	1,000	7,572	1,430	CBL

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 160 sks cmt from 7250 ft. to 5840 ft. Plug Type: CASING Plug Tagged: ☒
Set 40 sks cmt from 5000 ft. to 3000 ft. Plug Type: CASING Plug Tagged: ☒
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 1177 ft. with 30 sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set 40 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☒ Yes ☐ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing Plugging Date: _____

*Wireline Contractor: _____ *Cementing Contractor: _____

Type of Cement and Additives Used: _____

Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☐ No *ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Natalie L. Naeve

Title: Operations Engineer Date: 12/8/2011 Email: natalie.naeve@kochind.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KRABACHER, JAY Date: 12/19/2011

CONDITIONS OF APPROVAL, IF ANY: _____

Expiration Date: 6/18/2012

increased amount of cement sacks @ surface. (opr had "12")

Attachment Check List

Att Doc Num	Name
400230527	FORM 6 INTENT SUBMITTED
400230536	WELLBORE DIAGRAM
400230537	WELLBORE DIAGRAM
400230538	PROPOSED PLUGGING PROCEDURE

Total Attach: 4 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	opr-proposed procedure also has (exact depths to be determined) in-casing balanced plug(s) across bad casing sections -- from as deep as ~ 5000' up to 3000' +/-. COGCC entered 'nominal' depth(s) & cement sack # for this (these) plug(s)	12/19/2011 11:40:23 AM
Permit	form 5 doc #1335630 and 5A doc #1335631 approved.	12/8/2011 2:35:33 PM

Total: 2 comment(s)