

SCALE 1" = 1000'	DATE SURVEYED: 09-30-11	DATE DRAWN: 11-16-11
PARTY J.F. K.P. S.B.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE CHEVRON U.S.A., INC.	

CHEVRON U.S.A., INC.
BOTTOM HOLE DIAGRAM FOR
EMERALD #95X & #96X
SECTION 36, T2N, R103W, 6th P.M.
SW 1/4 NW 1/4

FIGURE #5
DATE: 11-15-11
DRAWN BY: S.B.

Set UELS Alum.
Cap, Steel Post,
Lat: 40.106792
Long: 108.914211

N87°50'39"W - 5284.77' (Meas.)
Section Line

NE Cor. Sec. 36,
2010 UELS Alum. Cap,
0.5' High, Steel Post, Tire
Lat: 40.106794
Long: 108.895322

Rangely & Raven
Pat. Placer
Claims etal

EMERALD #95X
BOTTOM HOLE
(1284' FNL 287' FWL)

S02°11'39"W - 2646.34' (Meas.)

N61°39'19"W
545.02'

NW 1/4

NE 1/4

Rangely & Raven
Pat. Placer
Claims etal

EMERALD #96X
BOTTOM HOLE
(2402' FNL 1652' FWL)

True Position
13.02'
(G.L.O.)

W.C.
Set Marked Stone,
Lat: 40.099494
Long: 108.914214

B.L.M.
(U.S.A.)

36 1/4 Section Line

Section Line

1/16 Section Line

1/4 Section Line

1/16 Section Line

SW 1/4

SE 1/4

