


Operator: Schlumberger
Service Company: Wireline
Job Number: 1
Run Number: 1
Logging Date: 2-Jun-2015
Logging Unit Number: 1
Logging Engineer: Jeff Hall
Max Recorded Temperature: 0 °C
Max Recorded Temperature: 0 °C
Bit Size: 8.5 in
Casing Driller Size: 7 in
Casing Logger Size: 7 in
Drill Fluid Type: Water Based Mud
Drill Fluid Density: 1.1 g/cm3
Drill Fluid Viscosity: 0 cP
Drill Fluid Loss: 0 cm3
Resistivity: 0 ohm.m
Source: Measured
Density: 0 g/cm3
Source: Measured
Neutron Porosity: 0 %
Source: Measured
Matrix: Sandstone
Gamma Ray
Caliper
Bit Size
Deep Resistivity
Medium Resistivity
Shallow Resistivity
Density Porosity
Neutron Porosity
Density Correction
Photoelectric Factor
Bulk Density
Neutron Porosity


Caliper (in)
Gamma Ray (GAPI)
Metric (m.)
Bulk Density (g/cc)
Density Porosity (pu)
Correction (g/cc)
2.68 SS Marks
Database File 12745.db
Well Name Sabre
Presentation Format Sabre
Dataset (blank) Jan 23 16:20:31 2013
Charted by: Depth in Feet scaled 1:240
Pulled Tight
6400 Metric Change
Logged To 9130'