

FORM
6Rev
12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Date Received:

11/23/2011

Document Number:

2286123

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 94701

Contact Name: GARY ANDREWS

Name of Operator: FIDELITY EXPLORATION & PRODUCTION

Phone: (970) 332-0678

Address: 1700 LINCOLN ST STE 2800

Fax: (970) 332-3168

City: DENVER State: CO Zip: 80203

Email: GARY.ANDREWS@BITTERCREKENERGY.COM

For "Intent" 24 hour notice required,

Name: _____

Tel: _____

COGCC contact:

Email: _____

API Number 05-125-06691-00

Well Name: STATE

Well Number: 32-36

Location: QtrQtr: SWNE Section: 36 Township: 4S Range: 44W Meridian: 6

County: YUMA

Federal, Indian or State Lease Number: _____

Field Name: BONNY

Field Number: 7325

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.668674

Longitude: -102.240720

GPS Data:

Date of Measurement: 09/17/2009

PDOP Reading: 2.4

GPS Instrument Operator's Name: Mary Nicklos

Reason for Abandonment: ☐ Dry ☐ Production for Sub-economic ☐ Mechanical Problems☐ Other _____Casing to be pulled: ☐ Yes ☐ No Top of Casing Cement: _____Fish in Hole: ☐ Yes ☐ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☐ No If yes, explain details below

Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
NIOBRARA	1639	1654	03/01/2011	B PLUG CEMENT TOP	1615

Total: 1 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	9+7/8	7	17	320	80	320	0	
1ST	6+1/4	4+1/2	9.5	1,810	100	1,810	1,540	

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 1615 with 2 sacks cmt on top. CIPB #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIPB #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 370 ft. with 80 sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: 0 ft. of _____ inch casing

Plugging Date: 10/19/2011

*Wireline Contractor: PEAK WIRELINE SERVICES, INC.

*Cementing Contractor: BISON OIL WELL CEMENTING INC

Type of Cement and Additives Used: 80 SKS BG-LITE @ 13.8 LB/GAL WATER REG 6.28 GAL/SK YEILD OF 1.33 CUFT/SK

Flowline/Pipeline has been abandoned per Rule 1103 ☒ Yes ☐ No *ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: GARY ANDREWS

Title: FIELD SUPERINTENDENT

Date: 11/21/2011

Email: GARY.ANDREWS@BITTERCREEKENERGY.

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: SUTPHIN, DIRK

Date: 2/3/2012

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

Att Doc Num	Name
2286123	FORM 6 SUBSEQUENT SUBMITTED
2286124	WIRELINER JOB SUMMARY
2286125	CEMENT JOB SUMMARY

Total Attach: 3 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)