



01/30/12

## Technical Report for

**XTO Energy**

**FRU 297-28C**

**1108-08A**

**Accutest Job Number: D31352**

**Sampling Date: 01/25/12**


### Report to:

KRW Consulting, Inc.  
8000 West 14th Avenue  
Lakewood, CO 80214  
cburger@krwconsulting.com; gknell@krwconsulting.com;  
dknudson@krwconsulting.com; jhess@krwconsulting.com;  
ATTN: Dwayne Knudson

**Total number of pages in report: 26**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

  
**Brad Madadian**  
Laboratory Director

**Client Service contact: Renea Jackson 303-425-6021**

Certifications: CO, ID, NE, NM, ND (R-027) (PW) UT (NELAP CO00049)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

**Section 1: Sample Summary ..... 3**

**Section 2: Case Narrative/Conformance Summary ..... 4**

**Section 3: Sample Results ..... 5**

**3.1: D31352-1: RP MIX BLEND DAY 6 ..... 6**

**3.2: D31352-2: RP MIX BLEND DAY 7 ..... 7**

**Section 4: Misc. Forms ..... 8**

**4.1: Chain of Custody ..... 9**

**Section 5: Metals Analysis - QC Data Summaries ..... 11**

**5.1: Prep QC MP6738: Ba ..... 12**

**5.2: Prep QC MP6739: As ..... 22**



Sample Summary

XTO Energy

Job No: D31352

FRU 297-28C

Project No: 1108-08A

Sample Number	Collected		Time By	Received	Matrix		Client Sample ID
	Date				Code	Type	
D31352-1	01/25/12	11:55	CB	01/26/12	SO	Soil	RP MIX BLEND DAY 6
D31352-2	01/25/12	12:00	CB	01/26/12	SO	Soil	RP MIX BLEND DAY 7

Soil samples reported on a dry weight basis unless otherwise indicated on result page.

## CASE NARRATIVE / CONFORMANCE SUMMARY

**Client:** XTO Energy

**Job No** D31352

**Site:** FRU 297-28C

**Report Dat** 1/30/2012 10:39:13 AM

On 01/26/2012, 2 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 3.9 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D31352 was assigned to the project. The lab sample IDs, client sample IDs, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

### Metals By Method SW846 6010C

**Matrix** SO

**Batch ID:** MP6738

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D31355-1MSD, D31355-1SDL, D31355-1MS were used as the QC samples for the metals analysis.
- The matrix spike (MS) recovery(s) of Barium are outside control limits. Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.

### Metals By Method SW846 6020A

**Matrix** SO

**Batch ID:** MP6739

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D31355-1MS, D31355-1MSD, D31355-1SDL were used as the QC samples for the metals analysis.
- The serial dilution RPD(s) for Arsenic are outside control limits for sample MP6739-SD1. Serial dilution indicates possible matrix interference.

### Wet Chemistry By Method SM19 2540B M

**Matrix** SO

**Batch ID:** GN13424

- The data for SM19 2540B M meets quality control requirements.

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

## Sample Results

## Report of Analysis

## Report of Analysis

**Client Sample ID:** RP MIX BLEND DAY 6**Lab Sample ID:** D31352-1**Matrix:** SO - Soil**Project:** FRU 297-28C**Date Sampled:** 01/25/12**Date Received:** 01/26/12**Percent Solids:** 79.3**Metals Analysis**

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.5	0.48	mg/kg	5	01/27/12	01/27/12 GJ	SW846 6020A <sup>2</sup>	SW846 3050B <sup>4</sup>
Barium	5700	6.0	mg/kg	5	01/27/12	01/27/12 JB	SW846 6010C <sup>1</sup>	SW846 3050B <sup>3</sup>

(1) Instrument QC Batch: MA2145

(2) Instrument QC Batch: MA2146

(3) Prep QC Batch: MP6738

(4) Prep QC Batch: MP6739

RL = Reporting Limit

## Report of Analysis

**Client Sample ID:** RP MIX BLEND DAY 7**Lab Sample ID:** D31352-2**Matrix:** SO - Soil**Project:** FRU 297-28C**Date Sampled:** 01/25/12**Date Received:** 01/26/12**Percent Solids:** 76.0**Metals Analysis**

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.1	0.53	mg/kg	5	01/27/12	01/27/12 GJ	SW846 6020A <sup>2</sup>	SW846 3050B <sup>4</sup>
Barium	7010	6.6	mg/kg	5	01/27/12	01/27/12 JB	SW846 6010C <sup>1</sup>	SW846 3050B <sup>3</sup>

(1) Instrument QC Batch: MA2145

(2) Instrument QC Batch: MA2146

(3) Prep QC Batch: MP6738

(4) Prep QC Batch: MP6739

RL = Reporting Limit

## Misc. Forms

---

### Custody Documents and Other Forms

---

Includes the following where applicable:

- Chain of Custody

Accutest Laboratories Mountain States  
4036 Youngfield Street Wheat Ridge, Co 80033  
TEL 303-425-6021 877-737-4521  
FAX 303-425-6021

FED-EX Tracking #  
Accutest Quote #  
Bottle Order Control #  
Accutest Job # **D31352**

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)												Matrix Codes	
Company Name <b>KRW Consulting Inc</b>		Project Name <b>XTO FRU 297-28C</b>		<div style="display: flex; justify-content: space-between;"> <div> <p>Arsonic</p> <p>Burium</p> </div> <div> <p>LAB USE ONLY</p> <p>01</p> <p>02</p> <p><b>DR/26</b></p> </div> </div>												<p>DW - Drinking Water</p> <p>GW - Ground Water</p> <p>WW - Water</p> <p>SW - Surface Water</p> <p>SO - Soil</p> <p>SL - Sludge</p> <p>SED - Sediment</p> <p>OL - Oil</p> <p>LIQ - Other Liquid</p> <p>AIR - Air</p> <p>SOL - Other Solid</p> <p>WP - Wipe</p> <p>FB - Field Blank</p> <p>EB - Equipment Blank</p> <p>RB - Rinse Blank</p> <p>TB - Trip Blank</p>	
Street Address <b>8000 W. 14th Ave Ste 200</b>		Street <b>XTO Energy</b>															
City State Zip <b>Lakewood CO 80214</b>		Billing Information (if different from Report to)															
Project Contact <b>Dwayne Kaufman</b>		Company Name <b>XTO Energy</b>															
Phone # <b>303 239 9011</b>		Street Address <b>21459 CR5</b>															
Fax #		City State Zip <b>Rifle CO 81650</b>															
Sampler(s) Name(s) <b>Conry Burger</b>		Project Manager <b>Joe Hays</b>															
Phone #		Attention: <b>Jessica Pooling</b>															
MEOH/IDI Vial #		PO#															
Field ID / Point of Collection		Collection															
Date Time		Sampled by															
Matrix # of bottles		HCl NaOH HNO3 H2SO4 HClO4 H2O2 DI Water MEOH ENKORE Butyllane															
RP Mix Blend Day 6		1/25/12 11:55 GAB JO 1															
RP Mix Blend Day 7		1/25/12 12:00 GAB JO 1															

Turnaround Time (Business days)		Approved By (Accutest PM): / Date:		Data Deliverable Information		Comments / Special Instructions	
<input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> Std. 5 Business Days (By Contract only) <input type="checkbox"/> 5 Day /# SH <input checked="" type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> Commercial "B" + Narrative <input type="checkbox"/> FULLT1 (Level 3+4)		<input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> PDF		<p>Please email results to KRW Pleance &amp; Team</p>	
Emergency & Rush T/A data available VIA Lablink		Commercial "A" = Results Only Commercial "B" = Results + QC Summary					

Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished by:	Date Time:	Received By:	Date Time:	Relinquished by:	Date Time:	Received By:	Date Time:
1 <i>[Signature]</i>	1/25/12	1 <i>[Signature]</i>	1/25/12	2 <i>[Signature]</i>	1/25/12	2 <i>[Signature]</i>	1/25/12
Relinquished by:	Date Time:	Received By:	Date Time:	Relinquished by:	Date Time:	Received By:	Date Time:
3 <i>[Signature]</i>	1/25/12	3 <i>[Signature]</i>	1/25/12	4 <i>[Signature]</i>	1/25/12	4 <i>[Signature]</i>	1/25/12
Relinquished by:	Date Time:	Received By:	Date Time:	Custody Seal &	Intact	Preserved where applicable	On Ice
5 <i>[Signature]</i>		5 <i>[Signature]</i>		AD CO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3.9

**D31352: Chain of Custody**

**Page 1 of 2**

# Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D31352

Client: KRW CONSULTING INC.

Immediate Client Services Action Required: No

Date / Time Received: 1/26/2012 11:35:00 AM

No. Coolers: 1

Client Service Action Required at Login: No

Project: XTO FRU297-28C

Airbill #'s: HD/CO

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Cooler temp verification:			Infrared gun
3. Cooler media:			Ice (bag)

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	<input type="checkbox"/>		<input type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>		<input type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>
3. Condition of sample:			Intact

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume rec'd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

## Metals Analysis

5

### QC Data Summaries

---

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date: 01/27/12

Metal	RL	IDL	MDL	MB raw	final
Aluminum	10	.59	.59		
Antimony	3.0	.31	.31		
Arsenic	2.5	.59	.59		
Barium	1.0	.11	.11	0.11	<1.0
Beryllium	1.0	.044	.1		
Boron	5.0	.48	.48		
Cadmium	1.0	.027	.27		
Calcium	40	.96	1.1		
Chromium	1.0	.018	.031		
Cobalt	0.50	.035	.035		
Copper	1.0	.085	.16		
Iron	7.0	.34	2		
Lead	5.0	.16	.21		
Lithium	0.20	.028	.031		
Magnesium	20	.58	1.4		
Manganese	0.50	.0053	.012		
Molybdenum	1.0	.045	.054		
Nickel	3.0	.043	.099		
Phosphorus	10	1.1	1.2		
Potassium	200	5.5	9.2		
Selenium	5.0	.38	.5		
Silicon	5.0	.38	.51		
Silver	3.0	.018	.051		
Sodium	40	11	11		
Strontium	5.0		.017		
Thallium	1.0	.29	.34		
Tin	5.0	.55	1.3		
Titanium	1.0	.011	.1		
Uranium	5.0	.15	.2		
Vanadium	1.0	.016	.025		
Zinc	3.0	.028	.06		

Associated samples MP6738: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

(anr) Analyte not requested

5.1.1

5

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date: 01/27/12

Metal	D31355-1 Original MS		SpikeLot MPICPALL % Rec		QC Limits
Aluminum					
Antimony					
Arsenic					
Barium	1180	1240	220	27.3 (a)	75-125
Beryllium					
Boron					
Cadmium	anr				
Calcium					
Chromium	anr				
Cobalt					
Copper	anr				
Iron					
Lead	anr				
Lithium					
Magnesium					
Manganese					
Molybdenum					
Nickel	anr				
Phosphorus					
Potassium					
Selenium	anr				
Silicon					
Silver	anr				
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc	anr				

Associated samples MP6738: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

- (N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested  
(a) Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date: 01/27/12

Metal	D31355-1 Original	MSD	Spikelot MPICPAL	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic						
Barium	1180	1280	222	45.0 (a)	3.2	20
Beryllium						
Boron						
Cadmium	anr					
Calcium						
Chromium	anr					
Cobalt						
Copper	anr					
Iron						
Lead	anr					
Lithium						
Magnesium						
Manganese						
Molybdenum						
Nickel	anr					
Phosphorus						
Potassium						
Selenium	anr					
Silicon						
Silver	anr					
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc	anr					

Associated samples MP6738: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

- (N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested  
(a) Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.

## SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date: 01/27/12

Metal	BSP Result	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium	198	200	99.0	80-120
Beryllium				
Boron				
Cadmium	anr			
Calcium				
Chromium	anr			
Cobalt				
Copper	anr			
Iron				
Lead	anr			
Lithium				
Magnesium				
Manganese				
Molybdenum				
Nickel	anr			
Phosphorus				
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc	anr			

Associated samples MP6738: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: mg/kg

Prep Date:

Metal

(anr) Analyte not requested

5.1.3

5

# SERIAL DILUTION RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: ug/l

Prep Date: 01/27/12

Metal	D31355-1 Original	SDL 1:5	%DIF	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium	11700	11300	8.8	0-10
Beryllium				
Boron				
Cadmium	anr			
Calcium				
Chromium	anr			
Cobalt				
Copper	anr			
Iron				
Lead	anr			
Lithium				
Magnesium				
Manganese				
Molybdenum				
Nickel	anr			
Phosphorus				
Potassium				
Selenium	anr			
Silicon				
Silver	anr			
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc	anr			

Associated samples MP6738: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits

SERIAL DILUTION RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6738  
Matrix Type: SOLID

Methods: SW846 6010C  
Units: ug/l

Prep Date:

Metal

(anr) Analyte not requested

5.1.4  
5

BLANK RESULTS SUMMARY  
Part 2 - Method Blanks

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6739  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 01/27/12

Metal	RL	IDL	MDL	MB raw	final
Aluminum	25	.14	1.3		
Antimony	0.20	.001	.012		
Arsenic	0.40	.049	.1	-0.063	<0.40
Barium	1.0	.0035	.025		
Beryllium	0.10	.0075	.055		
Boron	20	.97	.6		
Cadmium	0.050	.023	.034		
Calcium	200	1.8	9.5		
Chromium	1.0	.021	.041		
Cobalt	0.10	.0033	.0085		
Copper	1.0	.011	.055		
Iron	20	.81	18		
Lead	0.25	.0012	.023		
Magnesium	50	.067	.6		
Manganese	0.50	.007	.039		
Molybdenum	0.50	.0044	.025		
Nickel	1.0	.0029	.031		
Phosphorus	30	1.8	3.5		
Potassium	100	2	6		
Selenium	0.20	.075	.19		
Silver	0.050	.0008	.022		
Sodium	250	.8	3		
Strontium	10	.004	.024		
Thallium	0.10	.015	.013		
Tin	5.0	.006	.15		
Titanium	1.0	.035	.12		
Uranium	0.25	.00038	.008		
Vanadium	2.0	.052	.19		
Zinc	5.0	.039	.23		

Associated samples MP6739: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6739  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 01/27/12

Metal	D31355-1 Original MS		SpikeLot MPICPALL % Rec		QC Limits
Aluminum					
Antimony					
Arsenic	4.2	117	110	102.6	75-125
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Magnesium					
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silver					
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP6739: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6739  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 01/27/12

Metal	D31355-1 Original	MSD	Spikelot MPICPAL	% Rec	MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic	4.2	111	111	96.2	5.3	20
Barium						
Beryllium						
Boron						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Magnesium						
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium						
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP6739: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(N) Matrix Spike Rec. outside of QC limits  
(anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6739  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: mg/kg

Prep Date: 01/27/12

Metal	BSP Result	Spikelot MPICPALL	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	105	100	105.0	80-120
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6739: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(anr) Analyte not requested

# SERIAL DILUTION RESULTS SUMMARY

Login Number: D31352  
Account: XTOKRWR - XTO Energy  
Project: FRU 297-28C

QC Batch ID: MP6739  
Matrix Type: SOLID

Methods: SW846 6020A  
Units: ug/l

Prep Date: 01/27/12

Metal	D31355-1 Original SDL 5:25 %DIF			QC Limits
Aluminum				
Antimony				
Arsenic	36.7	41.0	11.1*(a)	0-10
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP6739: D31352-1, D31352-2

Results < IDL are shown as zero for calculation purposes  
(\*) Outside of QC limits  
(anr) Analyte not requested  
(a) Serial dilution indicates possible matrix interference.