PHOENIX SURVEYS, INC.

Cement Bond Log
Gamma Ray-CCL-VDL

Company Bayswater Exploration & Prod. LLC
Well Booth 15-26
Field Wattenberg
County Weld
State Colorado

Company	Bayswater Exploration & Prod. LLC		
Well	Booth 15-26		
Field	Wattenberg		
County	Weld	State	Colorado

Location: API # : 05-123-34532-0000

SHL: 151' FNL & 1848' FEL
BHL: 818' FSL & 2167' FEL

SEC 35 TWP 7N RGE 65W

Permanent Datum	Ground Level	Elevation	4,834'	
Log Measured From	Kelly Bushing			
Drilling Measured From	Kelly Bushing			

Other Services

NONE

Elevation

K.B. 4,848'
D.F. 4,847'
G.L. 4,834'

Date	December 7, 2011		
Run Number	1		
Depth Driller	7,514'		
Depth Logger	7,455'		
Bottom Logged Interval	7,443'		
Top Log Interval	Surface		
Open Hole Size	7.875"		
Type Fluid	Water		
Density / Viscosity	N/A		
Max. Recorded Temp.	N/A		
Estimated Cement Top	N/A		
Time Well Ready	N/A		
Time Logger on Bottom	N/A		
Equipment Number	#54		
Location	Ft Morgan		
Recorded By	Josh Horton		
Witnessed By	Rick Ohlemeier		

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String				
Prot. String				
Production String	4.5"	11.6#	Surface	7,514'
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank You For Using Phoneix Surveys!!
So#202520

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
CHD	21.25		STNDRD Standard Cable Head	1.00	1.69	1.00
CCL	19.23		CCL-titan01 (TITLOG)	1.92	2.75	
CENT	18.33					
			SDSCENT Centralizer	2.88	2.75	20.00
			CBL-Probe (050215) Probe 2.75" Dual Receiver Bond	8.92	2.75	60.00
WVF3	10.73					
WVF5	9.73					
CENT	6.54					
			SDSCENT Centralizer	2.88	2.75	20.00
			GR-probe 2.75 (51013)	3.67	2.75	100.00
GR	1.13					

Dataset:	booth_15-26.db: field/well/run1/pass3
Total Length:	21.25 ft
Total Weight:	201.00 lb
O.D.	2.75 in

Database File:	booth_15-26.db
Dataset Pathname:	pass3
Presentation Format:	cbl_dr
Dataset Creation:	Wed Dec 07 16:32:10 2011 by Log Std Casedhole 10081
Charted by:	Depth in Feet scaled 1:240









[redacted]

[redacted]

[redacted]

[redacted]













[redacted]

[redacted]

[redacted]

[redacted]

[redacted]

[redacted]

[redacted]



































9 CCL -1	0 Amplified Amplitude (mV) 30	200 Variable Density 1200
0 GR (GAPI) 200	0 Amplitude (mV) 100	

Database File: booth_15-26.db
Dataset Pathname: pass2
Presentation Format: cbl_dr
Dataset Creation: Wed Dec 07 15:59:14 2011 by Log Std Casedhole 10081
Charted by: Depth in Feet scaled 1:240

9 CCL -1	0 Amplified Amplitude (mV) 30	200 Variable Density 1200
0 GR (GAPI) 200	0 Amplitude (mV) 100	

























[redacted]

[redacted]


7300
7350
CCL
Amplified Amplitude
7400
Gamma Ray
Amplitude
DEPTH
Variable Density
7450
9
CCL
-1
0
GR (GAPI)
200
0
Amplified Amplitude (mV)
30
0
Amplitude (mV)
100
200
Variable Density
1200