



02121449



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

RECEIVED

MAR 28 2012

COGCC/Rifle Office

Complete the Attachment Checklist

OP OGCC

1. OGCC Operator Number: 96850
2. Name of Operator: WPX Energy Rocky Mountain, LLC
3. Address: 1001 17th Street, Suite 1200
City: Denver State: CO Zip: 80202
4. Contact Name: Matt Barber
Phone: (303) 606-4385
Fax: (303) 629-8268
5. API Number 05-045-20981-00 OGCC Facility ID Number
6. Well/Facility Name: Jolley 7. Well/Facility Number KP 23-8
8. Location (Qtr/Qtr, Sec, Twp, Rng, Meridian): SESW, Sec. 8, T6S, R91W, 6th PM
9. County: Garfield 10. Field Name: Kokopeli
11. Federal, Indian or State Lease Number: COC51146

| | | |
|------------------------|---|--|
| Survey Plat | | |
| Directional Survey | | |
| Surface Eqpm't Diagram | | |
| Technical Info Page | X | |
| Other | | |

General Notice

☐ CHANGE OF LOCATION: Attach New Survey Plat

(a change of surface qtr/qtr is substantive and requires a new permit)

Change of Surface Footage from Exterior Section Lines:

Change of Surface Footage to Exterior Section Lines:

Change of Bottomhole Footage from Exterior Section Lines:

Change of Bottomhole Footage to Exterior Section Lines:

Bottomhole location Qtr/Qtr, Sec, Twp, Rng, Mer

Latitude

Longitude

Ground Elevation

Distance to nearest property line

Distance to nearest lease line

Distance to nearest well same formation

Distance to nearest bldg, public rd, utility or RR

Is location in a High Density Area (rule 603b)?

Yes/No

Surface owner consultation date:

attach directional survey

GPS DATA:

Date of Measurement PDOP Reading Instrument Operator's Name

☐ CHANGE SPACING UNIT

Formation

Formation Code

Spacing order number

Unit Acreage

Unit configuration

☐ Remove from surface bond

Signed surface use agreement attached

☐ CHANGE OF OPERATOR (prior to drilling):

Effective Date:

Plugging Bond: ☐ Blanket ☐ Individual☐ CHANGE WELL NAME

NUMBER

From:

To:

Effective Date:

☐ ABANDONED LOCATION:

Was location ever built?

☐ Yes ☐ No

Is site ready for inspection?

☐ Yes ☐ No

Date Ready for Inspection:

☐ NOTICE OF CONTINUED SHUT IN STATUS

Date well shut in or temporarily abandoned:

Has Production Equipment been removed from site?

☐ Yes ☐ No

MIT required if shut in longer than two years. Date of last MIT

☐ SPUD DATE:☐ REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)☐ SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK

*submit cbl and cement job summaries

Method used

Cementing tool setting/perf depth

Cement volume

Cement top

Cement bottom

Date

☐ RECLAMATION:

Attach technical page describing final reclamation procedures per Rule 1004.

Final reclamation will commence on approximately

☐

Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

☒ Notice of Intent

Approximate Start Date: 04/20/2012

☐ Report of Work Done

Date Work Completed:

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

☐ Intent to Recomplete (submit form 2)☐ Request to Vent or Flare☐ E&P Waste Disposal☐ Change Drilling Plans☐ Repair Well☐ Beneficial Reuse of E&P Waste☐ Gross Interval Changed?☐ Rule 502 variance requested☐ Status Update/Change of Remediation Plans☐ Casing/Cementing Program Change☒ Other: Request to Complete

for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Matt Barber

Date: 3/28/2012 Email: matt.barber@williams.com

Print Name: Matt Barber

Title: Sr. Regulatory Specialist

COGCC Approved:

Title

Date: 3/30/12

CONDITIONS OF APPROVAL, IF ANY:

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

| | | | |
|--|--------------------------------|-----------------------|--------------------|
| 1. OGCC Operator Number: | 96850 | API Number: | 05-045-20981-00 |
| 2. Name of Operator: | WPX Energy Rocky Mountain, LLC | | OGCC Facility ID # |
| 3. Well/Facility Name: | Jolley | Well/Facility Number: | KP 23-8 |
| 4. Location (QtrQtr, Sec, Twp, Rng, Meridian): | SESW, Sec 8 T6S-R91W | | |

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

RECEIVED
MAR 28 2012
COGCC/Rifle Office

5. DESCRIBE PROPOSED OR COMPLETED OPERATIONS

THE REFERENCED WELL WAS SUCCESSFULLY CEMENTED ON 3/1/2012

WPX request approval from the COGCC to commence Completion Operations.

ATTACHMENTS:

CBL
WELLBORE SCHEMATIC
TEMPERATURE PLOT
BRADENHEAD PRESSURE SUMMARY


045-20981

REC'D

MAR 28 2012

COGCC/Rifle Office

JOLLEY KP 23-8





Bradenhead Pressure Summary

WELL: Jolley KP 23-8

LOCATION: SE/4SW/4 SEC. 8 T6S-R91W 6TH PM

API#: 05-045-20981-00

TEMP. LOG RUN DATE: 03/01/2012

TOP OF CEMENT: 3910' (CBL)

TOP OF GAS: 4867'

BRADENHEAD PRESSURES (psig)

WELLHEAD PRESSURE KP 23-8

| | | | | |
|----------|-------|-------|------|-------|
| 3/1/2012 | 19:00 | 6 HR | 0 GL | 0 PSI |
| 3/2/2012 | 01:00 | 12 HR | 0 GL | 0 PSI |
| 3/3/2012 | 13:00 | 24 HR | 0 GL | 0 PSI |
| 3/4/2012 | 13:00 | 48 HR | 0 GL | 0 PSI |
| 3/5/2012 | 13:00 | 72 HR | 0 GL | 0 PSI |

KP 23-8 Update:


- TOC from CBL is 3910 ft.
- Initial Bradenhead measurements were all 0 psi
- Current Bradenhead pressure is 0 psi

045-20981

RECEIVED
MAR 28 2012
COGCC/Rifle Office

WPX Energy Rocky Mountain Company, LLC
Jolley KP 23-8
Kokopelli Field
SHL 198' FSL 2332' FWL (SE/4 SW/4) BHL 2479' FSL 2285' FWL (NE/4 SW/4)
Section 8, T6S, R91W 6TH PM
Williams Production RMT Co.
Garfield County, Colorado

Formation Tops
(Measured Depths)



Conductor 26" Hole 18" casing/liner 68' W/34 sks cmt

Cmt @ Surface - (Cmt circ to surf during cmt job)

9 5/8" 32.3# ppf Csg. Set @ 1422'
In 12 1/4" Hole W/380 Sks. Cmt

Top Of Cement 3910'

PBTD @
TMD @ 7854'
TVD @ 7111'

4-1/2", 11.6 ppf. Csg. Set @ 7829' W/1190 sks Cmt