

[illegible]

# **OXY USA RMAT**

**Mesa County, CO NAD27**

**Hell's Gulch Federal 26-11 Pad**

**Hell's Gulch Federal 26-11C - Slot A**

**OH**

**Plan: Plan #1**

## **Standard Planning Report**

**10 December, 2011**

# Scientific Drilling International

## Planning Report

<b>Database:</b>	Rockies Compass Server	<b>Local Co-ordinate Reference:</b>	Well Hell's Gulch Federal 26-11C - Slot A
<b>Company:</b>	OXY USA RMAT	<b>TVD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Project:</b>	Mesa County, CO NAD27	<b>MD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Site:</b>	Hell's Gulch Federal 26-11 Pad	<b>North Reference:</b>	True
<b>Well:</b>	Hell's Gulch Federal 26-11C	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #1		

<b>Project</b>	Mesa County, CO NAD27		
<b>Map System:</b>	US State Plane 1927 (Exact solution)	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 (NADCON CONUS)		
<b>Map Zone:</b>	Colorado Central 502		

Site		Hell's Gulch Federal 26-11 Pad			
Site Position:		Northing:	551,572.39 usft	Latitude:	39° 19' 42.130 N
From:	Lat/Long	Easting:	1,396,255.07 usft	Longitude:	107° 38' 4.116 W
Position Uncertainty:	0.00 ft	Slot Radius:	13.200 in	Grid Convergence:	-1.35 °

Well	Hell's Gulch Federal 26-11C - Slot A					
Well Position	+N/-S	0.00 ft	Northing:	551,572.39 usft	Latitude:	39° 19' 42.130 N
	+E/-W	0.00 ft	Easting:	1,396,255.07 usft	Longitude:	107° 38' 4.116 W
Position Uncertainty		0.00 ft	Wellhead Elevation:		Ground Level:	7,985.00 ft

<b>Wellbore</b>	OH				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	IGRF2010	10/27/11	10.12	65.66	52,153

<b>Design</b>	Plan #1			
<b>Audit Notes:</b>				
<b>Version:</b>	<b>Phase:</b>	PLAN	<b>Tie On Depth:</b>	0.00
<b>Vertical Section:</b>	<b>Depth From (TVD)</b>	<b>+N/-S (ft)</b>	<b>+E/-W (ft)</b>	<b>Direction (°)</b>
	0.00	0.00	0.00	0.00

<b>Plan Sections</b>										
<b>Measured Depth (ft)</b>	<b>Inclination (°)</b>	<b>Azimuth (°)</b>	<b>Vertical Depth (ft)</b>	<b>+N/-S (ft)</b>	<b>+E/-W (ft)</b>	<b>Dogleg Rate (°/100ft)</b>	<b>Build Rate (°/100ft)</b>	<b>Turn Rate (°/100ft)</b>	<b>TFO (°)</b>	<b>Target</b>
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14,217.00	0.00	0.00	14,217.00	0.00	0.00	0.00	0.00	0.00	0.00	HG 26-11C PBHL

# Scientific Drilling International

## Planning Report

<b>Database:</b>	Rockies Compass Server	<b>Local Co-ordinate Reference:</b>	Well Hell's Gulch Federal 26-11C - Slot A
<b>Company:</b>	OXY USA RMAT	<b>TVD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Project:</b>	Mesa County, CO NAD27	<b>MD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Site:</b>	Hell's Gulch Federal 26-11 Pad	<b>North Reference:</b>	True
<b>Well:</b>	Hell's Gulch Federal 26-11C	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
800.00	0.00	0.00	800.00	0.00	0.00	0.00	0.00	0.00	0.00
900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00
1,100.00	0.00	0.00	1,100.00	0.00	0.00	0.00	0.00	0.00	0.00
1,200.00	0.00	0.00	1,200.00	0.00	0.00	0.00	0.00	0.00	0.00
1,300.00	0.00	0.00	1,300.00	0.00	0.00	0.00	0.00	0.00	0.00
1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00
1,500.00	0.00	0.00	1,500.00	0.00	0.00	0.00	0.00	0.00	0.00
1,600.00	0.00	0.00	1,600.00	0.00	0.00	0.00	0.00	0.00	0.00
1,700.00	0.00	0.00	1,700.00	0.00	0.00	0.00	0.00	0.00	0.00
1,800.00	0.00	0.00	1,800.00	0.00	0.00	0.00	0.00	0.00	0.00
1,900.00	0.00	0.00	1,900.00	0.00	0.00	0.00	0.00	0.00	0.00
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
2,100.00	0.00	0.00	2,100.00	0.00	0.00	0.00	0.00	0.00	0.00
2,200.00	0.00	0.00	2,200.00	0.00	0.00	0.00	0.00	0.00	0.00
2,300.00	0.00	0.00	2,300.00	0.00	0.00	0.00	0.00	0.00	0.00
2,400.00	0.00	0.00	2,400.00	0.00	0.00	0.00	0.00	0.00	0.00
2,500.00	0.00	0.00	2,500.00	0.00	0.00	0.00	0.00	0.00	0.00
2,600.00	0.00	0.00	2,600.00	0.00	0.00	0.00	0.00	0.00	0.00
2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00
2,800.00	0.00	0.00	2,800.00	0.00	0.00	0.00	0.00	0.00	0.00
2,900.00	0.00	0.00	2,900.00	0.00	0.00	0.00	0.00	0.00	0.00
3,000.00	0.00	0.00	3,000.00	0.00	0.00	0.00	0.00	0.00	0.00
3,100.00	0.00	0.00	3,100.00	0.00	0.00	0.00	0.00	0.00	0.00
3,200.00	0.00	0.00	3,200.00	0.00	0.00	0.00	0.00	0.00	0.00
3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00	0.00
3,400.00	0.00	0.00	3,400.00	0.00	0.00	0.00	0.00	0.00	0.00
3,500.00	0.00	0.00	3,500.00	0.00	0.00	0.00	0.00	0.00	0.00
3,600.00	0.00	0.00	3,600.00	0.00	0.00	0.00	0.00	0.00	0.00
3,700.00	0.00	0.00	3,700.00	0.00	0.00	0.00	0.00	0.00	0.00
3,800.00	0.00	0.00	3,800.00	0.00	0.00	0.00	0.00	0.00	0.00
3,900.00	0.00	0.00	3,900.00	0.00	0.00	0.00	0.00	0.00	0.00
4,000.00	0.00	0.00	4,000.00	0.00	0.00	0.00	0.00	0.00	0.00
4,100.00	0.00	0.00	4,100.00	0.00	0.00	0.00	0.00	0.00	0.00
4,200.00	0.00	0.00	4,200.00	0.00	0.00	0.00	0.00	0.00	0.00
4,300.00	0.00	0.00	4,300.00	0.00	0.00	0.00	0.00	0.00	0.00
4,400.00	0.00	0.00	4,400.00	0.00	0.00	0.00	0.00	0.00	0.00
4,500.00	0.00	0.00	4,500.00	0.00	0.00	0.00	0.00	0.00	0.00
4,600.00	0.00	0.00	4,600.00	0.00	0.00	0.00	0.00	0.00	0.00
4,700.00	0.00	0.00	4,700.00	0.00	0.00	0.00	0.00	0.00	0.00
4,798.00	0.00	0.00	4,798.00	0.00	0.00	0.00	0.00	0.00	0.00
Mesaverde									
4,800.00	0.00	0.00	4,800.00	0.00	0.00	0.00	0.00	0.00	0.00
4,900.00	0.00	0.00	4,900.00	0.00	0.00	0.00	0.00	0.00	0.00
4,997.00	0.00	0.00	4,997.00	0.00	0.00	0.00	0.00	0.00	0.00
Base Ohio Creek									

# Scientific Drilling International

## Planning Report

<b>Database:</b>	Rockies Compass Server	<b>Local Co-ordinate Reference:</b>	Well Hell's Gulch Federal 26-11C - Slot A
<b>Company:</b>	OXY USA RMAT	<b>TVD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Project:</b>	Mesa County, CO NAD27	<b>MD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Site:</b>	Hell's Gulch Federal 26-11 Pad	<b>North Reference:</b>	True
<b>Well:</b>	Hell's Gulch Federal 26-11C	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
5,000.00	0.00	0.00	5,000.00	0.00	0.00	0.00	0.00	0.00	0.00
5,100.00	0.00	0.00	5,100.00	0.00	0.00	0.00	0.00	0.00	0.00
5,200.00	0.00	0.00	5,200.00	0.00	0.00	0.00	0.00	0.00	0.00
5,300.00	0.00	0.00	5,300.00	0.00	0.00	0.00	0.00	0.00	0.00
5,400.00	0.00	0.00	5,400.00	0.00	0.00	0.00	0.00	0.00	0.00
5,500.00	0.00	0.00	5,500.00	0.00	0.00	0.00	0.00	0.00	0.00
5,600.00	0.00	0.00	5,600.00	0.00	0.00	0.00	0.00	0.00	0.00
5,700.00	0.00	0.00	5,700.00	0.00	0.00	0.00	0.00	0.00	0.00
5,800.00	0.00	0.00	5,800.00	0.00	0.00	0.00	0.00	0.00	0.00
5,900.00	0.00	0.00	5,900.00	0.00	0.00	0.00	0.00	0.00	0.00
6,000.00	0.00	0.00	6,000.00	0.00	0.00	0.00	0.00	0.00	0.00
6,100.00	0.00	0.00	6,100.00	0.00	0.00	0.00	0.00	0.00	0.00
6,200.00	0.00	0.00	6,200.00	0.00	0.00	0.00	0.00	0.00	0.00
6,215.00	0.00	0.00	6,215.00	0.00	0.00	0.00	0.00	0.00	0.00
TOG = 551572.38, 1396255.07									
6,300.00	0.00	0.00	6,300.00	0.00	0.00	0.00	0.00	0.00	0.00
6,400.00	0.00	0.00	6,400.00	0.00	0.00	0.00	0.00	0.00	0.00
6,500.00	0.00	0.00	6,500.00	0.00	0.00	0.00	0.00	0.00	0.00
6,600.00	0.00	0.00	6,600.00	0.00	0.00	0.00	0.00	0.00	0.00
6,700.00	0.00	0.00	6,700.00	0.00	0.00	0.00	0.00	0.00	0.00
6,800.00	0.00	0.00	6,800.00	0.00	0.00	0.00	0.00	0.00	0.00
6,900.00	0.00	0.00	6,900.00	0.00	0.00	0.00	0.00	0.00	0.00
7,000.00	0.00	0.00	7,000.00	0.00	0.00	0.00	0.00	0.00	0.00
7,100.00	0.00	0.00	7,100.00	0.00	0.00	0.00	0.00	0.00	0.00
7,200.00	0.00	0.00	7,200.00	0.00	0.00	0.00	0.00	0.00	0.00
7,300.00	0.00	0.00	7,300.00	0.00	0.00	0.00	0.00	0.00	0.00
7,400.00	0.00	0.00	7,400.00	0.00	0.00	0.00	0.00	0.00	0.00
7,500.00	0.00	0.00	7,500.00	0.00	0.00	0.00	0.00	0.00	0.00
7,600.00	0.00	0.00	7,600.00	0.00	0.00	0.00	0.00	0.00	0.00
7,700.00	0.00	0.00	7,700.00	0.00	0.00	0.00	0.00	0.00	0.00
7,800.00	0.00	0.00	7,800.00	0.00	0.00	0.00	0.00	0.00	0.00
7,900.00	0.00	0.00	7,900.00	0.00	0.00	0.00	0.00	0.00	0.00
7,930.00	0.00	0.00	7,930.00	0.00	0.00	0.00	0.00	0.00	0.00
Rollins									
8,000.00	0.00	0.00	8,000.00	0.00	0.00	0.00	0.00	0.00	0.00
8,100.00	0.00	0.00	8,100.00	0.00	0.00	0.00	0.00	0.00	0.00
8,200.00	0.00	0.00	8,200.00	0.00	0.00	0.00	0.00	0.00	0.00
8,300.00	0.00	0.00	8,300.00	0.00	0.00	0.00	0.00	0.00	0.00
8,400.00	0.00	0.00	8,400.00	0.00	0.00	0.00	0.00	0.00	0.00
8,500.00	0.00	0.00	8,500.00	0.00	0.00	0.00	0.00	0.00	0.00
8,600.00	0.00	0.00	8,600.00	0.00	0.00	0.00	0.00	0.00	0.00
8,688.00	0.00	0.00	8,688.00	0.00	0.00	0.00	0.00	0.00	0.00
Corcoran									
8,700.00	0.00	0.00	8,700.00	0.00	0.00	0.00	0.00	0.00	0.00
8,800.00	0.00	0.00	8,800.00	0.00	0.00	0.00	0.00	0.00	0.00
8,900.00	0.00	0.00	8,900.00	0.00	0.00	0.00	0.00	0.00	0.00
8,975.00	0.00	0.00	8,975.00	0.00	0.00	0.00	0.00	0.00	0.00
Mancos									
9,000.00	0.00	0.00	9,000.00	0.00	0.00	0.00	0.00	0.00	0.00
9,100.00	0.00	0.00	9,100.00	0.00	0.00	0.00	0.00	0.00	0.00
9,200.00	0.00	0.00	9,200.00	0.00	0.00	0.00	0.00	0.00	0.00
9,300.00	0.00	0.00	9,300.00	0.00	0.00	0.00	0.00	0.00	0.00
9,400.00	0.00	0.00	9,400.00	0.00	0.00	0.00	0.00	0.00	0.00

# Scientific Drilling International

## Planning Report

<b>Database:</b>	Rockies Compass Server	<b>Local Co-ordinate Reference:</b>	Well Hell's Gulch Federal 26-11C - Slot A
<b>Company:</b>	OXY USA RMAT	<b>TVD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Project:</b>	Mesa County, CO NAD27	<b>MD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Site:</b>	Hell's Gulch Federal 26-11 Pad	<b>North Reference:</b>	True
<b>Well:</b>	Hell's Gulch Federal 26-11C	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
9,500.00	0.00	0.00	9,500.00	0.00	0.00	0.00	0.00	0.00	0.00
9,600.00	0.00	0.00	9,600.00	0.00	0.00	0.00	0.00	0.00	0.00
9,700.00	0.00	0.00	9,700.00	0.00	0.00	0.00	0.00	0.00	0.00
9,800.00	0.00	0.00	9,800.00	0.00	0.00	0.00	0.00	0.00	0.00
9,900.00	0.00	0.00	9,900.00	0.00	0.00	0.00	0.00	0.00	0.00
10,000.00	0.00	0.00	10,000.00	0.00	0.00	0.00	0.00	0.00	0.00
10,100.00	0.00	0.00	10,100.00	0.00	0.00	0.00	0.00	0.00	0.00
10,200.00	0.00	0.00	10,200.00	0.00	0.00	0.00	0.00	0.00	0.00
10,300.00	0.00	0.00	10,300.00	0.00	0.00	0.00	0.00	0.00	0.00
10,400.00	0.00	0.00	10,400.00	0.00	0.00	0.00	0.00	0.00	0.00
10,500.00	0.00	0.00	10,500.00	0.00	0.00	0.00	0.00	0.00	0.00
10,600.00	0.00	0.00	10,600.00	0.00	0.00	0.00	0.00	0.00	0.00
10,700.00	0.00	0.00	10,700.00	0.00	0.00	0.00	0.00	0.00	0.00
10,800.00	0.00	0.00	10,800.00	0.00	0.00	0.00	0.00	0.00	0.00
10,900.00	0.00	0.00	10,900.00	0.00	0.00	0.00	0.00	0.00	0.00
11,000.00	0.00	0.00	11,000.00	0.00	0.00	0.00	0.00	0.00	0.00
11,100.00	0.00	0.00	11,100.00	0.00	0.00	0.00	0.00	0.00	0.00
11,200.00	0.00	0.00	11,200.00	0.00	0.00	0.00	0.00	0.00	0.00
11,300.00	0.00	0.00	11,300.00	0.00	0.00	0.00	0.00	0.00	0.00
11,400.00	0.00	0.00	11,400.00	0.00	0.00	0.00	0.00	0.00	0.00
11,500.00	0.00	0.00	11,500.00	0.00	0.00	0.00	0.00	0.00	0.00
11,600.00	0.00	0.00	11,600.00	0.00	0.00	0.00	0.00	0.00	0.00
11,700.00	0.00	0.00	11,700.00	0.00	0.00	0.00	0.00	0.00	0.00
11,800.00	0.00	0.00	11,800.00	0.00	0.00	0.00	0.00	0.00	0.00
11,900.00	0.00	0.00	11,900.00	0.00	0.00	0.00	0.00	0.00	0.00
12,000.00	0.00	0.00	12,000.00	0.00	0.00	0.00	0.00	0.00	0.00
12,100.00	0.00	0.00	12,100.00	0.00	0.00	0.00	0.00	0.00	0.00
12,200.00	0.00	0.00	12,200.00	0.00	0.00	0.00	0.00	0.00	0.00
12,281.00	0.00	0.00	12,281.00	0.00	0.00	0.00	0.00	0.00	0.00
Niobrara									
12,300.00	0.00	0.00	12,300.00	0.00	0.00	0.00	0.00	0.00	0.00
12,400.00	0.00	0.00	12,400.00	0.00	0.00	0.00	0.00	0.00	0.00
12,500.00	0.00	0.00	12,500.00	0.00	0.00	0.00	0.00	0.00	0.00
12,600.00	0.00	0.00	12,600.00	0.00	0.00	0.00	0.00	0.00	0.00
12,700.00	0.00	0.00	12,700.00	0.00	0.00	0.00	0.00	0.00	0.00
12,800.00	0.00	0.00	12,800.00	0.00	0.00	0.00	0.00	0.00	0.00
12,900.00	0.00	0.00	12,900.00	0.00	0.00	0.00	0.00	0.00	0.00
13,000.00	0.00	0.00	13,000.00	0.00	0.00	0.00	0.00	0.00	0.00
13,100.00	0.00	0.00	13,100.00	0.00	0.00	0.00	0.00	0.00	0.00
13,200.00	0.00	0.00	13,200.00	0.00	0.00	0.00	0.00	0.00	0.00
13,300.00	0.00	0.00	13,300.00	0.00	0.00	0.00	0.00	0.00	0.00
13,400.00	0.00	0.00	13,400.00	0.00	0.00	0.00	0.00	0.00	0.00
13,500.00	0.00	0.00	13,500.00	0.00	0.00	0.00	0.00	0.00	0.00
13,600.00	0.00	0.00	13,600.00	0.00	0.00	0.00	0.00	0.00	0.00
13,700.00	0.00	0.00	13,700.00	0.00	0.00	0.00	0.00	0.00	0.00
13,800.00	0.00	0.00	13,800.00	0.00	0.00	0.00	0.00	0.00	0.00
13,817.00	0.00	0.00	13,817.00	0.00	0.00	0.00	0.00	0.00	0.00
Dakota									
13,900.00	0.00	0.00	13,900.00	0.00	0.00	0.00	0.00	0.00	0.00
14,000.00	0.00	0.00	14,000.00	0.00	0.00	0.00	0.00	0.00	0.00
14,100.00	0.00	0.00	14,100.00	0.00	0.00	0.00	0.00	0.00	0.00
14,200.00	0.00	0.00	14,200.00	0.00	0.00	0.00	0.00	0.00	0.00
14,217.00	0.00	0.00	14,217.00	0.00	0.00	0.00	0.00	0.00	0.00

# Scientific Drilling International

## Planning Report

<b>Database:</b>	Rockies Compass Server	<b>Local Co-ordinate Reference:</b>	Well Hell's Gulch Federal 26-11C - Slot A
<b>Company:</b>	OXY USA RMAT	<b>TVD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Project:</b>	Mesa County, CO NAD27	<b>MD Reference:</b>	GL 7985' @ 7985.00ft (Ground Level)
<b>Site:</b>	Hell's Gulch Federal 26-11 Pad	<b>North Reference:</b>	True
<b>Well:</b>	Hell's Gulch Federal 26-11C	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan #1		

Design Targets									
Target Name	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- hit/miss target	(°)	(°)	(ft)	(ft)	(ft)	(usft)	(usft)		
- Shape									
HG 26-11C PBHL	0.00	0.00	14,217.00	0.00	0.00	551,572.39	1,396,255.07	39° 19' 42.130 N	107° 38' 4.116 W
- plan hits target center									
- Circle (radius 50.00)									

Formations						
Measured Depth	Vertical Depth	Name	Lithology	Dip	Dip Direction	
(ft)	(ft)			(°)	(°)	
4,798.00	4,798.00	Mesaverde		0.00		
4,997.00	4,997.00	Base Ohio Creek		0.00		
7,930.00	7,930.00	Rollins		0.00		
8,688.00	8,688.00	Corcoran		0.00		
8,975.00	8,975.00	Mancos		0.00		
12,281.00	12,281.00	Niobrara		0.00		
13,817.00	13,817.00	Dakota		0.00		

Plan Annotations					
Measured Depth	Vertical Depth	Local Coordinates			
(ft)	(ft)	+N/-S	+E/-W	Comment	
(ft)	(ft)	(ft)	(ft)		
6,215.00	6,215.00	0.00	0.00	TOG = 551572.38, 1396255.07	